

WOMENS LAXATIVE- bisacodyl tablet**AmerisourceBergen Drug Corporation (Good Neighbor Pharmacy) 24385**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts**Active ingredient (in each tablet)**

Bisacodyl USP 5 mg

Purpose

Stimulant laxative

Use

- for temporary relief of occasional constipation and irregularity
- this product generally produces a bowel movement in 6 to 12 hours

Warnings**Do not use**

if you cannot swallow without chewing.

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not chew or crush tablets
- do not use this product within 1 hour after taking an antacid or milk
- abdominal discomfort, faintness, and cramps may occur

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with a glass of water

adults and children 12 years of age and overtake 1 to 3 tablets in a single daily dose

children 6 to under 12 years of age	take 1 tablet in a single daily dose
children under 6 years of age	ask a doctor

Other information

- each tablet contains: calcium 15 mg
- store between 20°-25°C (68°-77°F)

Inactive ingredients

acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, D&C red # 7 calcium lake, hypromellose phthalate, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide, triacetin

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

*Compare to Correctol® active ingredient

Women's Laxative Tablets

Bisacodyl, 5 mg

Stimulant Laxative

For gentle, dependable overnight relief

comfort coated tablets

*This product is not manufactured or distributed by MSD Consumer Care Inc., distributor of Correctol®

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCTS INFORMATION

Distributed by AmerisourceBergen

1300 Morris Drive, Chesterbrook, PA 19087

www.goodneighborpharmacy.com

Product Label



V60X4

Directions
 ■ take with a glass of water
 ■ If pregnant or breast-feeding, ask a health professional before use.
 ■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

When using this product
 ■ do not chew or crush tablet(s)
 ■ do not use within 1 hour after taking an antacid or milk
 ■ it may cause stomach discomfort, faintness and cramps

Stop use and ask a doctor if
 ■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
 ■ you need to use a laxative for more than 1 week

Drug Facts (continued)
 ■ a sudden change in bowel habits that lasts more than 2 weeks
 ■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
 ■ you need to use a laxative for more than 1 week

Other information
 ■ each tablet contains: calcium 15 mg
 ■ store between 20°-25°C (68°-77°F)

Inactive ingredients
 acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, D&C red #7 calcium lake, hypromellose phthalate, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide, triacetin

Questions or comments?
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Drug Facts
 (in each tablet)
 Bisacodyl USP 5 mg.....Stimulant laxative

Purpose
 ■ for temporary relief of occasional constipation and irregularity

Warnings
 Do not use if you cannot swallow without chewing.
 Ask a doctor before use if you have stomach pain, nausea or vomiting.

Drug Facts (continued)
 ■ this product generally produces a bowel movement in 6 to 12 hours

GOOD NEIGHBOR PHARMACY

Laxative Tablets
 bisacodyl, 5 mg
 Stimulant Laxative
 30 tablets

Women's

GOOD NEIGHBOR PHARMACY

NDC 24385-193-65

Women's

Laxative Tablets
 bisacodyl, 5 mg
 Stimulant Laxative

For Gentle, Dependable Overnight Relief
 Comfort Coated Tablets

30 tablets

JOIN US IN SUPPORTING THE AMERICAN BREAST CANCER FOUNDATION

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
 Exp. Date:

*This product is not manufactured or distributed by MSD Consumer Care Inc., distributor of Correctol®.

†GOOD NEIGHBOR PROUDLY DONATES A PORTION OF EACH PURCHASE TO BREAST CANCER EARLY DETECTION AND RESEARCH.

ABC# 10004193

0 87701 40649 2

PLD-C14M FC002113

Distributed By AmerisourceBergen
 1300 Morris Drive, Chesterbrook, PA 19087
 Visit us at www.goodneighborpharmacy.com

SATISFACTION GUARANTEED

Good Neighbor Pharmacy Women's Laxative Tablets

WOMENS LAXATIVE

bisacodyl tablet

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:24385-193(NDC:49483-046)
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (BISACODYL)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA	
CALCIUM SULFATE ANHYDROUS	
CARNAUBA WAX	
SILICON DIOXIDE	
STARCH, CORN	
D&C RED NO. 7	
HYPROMELLOSE PHTHALATE (24 % PHTHALATE, 55 CST)	
FERRIC OXIDE RED	
FERROSFERRIC OXIDE	
FERRIC OXIDE YELLOW	
KAOLIN	
MAGNESIUM STEARATE	
CELLULOSE, MICROCRYSTALLINE	
POLYETHYLENE GLYCOL 400	
POVIDONES	
SHELLAC	
SODIUM STARCH GLYCOLATE TYPE A CORN	
STEARIC ACID	
SUCROSE	
TALC	
TITANIUM DIOXIDE	
TRIACETIN	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	TCL057
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-193-65	2 in 1 CARTON		
1		15 in 1 BLISTER PACK		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	07/15/2010	

Labeler - AmerisourceBergen Drug Corporation (Good Neighbor Pharmacy) 24385 (007914906)

Revised: 7/2014

AmerisourceBergen Drug Corporation (Good Neighbor Pharmacy) 24385