

LORATADINE- loratadine tablet, chewable
WALGREEN COMPANY

Loratadine

Drug Facts

Active ingredient (in each tablet)

Loratadine USP, 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, D&C red No. 27 aluminum lake, FD&C blue No. 2 aluminum lake, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions?

call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-800-406-7984**.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

PRINCIPAL DISPLAY PANEL - 30 Tablet Blister Pack Carton

Walgreens

children's
ALLERGY

Wal-itin[®]

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

Compare to Children's Claritin[®]
Chewables active ingredient^{††}

NDC 0363-0752-30

NEW

CHEWABLE
NON-DROWSY*
24-HOUR RELIEF

- 24-hour relief of sneezing, runny nose, itchy throat or nose, & itchy, watery eyes
- Indoor & outdoor allergies

30 CHEWABLE
TABLETS

The chewable tablets are to be chewed before swallowing.

*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

GRAPE
FLAVOR

ACTUAL SIZE

AGES
2
YEARS &
OLDER

children's
ALLERGY

Walgreens

Wal-itin®

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

children's
ALLERGY

Walgreens

Wal-itin®

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

Compare to Children's Claritin®
Chewables active ingredient^{††}

NDC 0363-0752-30

NEW

Non Varnish Area

Batch No.

Expiration Date:

CHEWABLE NON-DROWSY* 24-HOUR RELIEF

- 24-hour relief of sneezing, runny nose, itchy throat or nose, & itchy, watery eyes
- Indoor & outdoor allergies



GRAPE ACTUAL SIZE
FLAVOR



AGES
2
YEARS &
OLDER

30 CHEWABLE
TABLETS

The chewable tablets are to be chewed before swallowing.

*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

PHARMACIST

Walgreens
Trusted since 1901™

RECOMMENDED[†]

Health expertise
you rely on.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens
100% SATISFACTION
GUARANTEED

walgreens.com ©2019 Walgreen Co.

ITEM 848643 W00000-0000-0



[†]Walgreens Pharmacist Survey
^{††}All trademarks are property of
their respective owners. This
product is not affiliated with
the makers of Children's
Claritin® Chewables.

ORG0318-F
REV-0619

Drug Facts

Active ingredient (in each tablet) Purpose
Loratadine USP, 5 mg Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

■ chew or crush tablets completely before swallowing.

adults and children 6 years and over chew 2 tablets daily; not more than 2 tablets in 24 hours

children 2 to under 6 years of age chew 1 tablet daily; not more than 1 tablet in 24 hours

children under 2 years of age ask a doctor

consumers with liver or kidney disease ask a doctor

Other information

■ phenylketonurics: contains phenylalanine 1.25 mg per tablet.

■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

■ store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, D&C red No. 27 aluminum lake, FD&C blue No. 2 aluminum lake, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions? call toll-free Monday to Friday 8:30 am to 5:00 pm EST at 1-800-406-7984.

Keep the carton. It contains important information. See end panel for expiration date.

GLUE - NO COATING



5200144



5200144

LORATADINE

loratadine tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0752
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	PURPLE (light purple to dark purple)	Score	no score
Shape	ROUND	Size	10mm
Flavor	GRAPE	Imprint Code	753
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0752-30	3 in 1 CARTON	07/26/2019	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210088	07/26/2019	

Labeler - WALGREEN COMPANY (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	MANUFACTURE(0363-0752)

Revised: 8/2019

WALGREEN COMPANY