IRON CHEWS- iron pentacarbonyl tablet, chewable H2-Pharma, LLC

Iron Chews

Directions

As an Iron Supplement, one chewable tablet daily, or as directed by a health professional.

Keep out of reach of children.

Protect from light, heat and moisture. Store at 59° - 86°F (15° - 30°C)

Supplement Facts				
Serving Size 1 Tablet	Servings pe	Servings per container: 60		
Amount Per Serving	% Daily Value Infants from birth to 12 months of age	% Daily Value Children under 4 years of age		
Iron (as Carbonyl Iron) 15 mg	100%	150%		

Other Ingredients: Sorbitol, microcrystalline cellulose, artificial grape flavor, magnesium stearate, silica, FD&C Blue #2 Lake, and FD&C Red #40 Lake.

CAUTION

Do not exceed recommended dosage. The treatment of any anemic condition should be under the advice and supervision of a health professional. Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within two hours of each other. Occasional gastrointestinal discomfort (such as nausea) may be minimized by taking with meals. Iron-containing medication may occasionally cause constipation or diarrhea. If you are pregnant or nursing a baby, seek the advice of a health professional prior to taking this product.

WARNING

ACCIDENTAL OVERDOSE OF IRON-CONTAINING PRODUCTS IS A LEADING CAUSE OF FATAL POISONING IN CHILDREN UNDER SIX YEARS. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. IN CASE OF OVERDOSE, CALL A DOCTOR OR POISON CONTROL CENTER IMMEDIATELY.

H² pharma www.h2-pharma.com

PRINCIPAL DISPLAY PANEL - 15 mg Tablet Bottle Label

Iron Chews

Pediatric Chewables

IRON SUPPLEMENT

Each Tablet Contains: Iron (as carbonyl iron)15 mg

H² pharma

61269-910-60 60 TABLETS



IRON CHEWS

iron pentacarbonyl tablet, chewable

Product Information			
Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:61269-910
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
IRON PENTACARBONYL (UNII: 6WQ62TAQ6Z) (FERROUS CATION - UNII:GW895810WR)	FERROUS CATION	15 mg		

Inactive Ingredients			
Ingredient Name	Strength		
SORBITOL (UNII: 506T60A25R)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			

Pa	Packaging					
#	Item Code	Package Description	Marketing	Start Date	Marl	keting End Date
1	NHRIC:61269-910-60	60 in 1 BOTTLE				
M	larketing Info	ormation				
M	larketing Info Marketing Category	Ormation Application Number or Mo Citation	nograph	Marketing S	tart	Marketing End Date

Supplement Facts				
Serving Size :		Serving per Container :		
	Amount Per Serving	% Daily Value		
color				
scoring	1			
shape				
size (solid drugs)	10 mm			
flavor				

Labeler - H2-Pharma, LLC (028473634)

Revised: 7/2022 H2-Pharma, LLC