

**NU SKIN AGELOC RADIANT DAY BROAD SPECTRUM SPF 22- avobenzone, homosalate, octisalate, and octocrylene lotion**  
**NSE Products, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Nu Skin® ageLOC® Radiant Day Broad Spectrum SPF 22**

***Drug Facts***

**Active Ingredient**

Avobenzone (3%), Homosalate (5%), Octisalate (4%), Octocrylene (2%)

**Purpose**

Sunscreen

**Use**

- Helps prevent sunburn. Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- **For external use only.**
- **Do not use** on damaged or broken skin
- **Stop use and ask a doctor if** rash occurs
- **When using this product,** keep out of eyes. Rinse with water to remove.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Illuminate your skin each day. To complete your morning regimen, squeeze a pea-sized amount onto fingertips and apply in an upward, outward motion to face and neck. Avoid eye area.
- **Sunprotection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. –2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Children under 6 months: Ask a doctor

### **Inactive Ingredients**

Water (Aqua), Glycerin, Cetyl Dimethicone, Cyclopentasiloxane, Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Caprylyl Glycol, Glyceryl Stearate, PEG-100 Stearate, Dimethicone, Cyclohexasiloxane, Dimethicone/ Vinyl Dimethicone Crosspolymer, Cetyl Alcohol, Methyl Gluceth-10, Steareth-2, Steareth-21, Isohexadecane, Nylon-12, Hydrolyzed Jojoba Esters, Jojoba Esters, Bambusa Vulgaris Leaf/Stem Extract, Glucosamine HCl, Pisum Sativum (Pea) Extract, Hexapeptide-2, Narcissus Tazetta Bulb Extract, Schizandra Chinensis Fruit Extract, Butyrospermum Parkii (Shea Butter), Polysorbate 80, Titanium Dioxide, Butylene Glycol, Citric Acid, Disodium EDTA, Fragrance (Parfum), Chlorphenesin, Phenoxyethanol.

### **Other Information**

- Protect this product from excessive heat and direct sun.

### **Questions?**

**1-888-742-7626**

### **PRINCIPAL DISPLAY PANEL - 25 ml Tube Carton**

age**LOC**® RADIANT DAY  
BROAD SPECTRUM SPF 22

NU SKIN®

25 ml e (0.85 fl .oz.)

### Drug Facts (cont.)

Spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Children under 6 months: Ask a doctor

### Inactive Ingredients:

Water (Aqua), Glycerin, Cetyl Dimethicone, Cyclopentasiloxane, Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Caprylyl Glycol, Glyceryl Stearate, PEG-100 Stearate, Dimethicone, Cyclohexasiloxane, Dimethicone/Vinyl Dimethicone Crosspolymer, Cetyl Alcohol, Methyl Gluceth-10, Steareth-2, Steareth-21, Isohexadecane, Nylon-12, Hydrolyzed Jojoba Esters, Jojoba Esters, Bambusa Vulgaris Leaf/Stem Extract, Glucosamine HCl, Pisum Sativum (Pea) Extract, Hexapeptide-2, Narcissus Tazetta Bulb Extract, Schizandra Chinensis Fruit Extract, Butyrospermum Parkii (Shea Butter), Polysorbate 80, Titanium Dioxide, Butylene Glycol, Citric Acid, Disodium EDTA, Fragrance (Par-

ageLOC® RADIANT DAY  
BROAD SPECTRUM SPF 22

### Drug Facts (cont.)

#### Questions?

1-888-742-7626

SOLD EXCLUSIVELY BY  
NU SKIN ENTERPRISES  
AUTHORIZED  
DISTRIBUTORS  
MANUFACTURED IN THE

### Drug Facts

#### Active Ingredient

Avobenzone (3%),  
Homosalate (5%),  
Octisalate (4%),  
Octocrylene (2%)

#### Purpose

Sunscreen

#### Use

- Helps prevent sunburn. Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin
- **Stop use and ask a doctor** if rash occurs
- **When using this product**, keep out of eyes. Rinse with water to remove.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- **Illuminate your skin** each day. To complete your morning regimen, squeeze a pea-sized amount onto fingertips and apply in an upward, outward motion to face and neck. Avoid eye area.
- **Sunprotection Measures:** Spending time in



## NU SKIN AGELOC RADIANT DAY BROAD SPECTRUM SPF 22

avobenzone, homosalate, octisalate, and octocrylene lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62839-3904
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	30 mg in 1 mL
<b>Homosalate</b> (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	50 mg in 1 mL
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	40 mg in 1 mL
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	20 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>METHYL GLUCETH-10</b> (UNII: N0MWT4C7WH)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	

<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>GLUCOSAMINE HYDROCHLORIDE</b> (UNII: 750W5330FY)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>PEA</b> (UNII: W4X7H8GYFM)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>BAMBUSA VULGARIS TOP</b> (UNII: FIW80T6P6V)	
<b>NARCISSUS TAZETTA BULB</b> (UNII: K17762966S)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SCHISANDRA CHINENSIS FRUIT</b> (UNII: ABS794681C)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62839-3904-1	1 in 1 CARTON	05/01/2013	
1		25 mL in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	05/01/2013	

**Labeler -** NSE Products, Inc. (803486393)

Revised: 1/2022

NSE Products, Inc.