

PENTASOL- pentobarbital sodium powder
Virbac AH, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Pentasol Powder

DIRECTIONS FOR MIXING: Add water slowly to between the 150 mL and 200 mL lines. After replacing cap, shake well to dissolve all the powder. Fill to the 250 mL line ONLY with more water. (DO NOT FILL ABOVE THE 250 mL LINE.)

To avoid leaking: DO NOT over tighten cap prior to shaking.

Dosage and Administration:Inject 1 mL for each 10 pounds of body weight (Minimum 1 mL). Intravenous injection is preferred. Intraperitoneal or intracardiac injections may be made when intravenous injection is impractical, as in a very small dog or cat, or in a comatose dog or cat with impaired vascular functions.

The following is recommended when withdrawing solution:

1. Do not inject air into the bottle prior to withdrawing solution. 2. Use no larger than 18 gauge needles for withdrawing solution. 3. Should any dripping from the injection port occur, replace cap.

WARNING: For animal euthanasia only. Must not be used for therapeutic purposes and must not be used in animals intended for food. If eye contact, flush with water and seek medical advice/ attention.

Caution:

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

POISON

Keep out of reach of children

ENVIRONMENTAL HAZARD:This product is toxic to wildlife. Birds and mammals feeding on treated animals may be killed. Euthanized animals must be properly disposed of by deep burial, incineration, or other method in compliance with state and local laws, to prevent consumption of carcass material by scavenging wildlife.

PRINCIPLE DISPLAY PANEL - 98g Package

NDC-051311-103-25

Virbac
ANIMAL HEALTH

Pentasol® Powder

Sodium Pentobarbital Powder (Non-Sterile)
FOR EUTHANASIA OF ANIMALS
FOR VETERINARY USE ONLY

When powder is reconstituted to 250 mL with water, each mL will contain 392 mg Sodium Pentobarbital.

POTENCY GUARANTEED FOR 1 YEAR AFTER RECONSTITUTION
DATE OF RECONSTITUTION:

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

POISON

KEEP OUT OF THE REACH OF CHILDREN

DIRECTIONS FOR MIXING: Add water slowly to between the 150 mL and 200 mL lines. After replacing cap, shake well to dissolve all of the powder. Fill to the 250 mL line ONLY with more water. (DO NOT FILL ABOVE THE 250 mL LINE.)

To avoid leaking: DO NOT over tighten cap prior to shaking.

Dosage and Administration: Inject 1 mL for each 10 pounds of body weight (Minimum 1 mL). Intravenous injection is preferred. Intraperitoneal or intracardiac injections may be made when intravenous injection is impractical, as in a very small dog or cat, or in a comatose dog or cat with impaired vascular functions.

The following is recommended when withdrawing solution:

1. Do not inject air into the bottle prior to withdrawing solution. 2. Use no larger than 18 gauge needles for withdrawing solution. 3. Should any dripping from the injection port occur, replace cap.

WARNING: For animal euthanasia only. Must not be used for therapeutic purposes and must not be used in animals intended for food. If eye contact, flush with water and seek medical advice/attention.

ENVIRONMENTAL HAZARD: This product is toxic to wildlife. Birds and mammals feeding on treated animals may be killed. Euthanized animals must be properly disposed of by deep burial, incineration, or other method in compliance with state and local laws, to prevent consumption of carcass material by scavenging wildlife.

09055-2

Manufactured for Virbac AH, Inc.

P.O. Box 162059 • Fort Worth, Texas 76161 • (800)338-3659

98 Grams

NDC-051311-103-25



Pentazol[®] Powder


Sodium Pentobarbital Powder (Non-Sterile)
FOR EUTHANASIA OF ANIMALS
FOR VETERINARY USE ONLY

When powder is reconstituted to 250 mL with water, each mL will contain 392 mg Sodium Pentobarbital.

POTENCY GUARANTEED FOR 1 YEAR AFTER RECONSTITUTION

DATE OF RECONSTITUTION:

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.



KEEP OUT OF THE REACH OF CHILDREN

DIRECTIONS FOR MIXING: Add water slowly to between the 150 mL and 200 mL lines. After replacing cap, shake well to dissolve all of the powder. Fill to the 250 mL line ONLY with more water. (DO NOT FILL ABOVE THE 250 mL LINE.)

To avoid leaking: DO NOT over tighten cap prior to shaking.

Dosage and Administration: Inject 1 mL for each 10 pounds of body weight (Minimum 1 mL). Intravenous injection is preferred. Intraperitoneal or intracardiac injections may be made when intravenous injection is impractical, as in a very small dog or cat, or in a comatose dog or cat with impaired vascular functions.

The following is recommended when withdrawing solution:

1. Do not inject air into the bottle prior to withdrawing solution.
2. Use no larger than 18 gauge needles for withdrawing solution.
3. Should any dripping from the injection port occur, replace cap.

WARNING: For animal euthanasia only. Must not be used for therapeutic purposes and must not be used in animals intended for food. If eye contact, flush with water and seek medical advice/attention.

ENVIRONMENTAL HAZARD: This product is toxic to wildlife. Birds and mammals feeding on treated animals may be killed. Euthanized animals must be properly disposed of by deep burial, incineration, or other method in compliance with state and local laws, to prevent consumption of carcass material by scavenging wildlife.

09055-2


Manufactured for Virbac AH, Inc.

98 Grams

P.O. Box 162059 · Fort Worth, Texas 76161 · (800) 338-3659



Do not exceed
250 mL mark



PENTASOL

pentobarbital sodium powder

Product Information

| | | | |
|--------------------------------|--|---------------------------|---------------|
| Product Type | PRESCRIPTION ANIMAL DRUG LABEL | Item Code (Source) | NDC:51311-103 |
| Route of Administration | INTRAVENOUS, INTRAPERITONEAL, INTRACARDIAC | DEA Schedule | CII |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|------------------------------------|----------------------|----------------|
| PENTOBARBITAL SODIUM (PENBARBITAL) | PENTOBARBITAL SODIUM | 392 mg in 1 mL |

Product Characteristics

| | | | |
|-----------------|------------------|---------------------|--|
| Color | red (bluish-red) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:51311-103-25 | 250 mL in 1 BOTTLE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 05/05/2004 | |

Labeler - Virbac AH, Inc. (131568396)**Registrant** - Virbac AH, Inc. (131568396)**Establishment**

| Name | Address | ID/FEI | Business Operations |
|--------------------|---------|-----------|---------------------|
| Virbac Corporation | | 829166276 | manufacture |

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------|---------|-----------|---------------------|
| SIEGFRIED USA, LLC | | 001213784 | api manufacture |