SLEEP AID- diphenhydramine hcl capsule Safeway, Inc.

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

 adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

store between 15-30°C (59-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?

Call 1-877-723-3929 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO Unisom® SleepGels® active ingredient†

Sleep-Aid Softgels

DIPHENHYDRAMINE HCI 50 mg

Nighttime Sleep-Aid

- Non habit-forming
- Fall asleep fast
- Sleep soundly
- Wake up refreshed

SOFTGELS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

†This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

DISTRIBUTED BY:

BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

www.betterlivingbrandsLLC.com

Package Label

NDC 21130-816-32



Sleep-Aid Softgels

DIPHENHYDRAMINE HCI 50 mg

Nighttime Sleep-Aid

- Non habit-forming
- Fall asleep fast
- Sleep soundly
- Wake up refreshed

COMPARE TO Unisom® SleepGels®

active ingredient?

Signature

are.



32 SOFTGELS

FC008047

PLD-J632A

Product of China

1-888-723-3929

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.



information for more Scan here

bis-qeels emittrigilA.

Purpose





DISTRIBUTED BY OUR PROMISE

This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

CINESTIONS OF COMMINENTS? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

water, sorbitan, sorbitol, white ink

moo.DLLcomptentivingbrandsLLC.com

BELLER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

Inactive ingredients FD&C blue #1, gelatin, glycerin, lecithin, light mineral oll, mannitol, polyethylene glycol, punifed

Other information = store between 15-30°C (59-86°F)

■ adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor Directions

right away. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) If pregnant or breast-feeding, ask a health professional before use.

s serious underlying medical illness.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of

When using this product, avoid alcoholic drinks.

Ask a doctor or pharmacist before use it you are taking secatives or tranquitizers.

■ disncoms
■ trouble urinating due to an enlarged prostate gland

Ask a doctor before use if you have

a a breathing problem such as emphysema or chronic bronchitis

■ with any other product containing diphenhydramine, even one used on skin

■ for children under 12 years of age esu ton ou

SBUILLIEM

USB For relief of occasional sleeplessness.

Прпеппуагатіпе НСІ 50 тд.

Active ingredient (in each softgel)

Drug Facts

SIGNATURE CARE Sleep Aid

SLEEP AID

diphenhydramine hcl capsule

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:21130-816

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) DIPHENHYDRAMINE HYDROCHLORIDE 50 mg

Inactive Ingredients				
Ingredient Name	Strength			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
WATER (UNII: 059QF0KO0R)				
SORBITAN (UNII: 6092ICV9RU)				
SORBITOL (UNII: 506T60A25R)				
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)				
LIGHT MINERAL OIL (UNII: N6K5787QVP)				
MANNITOL (UNII: 30WL53L36A)				

Product Characteristics					
Color	blue	Score	no score		
Shape	CAPSULE	Size	13mm		
Flavor		Imprint Code	PC5		
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:21130- 816-32	1 in 1 BOX	11/29/2019			
1		32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product				
2	NDC:21130- 816-96	96 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/29/2019			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	11/29/2019	

Labeler - Safeway, Inc. (009137209)

Revised: 5/2024 Safeway, Inc.