

BISACODYL- bisacodyl tablet, coated
The Kroger Co.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Bisacodyl USP 5 mg

Purpose

Stimulant laxative

Use

- for temporary relief of occasional constipation and irregularity
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take with a glass of water

adults and children 12 years of age and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years of age	take 1 tablet in a single daily dose
children under 6 years of age	ask a doctor

Other information

- store between 20°-25°C (68°-77°F)

Inactive ingredients

acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide

Questions or comments?

1-800-632-6900

Principal Display Panel

COMPARE TO the active ingredient in DULCOLAX® LAXATIVE TABLETS *See bottom panel

Gentle Laxative Tablets

Bisacodyl, USP 5 mg

STIMULANT LAXATIVE

Gentle, Predictable Overnight Relief From Constipation

RELIEF IN 6-12 HRS

COMFORT COATED TABLETS

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

*Dulcolax® is a registered trademark of Boehringer Ingelheim Pharmaceuticals,

Inc., Plainsboro, NJ 08536. Boehringer Ingelheim Pharmaceutical, Inc. is not affiliated with The Kroger Co. or this product.

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

www.kroger.com

Product Label

COMPARE TO the active ingredient in
DULCOLAX® LAXATIVE TABLETS *See bottom panel

NDC 30142-191-03



Gentle
**Laxative
Tablets**

Bisacodyl USP, 5 mg

**STIMULANT
LAXATIVE**

Gentle, Dependable
Constipation Relief



RELIEF IN
6-12 HRS

actual
size



**25 COMFORT
COATED TABLETS**

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

*Dulcolax® is a registered trademark of Boehringer Ingelheim Pharmaceuticals, Inc., Plainsboro, NJ, 08536. Boehringer Ingelheim Pharmaceuticals, Inc. is not affiliated with The Kroger Co. or this product.

DISTRIBUTED BY THE KROGER CO.
CINCINNATI, OHIO 45202

QUALITY GUARANTEE
800-632-6900
www.kroger.com



PLEASE
RECYCLE

PLD-C23K
FC005934



0 11110 38545 1

Questions or comments?
1-800-632-6900

Inactive ingredients acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide

Other information
■ store between 20-25°C (68-77°F)

- a sudden change in bowel habits that lasts more than 2 weeks
- When using this product**
 - do not chew or crush tablet(s)
 - do not use within 1 hour after taking an antacid or milk
 - it may cause stomach discomfort, faintness and cramps
- Stop use and ask a doctor if**
 - you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
 - you need to use a laxative for more than 1 week

Drug Facts Active ingredient (in each tablet) Bisacodyl USP 5 mg.....Stimulant laxative		Purpose ■ for temporary relief of occasional constipation and irregularly ■ this product generally produces a bowel movement in 6 to 12 hours	
Use ■ Ask a doctor before use if you have stomach pain, nausea or vomiting. Do not use if you cannot swallow without chewing.		Warnings ■ Ask a doctor before use if you have stomach pain, nausea or vomiting. Do not use if you cannot swallow without chewing.	
Directions ■ take with a glass of water adults and children 12 years of age and over take 1 to 3 tablets in a single daily dose children 6 to under 12 years of age take 1 tablet in a single daily dose children under 6 years of age ask a doctor		Drug Facts (continued) If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	

KROGER Laxative Tablets

BISACODYL

bisacodyl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-191
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
POVIDONE (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B71O)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	TCL003
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-191-03	1 in 1 CARTON	12/30/2013	
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:30142-191-01	4 in 1 CARTON	12/30/2013	
2		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	12/30/2013	

Labeler - The Kroger Co. (006999528)

Revised: 11/2022

The Kroger Co.