# SIGNATURE CARE NASAL DECONGESTANT- oxymetazoline hydrochloride spray Safeway

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **Better Living Brands LLC Nasal Decongestant Drug Facts**

### **Active ingredient**

Oxymetazoline hydrochloride 0.05%

## Purpose

Nasal decongestant

#### Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

### Warnings

### Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

### When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

### Stop use and ask a doctor if

symptoms persist

## If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Replace cap tightly to maintain child resistance.

### Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

### **Inactive ingredients**

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, glycerin, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

### **Questions or comments?**

1-888-723-3929

### **Principal Display Panel**

EXTRA MOISTURIZING | 12 HOUR

Nasal Decongestant

Oxymetazoline Hydrochloride 0.05%

Compare to Afrin® Nasal Spray active ingredient

Nasal spray


Fast, powerful congestion relief

Soothes and helps rehydrate dry noses

For colds & allergies

**SEE NEW DIRECTIONS** 

1 FL OZ (30 mL)



NDC 21130-429-10



Quality Guaranteed

EXTRA MOISTURIZING | 12 HOUR

# Nasal Decongestant

Oxymetazoline Hydrochloride 0.05%

Compare to Afrin® Nasal Spray active ingredient\*


- · Nasal spray
- Fast, powerful congestion relief
- Soothes and helps rehydrate dry noses
- For colds & allergies

SEE NEW DIRECTIONS



Quality Guaranteed

EXTRA MOISTURIZING 12 HOUR Nasal Decongestant



# Nasal Decongestant

EXTRA MOISTURIZING 112 HOUR



# **Drug Facts**

# Active ingredient

Purpose

Oxymetazoline hydrochloride 0.05%....Nasal decongestant

### Uses

- temporarily relieves nasal congestion due to:
  - common cold hay fever
  - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

## Warnings

### Ask a doctor before use if you have

- heart disease
  high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

### When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Replace cap tightly to maintain child resistance.

# Drug Facts (continued)

# Inactive ingredients

benzalkonium chloride solution. benzyl alcohol, dibasic sodium phosphate, edetate disodium. glycerin, monobasic sodium phosphate, polyethylene glycol, povidone, propylene alycol. purified water

Questions or comments? 1-888-723-3929

\*This product is not manufactured or distributed by MSD Consumer Care, Inc., distributor of Afrin® Nasal Spray.


DISTRIBUTED BY: BETTER LIVING BRANDS LLC P.O. BOX 99, PLEASANTON. CA 94566-0009 1-888-723-3929 www.betterlivingbrandsLLC.com

## OUR PROMISE

**QUALITY & SATISFACTION** 100% GUARANTEED OR YOUR MONEY BACK.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING





# SIGNATURE CARE NASAL DECONGESTANT

oxymetazoline hydrochloride spray

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-429	
Route of Administration	NASAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
BENZYL ALCOHOL (UNII: LKG8494WBH)		
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)		
GLYCERIN (UNII: PDC6A3C0OX)		
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)		
PO VIDO NE (UNII: FZ989 GH9 4E)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SO DIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)		
SO DIUM PHO SPHATE, MO NO BASIC (UNII: 3980 JIH2SW)		

F	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-429-	1: 1 CADTON	0.0 /11/0.015	

10	I III I CANTON	00/11/2015		
	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product			
Maybeting Information				
Marketing Information				
Marketing Categor	ry Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	08/11/2015		

# **Labeler -** Safeway (009137209)

Revised: 12/2018 Safeway