

TUSNEL DIABETIC- dextromethorphan, guaifenesin liquid
LLORENS PHARMACEUTICALS INTERNATIONAL DIVISION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active Ingredients (in each 5 mL tsp.)

Purpose

Dextromethorphan HBr USP..... 10 mg Cough Suppressant

Guaifenesin USP 100 mg Expectorant

Purpose

Cough Suppressant

Expectorant

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or if 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough last more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. A persistent cough could b a sign of a serious condition.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Directions

Do not exceed more than 6 doses in any 24-hour period or as directed by a doctor.

Age	Dose
Adults and children 12 years of age and over	2 teaspoonfuls (10 mL) every 4 hours
Under 2 years of age	Do not use

Uses

Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

Helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Inactive Ingredients: anhydrous citric acid, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate dihydrate and sucralose.

Questions or Comments? 1-866-595-5598

Distributed By: Llorens International Division, Miami FL 33165

Drug Facts
Active ingredients (in each 5 mL)
Dextromethorphan HBr, USP 10 mg.....Cough Suppressant
Guaifenesin, USP 100 mg.....Expectorant
Purposes
Uses • temporarily relieves cough due to minor throat and bronchial irritations as may occur with a cold • helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have •cough that occurs with too much phlegm (mucus) •cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema
Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.


3 54859 50504 0


**COUGH SUPPRESSANT
EXPECTORANT**
THINS & LOOSENS MUCUS

SUGAR FREE • DYE FREE • ALCOHOL FREE

APPLE BANANA FLAVOR
4 FL OZ (118 mL)

Drug Facts (Continued)
Directions
Do not exceed more than 6 doses in any 24-hour period.

Age	Dose
Adults and children 12 years and over	2 teaspoonfuls (10 mL) every 4 hours
Children under 12 years	Ask a doctor

Other information: • store at controlled room temperature 15-30°C (59-86°F) • Do not use if foil over bottle opening is torn, broken, or missing.
Inactive ingredients anhydrous citric acid, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate dihydrate, and sucralose.
Questions or comments? 1-866-595-5598

Code: L-47 Rev. 02/22
Manufactured by:
Llorens Pharmaceutical International Division, Inc.
Miami, FL 33147
www.llorenspharm.com
MADE IN USA
Lot No.:
Exp. Date:

TUSNEL DIABETIC

dextromethorphan, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54859-505
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
Product Characteristics				
Color			Score	
Shape			Size	
Flavor	GRAPE (grape flavor)		Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54859-505-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2003	
2	NDC:54859-505-16	472 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2003	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final		part341	12/01/2003	

Labeler - LLORENS PHARMACEUTICALS INTERNATIONAL DIVISION (037342305)

Revised: 7/2022

LLORENS PHARMACEUTICALS INTERNATIONAL DIVISION