

**BIO-CNEX- dexbrompheniramine maleate, pseudoephedrine hcl liquid**  
**Advanced Generic Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each 5 mL tsp.)**

Dexbrompheniramine maleate 1 mg

Pseudoephedrine Hydrochloride 30 mg

**Purpose**

Antihistamine

Nasal Decongestant

**Purpose**

Antihistamine

Nasal Decongestant

**Warnings**

**DO not use** If you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI, ask your doctor or pharmacist before taking this product.

**Ask a doctor before use if you are** taking sedative or tranquilizers.

**Ask a doctore before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- difficulty in urinations due to the enlargement of the prostate gland.

**When using this product**

- Do not exceed the recommended dosage
- excitability may occur, espicially in children
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use cuation when driving a motor vehicle or operating machinery.

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever.

**Keep out of reach of children.**In case of overdose, get medical help or contact a Poison Control Center right away

**If pregnant or breast-feeding,**ask a Health Professional before use.

**Directions** do not exceed 4 doses in 24 hours.

adults and children 12 years of age and over	take two teaspoonfuls (10 mL) every 4 to 6 hours
---	---

children 6 to under 12 years of age	take one teaspoonful (5 mL) every 4 to 6 hours
children under 6 years of age	ask a doctor

### Uses

- Temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- helps decongest sinus opening and sinus passages
- reduces swelling of nasal passages, shrinks swollen membranes, and temporarily restores freer breathing through the nose
- temporarily alleviates the following symptoms due to hay fever (allergic rhinitis)
- runny nose
- sneezing
- itching of the nose or throat
- itchy and watery eyes

**Inactive ingredients** □Aspartame, cherry flavor, citric acid, glycerine, menthol, methylparaben, potassium citrate, potassium sorbate, propylene glycol, propylparaben and purified water.

### Questions or comments?

1-305-403-3788

<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each 5 mL tsp.)</b>      <b>Purpose</b>  Dexbrompheniramine Maleate, USP.....1 mg.....Antihistamine  Pseudoephedrine HCl, USP.....30 mg.....Nasal Decongestant</p> <p><b>Uses</b> ■ Temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies ■ helps decongest sinus openings and sinus passages ■ reduces swelling of nasal passages, shrinks swollen membranes, and temporarily restores freer breathing through the nose ■ temporarily alleviates the following symptoms due to hay fever (allergic rhinitis) ■ runny nose ■ sneezing ■ itching of the nose or throat ■ itchy and watery eyes</p> <p><b>Warnings</b> ■ <b>Do not use</b> if you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI, ask your doctor or pharmacist before taking this product.</p> <p><b>Ask a doctor before use if you are</b> taking sedatives or tranquilizers.</p> <p><b>Ask a doctor before use if you have</b> ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ glaucoma ■ difficulty in urinations due to the enlargement of the prostate gland.</p> <p><b>When using this product</b> ■ Do not exceed the recommended dosage ■ excitability may occur, especially in children ■ drowsiness may occur ■ avoid alcoholic beverages ■ alcohol, sedatives and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery.</p> <p><b>Stop use and ask a doctor if</b> ■ nervousness, dizziness, or sleeplessness occur ■ symptoms do not improve within 7 days or occur with a fever. ➔</p> <p>† Conex® is a registered trademark of Llorens Pharmaceutical. This product is not manufactured, distributed or marketed by Llorens Pharmaceutical.</p>	<p>NDC 45737-239-16</p> <h1>BIO-CNEX</h1> <ul style="list-style-type: none"> <li>● Antihistamine</li> <li>● Nasal Decongestant</li> </ul> <p><b>Cherry Flavor</b>  <b>Contains the same active ingredients as</b>  <b>Conex®†</b></p>	<p><b>Drug Facts (continued)</b></p> <p><b>If pregnant or breast-feeding</b>, ask a Health Professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> Do not exceed 4 doses in 24 hours.</p> <table border="1"> <thead> <tr> <th>Age</th> <th>Dose</th> </tr> </thead> <tbody> <tr> <td>adults and children 12 years of age and over</td> <td>take two teaspoonfuls (10 mL) every 4 to 6 hours</td> </tr> <tr> <td>children 6 to under 12 years of age</td> <td>take one teaspoonful (5 mL) every 4 to 6 hours</td> </tr> <tr> <td>children under 6 years of age</td> <td>ask a doctor</td> </tr> </tbody> </table> <p><b>Other information</b> ■ Store at room temperature 20° - 25° C (68° - 77° F); excursions permitted to 15-30° C (59° - 86° F) (See USP Controlled Room Temperature) Tamper evident by imprinted heat seal under cap. ■ Do not use if there is evidence of tampering. <b>WARNING: Phenylketonuric: Contains 13.5 mg of Phenylalanine per 5 mL (one teaspoon) dose.</b></p> <p><b>Inactive Ingredients</b> Aspartame, cherry flavor, citric acid, glycerine, menthol, methylparaben, potassium citrate, potassium sorbate, propylene glycol, propylparaben and purified water.</p> <p><b>Questions or comments?</b> 1-305-403-3788</p> <p><b>Manufactured For:</b> Advanced Generic Corporation, Miami, FL 33166. <a href="http://www.advancedgeneric.com">www.advancedgeneric.com</a></p>	Age	Dose	adults and children 12 years of age and over	take two teaspoonfuls (10 mL) every 4 to 6 hours	children 6 to under 12 years of age	take one teaspoonful (5 mL) every 4 to 6 hours	children under 6 years of age	ask a doctor
Age	Dose									
adults and children 12 years of age and over	take two teaspoonfuls (10 mL) every 4 to 6 hours									
children 6 to under 12 years of age	take one teaspoonful (5 mL) every 4 to 6 hours									
children under 6 years of age	ask a doctor									
<p>Lot #: _____ Rev. 03/14</p> <p>Exp. Date: _____</p>	<p>Manufactured For:   advanced generic corporation  Miami, FL 33166  <a href="http://www.advancedgeneric.com">www.advancedgeneric.com</a></p> <p><b>16 fl. oz. (473 mL)</b></p>	 <p>3 45737 23916 4</p>								

## BIO-CNEX

dexbrompheniramine maleate, pseudoephedrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:45737-239
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
DEXBROMPHENIRAMINE MALEATE (UNII: BPA9UT29BS) (DEXBROMPHENIRAMINE - UNII:75T64B71RP)	DEXBROMPHENIRAMINE MALEATE	1 mg in 5 mL
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg in 5 mL

**Inactive Ingredients**

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
glycerin (UNII: PDC6A3C0OX)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	

**Product Characteristics**

Color		Score	
Shape		Size	
Flavor	CHERRY (cherry flavor)	Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45737-239-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/01/2017	

**Labeler** - Advanced Generic Corporation (831762971)

Revised: 12/2020

Advanced Generic Corporation