# KIDS KARE- stannous fluoride gel DEN-MAT HOLDINGS, LLC.

-----

### Kids kare Stannous Fluoride

# Active ingredient

Stannous Fluoride 0.4% (0.12% w/v fluoride ion)

# Purpose

Anticavity

### Uses

Aids in the prevention of dental cavities.

# Warnings

This is an anticavity fluoride preventive treatment gel, not a toothpaste. Read directions carefully before using.

**When using this product** it may produce surface staining of the teeth, Adequate tooth brushing may prevent these stains which are not harmful or permanent and may be removed by your dentist.

**Keep out of reach of children.** If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

# **Directions**

- Adults and children 6 years of age and older: Use once a day after brushing your teeth with a toothpaste.
- Apply the get to your teeth and brush thoroghly. Allow the gel to remain on your teeth for 1 minute and then spit out. Do not swallow the gel. Do not eat or drink for 30 minutes after brushing.
- Instruct children under 12 years of age in the use of this product (to minimize swallowing). Supervise children as necessary until capable of using without supervision.
- Children under 6 years of age: Consult a dentist or doctor.

# Other information

Do not use if the foil seal under the cap is torn, cut or missing.

# inactive ingredient

# Ascorbic Acid, Carbomer, Citric Acid, Flavor, Glycerin, Triethanolamine

# Questions or comments?

1-800-752-2564

# **Principal Display Panel**

kids kare™

Preventative Treatment

0.4% Stannous Fluoride

Brush-On Gel

**BERRY FLAVOR** 

**IMPORTANT**:

Read directions carefully

Net Wt. 4.3 oz. (121.9 g)

# Preventative **Treatment**

0.4% Stannous Fluoride Brush-On Gel



IMPORTANT: Read directions carefully Net Wt. 4.3 oz. (121.9 g)

# **Drug Facts**

Active ingredient

Purpose

Stannous Fluoride 0.4% ...... Anticavity (0.12% w/v fluoride ion)

#### Uses

Aids in the prevention of dental cavities.

Warnings

This is an anticavity fluoride preventive treatment gel, not a toothpaste. Read directions carefully before using.

When using this product it may produce surface staining of the teeth. Adequate tooth brushing may prevent these stains which are not harmful or permanent and may be removed by your dentist.

Keep out of reach of children. If more than used for brushing is accidentally swallowed, get medical help or contact a Polson Control Center right away.

#### Directions

- Adults and children 6 years of age and older: Use once a day after brushing your teeth with a toothpaste.
- . Apply the gel to your teeth and brush thoroughly. Allow the gel to remain on your teeth for 1 minute and then spit out. Do not swallow the gel. Do not eat or drink for 30 minutes after brushing.
- Instruct children under 12 years of age in the use of this product (to minimize swallowing). Supervise children as necessary until capable of using without supervision.
- . Children under 6 years of age: Consult a dentist or doctor.

#### Other Information

Do not use if the foil seal under the cap is torn, cut or missing.

Inactive ingredients

Ascorbic Acid, Carbomer, Citric Acid, Flavor, Glycerin, Triethanolamine

Questions or comments? 1-800-752-2584

Manufactured for: Den-Mat Holdings, LLC 1017 W. Central Avenue Lompoc, CA 93436

@2018 Den-Mat Holdings, LLC. All rights reserved. 001404200 R:1 08/18AS

# **KIDS KARE**

stannous fluoride gel

		_
Product	I 10 E 0 14100	
Product		аноп
oaact		<b>GCIOII</b>

Product Type HUMAN OTC DRUG Item Code (Source) NDC:59883-404

**Route of Administration** DENTAL, ORAL

# **Active Ingredient/Active Moiety**

- 10 111 G. 10 111 G. 1 10 10 1 J		
Ingredient Name	Basis of Strength	Strength
STANNOUS FLUORIDE (UNII: 3FTR44B32Q) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.969 mg in 1 g

# Inactive Ingredients Ingredient Name CARBOMER HOMOPOLYMER TYPE B (ALLYL SUCROSE CROSSLINKED) (UNII: Z135WT9208) GLYCERIN (UNII: PDC6A3C0OX) TROLAMINE (UNII: 903K93S3TK) BERRY (UNII: FV3431923Z)

ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)

ASCORBIC ACID (UNII: PQ6CK8PD0R)

## **Product Characteristics**

i iodact characteristics	oddet characteristics		
Color		Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

# **Packaging**

	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:59883-404-	121.9 g in 1 TUBE; Type 0: Not a Combination	10/12/2017	

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	10/12/2017	