

**EQUATE OMEPRAZOLE- omeprazole magnesium capsule, delayed release
WALMART INC.**

Wal-Mart Omeprazole Drug Facts

Active ingredient (in each capsule)

Omeprazole delayed-release capsule 20 mg (equivalent to 20.6 mg omeprazole magnesium)

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-888-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush capsules.

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture
- FDA approved dissolution test specifications differ from USP

Inactive ingredients

FD&C yellow #6, ferric oxide, gelatin, glyceryl monostearate, hypromellose, magnesium stearate, meglumine, methacrylic acid copolymer, polyethylene glycol, polysorbate 80, shellac, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-888-287-1915

Package/Label Principal Display Panel

3 PACK

THREE 14-DAY COURSES OF TREATMENT

equate™

NEW MINI CAPSULES

Treats FREQUENT Heartburn!

Compare to Prilosec OTC® active ingredient

MINI CAPSULES

Omeprazole

Delayed-Release Capsules, 20mg

Acid Reducer

- 24 HR

Actual Size

3 Bottles Inside

20 mg

42 CAPSULES

Three 14-day courses of treatment

May take 1 to 4 days for full effect



equate™

MINI CAPSULES

Omeprazole

Delayed-Release Capsules, 20mg
Acid Reducer

3 PACK

THREE 14-DAY COURSES OF TREATMENT

equate™

NEW MINI CAPSULES



NDC 79903-112-42

Treats FREQUENT Heartburn!

MINI CAPSULES

Omeprazole

Delayed-Release Capsules, 20mg



Acid Reducer

• 24 HR



Actual Size




3 Bottles Inside

20
mg

42
CAPSULES

Three 14-day courses
of treatment
May take 1 to 4 days
for full effect

24SD7 2E C2



Drug Facts

Active ingredient (in each capsule) Purpose
 Omeprazole delayed-release capsule 20 mg (equivalent to 20.6 mg omeprazole magnesium)..... Acid reducer

Use
 ■ treats frequent heartburn (occurs **2 or more** days a week)
 ■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings
Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:
 ■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools
 ■ heartburn with **lightheadedness, sweating or dizziness**
 ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
 ■ frequent **chest pain**
 These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:
 ■ had heartburn over 3 months. This may be a sign of a more serious condition.
 ■ frequent wheezing, particularly with heartburn
 ■ unexplained weight loss
 ■ nausea or vomiting ■ stomach pain

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:
 ■ your heartburn continues or worsens
 ■ you need to take this product for more than 14 days
 ■ you need to take more than 1 course of treatment every 4 months
 ■ you get diarrhea
 ■ you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use. ▶

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
 ■ for adults 18 years of age and older
 ■ this product is to be used once a day (every 24 hours), every day for 14 days
 ■ it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment
 ■ swallow 1 capsule with a glass of water before eating in the morning
 ■ take every day for 14 days
 ■ do not take more than 1 capsule a day
 ■ do not use for more than 14 days unless directed by your doctor
 ■ swallow whole. Do not chew or crush capsules.

Repeated 14-Day Courses (if needed)
 ■ you may repeat a 14-day course every 4 months
 ■ **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
 ■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information
 ■ read the directions and warnings before use
 ■ keep the carton. It contains important information.
 ■ store at 20-25°C (68-77°F) and protect from moisture
 ■ FDA approved dissolution test specifications differ from USP

Inactive ingredients FD&C yellow # 6, ferric oxide, gelatin, glyceryl monostearate, hypromellose, magnesium stearate, meglumine, methacrylic acid copolymer, polyethylene glycol, polysorbate 80, shellac, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions or comments?
 1-888-287-1915

3 Bottles inside

Safety Feature— Do Not Use if printed foil seal under cap or band around the center of each capsule is broken or missing.



Satisfaction guaranteed — Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716
 * This product is not manufactured or distributed by AstraZeneca AB, owner of the registered trademark Prilosec OTC®.

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

EQUATE OMEPRAZOLE

omeprazole magnesium capsule, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC: 79903-112
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OMEPRAZOLE MAGNESIUM (UNII: 426QFE7XLK) (OMEPRAZOLE - UNII:KG60484QX9)	OMEPRAZOLE	20 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MEGLUMINE (UNII: 6HG8UB2MUJ)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SHELLAC (UNII: 46N107B71O)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	WHITE, ORANGE	Score	no score
Shape	CAPSULE	Size	12mm
Flavor		Imprint Code	24S
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-112-14	1 in 1 CARTON	11/30/2022	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:79903-112-28	2 in 1 CARTON	11/30/2022	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:79903-112-42	3 in 1 CARTON	11/30/2022	
3		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA216096	11/30/2022	

Labeler - WALMART INC. (051957769)

Revised: 12/2022

WALMART INC.