LORATADINE- loratadine tablet Apotex Corp.

Loratadine Tablet 10 mg

Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

	1 tablet daily; not more than 1
over	tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- safety sealed: do not use if induction seal, with "Lift N Peel" tab, under cap is broken or missing
- store between 2°C and 30°C (36°F and 86°F)
- protect from excessive moisture

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose

Questions or comments?

Call 1-800-706-5575, weekdays, 8:30 am - 5:00 pm Eastern Standard Time

Manufactured by:	Manufactured for:
Apotex Inc.	Apotex Corp.
Toronto, Ontario	Weston, Florida
Canada M9L 1T9	33326

Revised: August 2018

PRINCIPAL DISPLAY PANEL - 10 mg

APOTEX CORP. NDC 60505-0147-1

Loratadine Tablets 10 mg

Non-Drowsy*

Antihistamine/Original Prescription Strength

[†]Compare to the active ingredient in Claritin[®] Tablets

Indoor & Outdoor Allergies

24 hour

Relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes

• Itchy Throat or Nose



LORATADINE

loratadine tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60505-0147
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients			
Ingredient Name	Strength		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			

Product Characteristics				
Color	WHITE	Score	no score	
Shape	OVAL	Size	8mm	
Flavor		Imprint Code	LOR;10;APO	
Contains				

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60505- 0147-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/24/2005	06/30/2022
2	NDC:60505- 0147-8	1000 in 1 BOTTLE; Type 0: Not a Combination Product	01/24/2005	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076471	01/24/2005	

Labeler - Apotex Corp. (845263701)

Revised: 11/2023 Apotex Corp.