ACETAMINOPHEN PM EXTRA STRENGTH- acetaminophen, diphenhydramine hcl tablet, coated CVS PHARMACY

CVS 44-556

Active ingredients (in each gelcap)

Acetaminophen 500 mg Diphenhydramine HCl 25 mg

Purpose

Pain reliever Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- with other drugs containing acetaminophen
- more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- if you have ever had an allergic reaction to this product or any of its inactive ingredients
- in children under 12 years of age

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- adults and children 12 years and over
 - take 2 gelcaps at bedtime
 - do not take more than 2 gelcaps of this product in 24 hours
- children under 12 years: do not use

Other information

- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1, FD&C red #3, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, stearic acid, titanium dioxide

Questions or comments? 1-800-426-9391

Principal display panel

CVS

Health®

Compare to the active ingredients in Extra Strength Tylenol® PM*

Gelcaps

EXTRA STRENGTH

Acetaminophen PM ACETAMINOPHEN, 500 mg DIPHENHYDRAMINE HCI, 25 mg

Pain reliever, Nighttime sleep aid

Actual Size


80 GELCAPS

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol® PM.

50844 REV0322A55631

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2023 CVS/pharmacy CVS.com®
1-800-SHOP CVS V-11112



Questions or comments? 1-800-426-9391

STOP PEELING

)laze, simethicone, stearic acid, titanium dioxide

povidone, pregelatinized starch, propylene glycol, shellac blue #1, FD&C red #3, gelatin, hydroxypropyl cellulose hypromellose, iron oxide black, iron oxide red, iron oxide /ellow, microcrystalline cellulose, polyethylene glycol,

Inactive ingredients ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C ■ use by expiration date on package Directions

adults and children 12 years and over do not take more than 2 gelcaps of this product in ■ take 2 gelcaps at bedtime 24 hours

do not take more than directed

medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or

Keep out of reach of children. In case of overdose, get If pregnant or breast-feeding, ask a health professional redness or swelling is present hese could be signs of a serious condition. pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days underlying medical illness.

Stop use and ask a doctor if ■ new symptoms occur I sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious

■ drowsiness will occur
■ avoid alcoholic beverages do not drive a motor vehicle or operate machinery

taking the blood thinning drug warfarin Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

CVS 44-556

ACETAMINOPHEN PM **EXTRA STRENGTH**

acetaminophen, diphenhydramine hcl tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-956
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients	
Ingredient Name	Strength
AMMONIA (UNII: 5138Q19F1X)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B710)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	blue (light) , blue (Dark)	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	L;6
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:69842- 956-31	80 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/17/2007		
2	NDC:69842- 956-09	1 in 1 CARTON	12/17/2007	08/31/2023	
2		20 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			
3	NDC:69842- 956-13	250 in 1 BOTTLE; Type 0: Not a Combination Product	12/17/2007	11/15/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	12/17/2007		

Labeler - CVS PHARMACY (062312574)

Establishment			
Name	Address	ID/FEI	Business Operations

		•
LNK International, Inc.	038154464	manufacture(69842-956) , pack(69842-956)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(69842-956)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(69842-956)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(69842-956)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(69842-956)

Revised: 1/2024 CVS PHARMACY