# PANAMA JACK BROAD SPECTRUM SPF 100 SPORT SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion Prime Enterprises Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## 100 Broad Spectrum SPF 100 Panama Jack Sport Sunscreen Lotion

### **Active Ingredients**

Avobenzone 3% Octocrylene 2.75% Homosalate 15% Oxybenzone 4% Octisalate 5%

#### **Purpose**

Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

#### **Warnings**

#### For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. -2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### **Inactive ingredients**

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Butylphthalimide, Cetyl Alcohol, Disodium EDTA, Ethylhexylglycerin, Fragrance, Isopropylphthalimide, Phenoxyethanol, Phenyl Trimethicone, Polyethylene, Potassium Cetyl Phosphate, Potassium Hydroxide, Propylene Glycol, Silica, Stearyl Alcohol, Styrene/Acrylates Copolymer, Tocopheryl Acetate, Ubiquinone, Undecylcrylene Dimethicone, Water


## Other information

- may stain some fabrics.
- protect this product from excessive heat and direct sun

#### Questions or comments?

Call toll free 1-800-840-5225

## 100 Broad Spectrum SPF 100 Panama Jack SPORT Sunscreen Lotion



# Sunscreen Lotion SPF 100 **Drug Facts Active Ingredients** Purpose Octocrylene 2.75% Oxybenzone 4% Avobenzone 3% Homosalate 15% Sunscreen Uses . helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and Warnings For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center Directions - apply liberally 15 minutes before sun exposure - reapply: - after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: measures including. • Imit time in sun, especially from 10 a.m.- 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses nildren under 6 months: Ask a doctor s/C10-30 Alkyl Acrylate Crosspo

### PANAMA JACK BROAD SPECTRUM SPF 100 SPORT SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion

#### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58443-0257
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	38.04 mg in 1 mL		
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	28.58 mg in 1 mL		
OCTISALATE (UNII: 4X49 Y0 596 W) (OCTISALATE - UNII:4X49 Y0 596 W)	OCTISALATE	47.55 mg in 1 mL		
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	26.15 mg in 1 mL		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	142.65 mg in 1 mL		

Inactive Ingredients	
Ingredient Name	Strength
CETYL ALCOHOL (UNII: 936JST6JCN)	
WATER (UNII: 059QF0KO0R)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POTASSIUM CETYL PHO SPHATE (UNII: 03KCY6P7UT)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
.ALPHATO COPHEROL ACETATE (UNII: 9E8X80D2L0)	
UBIDECARENO NE (UNII: EJ27X76M46)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
UNDECYLCRYLENE DIMETHICO NE (10000 MW) (UNII: HA26 P2LA4P)	
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)	
PHENYL TRIMETHICO NE (UNII: DR0 K5NO J4R)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
ISOPROPYLPHTHALIMIDE (UNII: 1J1MM8 3329)	
N-BUTYLPHTHALIMIDE (UNII: 5TH1DKT35E)	

Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

F	Packaging			
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
1	NDC:58443-0257-3	89 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/21/2018	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	0 3/2 1/2 0 18		

# Labeler - Prime Enterprises Inc. (101946028)

# **Registrant - Prime Enterprises Inc.** (101946028)

Establishment			
Name	Address	ID/FEI	Business Operations
Prime Enterprises Inc.		101946028	pack(58443-0257), manufacture(58443-0257), label(58443-0257), analysis(58443-0257)

Revised: 1/2020 Prime Enterprises Inc.