

CAREONE ANTACID- aluminum hydroxide, magnesium hydroxide, simethicone suspension
American Sales Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

American Sales Company Liquid Antacid Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

Purpose

Antacid

Antigas

Uses

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not take more than 80 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

Directions

- shake well before using

- only use the dose cup provided
- adults and children 12 years and older: take 10 mL to 20 mL four times a day or as directed by a physician
- do not take more than 80 mL in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- **each 10 mL contains:** magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- protect from freezing

Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

ADVANCED REGULAR STRENGTH LIQUID ANTACID

Aluminum Hydroxide, Magnesium Hydroxide, Simethicone

Antacid/Antigas

Cooling Mint Flavor

Soothing Relief of Heartburn, Acid Indigestion, Bloating (Gas), Pressure

Gluten Free

12 FL OZ (355 mL)

OUR PHARMACISTS RECOMMEND

CAREone™

NDC 41520-851-40

ADVANCED
REGULAR STRENGTH
**LIQUID
ANTACID**

Aluminum Hydroxide,
Magnesium Hydroxide, Simethicone
Antacid/Antigas

Cooling Mint Flavor

Soothing Relief of
Heartburn, Acid Indigestion,
Bloating (Gas), Pressure

Gluten Free



**12 FL OZ
(355mL)**



: 85140 OF F2

DO NOT USE IF
PRINTED NECKBAND
IS BROKEN OR
MISSING



3 41520 31315 8

Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg.....	Purpose.....Antacid
Magnesium hydroxide 400 mg.....	Antacid
Simethicone 40 mg.....	Antigas

Uses for the relief of ■ acid indigestion ■ heartburn ■ sour stomach
■ upset stomach associated with these symptoms
■ pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

■ kidney disease ■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not take more than 80 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

Directions

■ shake well before using ■ only use the dose cup provided ■ adults and children 12 years and older: take 10 mL to 20 mL four times a day or as directed by a physician ■ do not take more than 80 mL in 24 hours or use the maximum dosage for more than 2 weeks ■ children under 12 years: consult a physician

Other information

■ each 10 mL contains: magnesium 175 mg
■ does not meet USP requirements for preservative effectiveness
■ store at 20-25°C (68-77°F) ■ protect from freezing

Inactive ingredients butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution


**Drug Facts
(continued)**

**Questions or
comments?**
1-800-719-9260

DISTRIBUTED BY
FOODHOLD U.S.A., LLC
LANDOVER, MD 20785
1-877-846-9949
©2019 Ahold Licensing Sarl

Quality guaranteed
or your money back.

: 85140 OF B2



CAREONE ANTACID

aluminum hydroxide, magnesium hydroxide, simethicone suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-851
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDRO XIDE	400 mg in 10 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDRO XIDE ION - UNII:9159UV381P)	MAGNESIUM HYDRO XIDE	400 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 10 mL

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIO XIDE (UNII: ETJ7Z6XBU4)	
BUTYLPARABEN (UNII: 3QPIIU3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
PEPPERMINT OIL (UNII: AV092KU4JH)	

Product Characteristics			
Color	WHITE (opaque)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-851-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/12/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	10/12/2012	

Labeler - American Sales Company (809183973)

Revised: 8/2019

American Sales Company