

**NHS RHEUMATISM- rheumatism pellet**  
**Natural Health Supply**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Indications**

**Indications:** To be used for acute self-limiting conditions according to standard homeopathic indications

**Active Ingredient**

ANTIMONY TRISULFIDE

**Directions**

Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner.

Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth. Children and infants: 1-5 pellets.

**Keep Out of Reach of Children**

Keep these and all medications out of the reach of children.

**Warning**

If pregnant or nursing, consult a practitioner before using.

**Inactive Ingredients**

Inactive Ingredients - Lactose, Sucrose

**Purpose**

Purpose: Rheumatism

**Package Label**

Est. No. 1724217

Natural Health Supply

505-474-9175

Homeopathic Medicated Pellets

Do not use if clear bottle seal is broken

Lot # \_\_\_\_\_

Est. No. 1724217  
**Natural Health Supply**  
 505-474-9175

**Homeopathic Medicated Pellets**

**Indications:** to be used for acute, self-limiting conditions according to standard homeopathic indications.

**Directions:** Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. **Adults:** dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; **Children and Infants:** 1-5 pellets.

**Warning:** Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using

7.5ML (1/4OZ) LOT #

Do not use if clear bottle seal is broken.  
**ANTIMONIUM CRUDDUM**  
**30C**  
**Rheumatism**

Est. No. 1724217  
**Natural Health Supply**  
 505-474-9175  
**Homeopathic Medicated Pellets**

**Indications:** to be used for acute, self-limiting conditions according to standard homeopathic indications.

**Directions:** Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. **Adults:** dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; **Children and Infants:** 1-5 pellets.

**Warning:** Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

1.875 ml (1/16 oz.)

LOT #

Do not use if perforated cap seal is broken.  
**ANTIMONIUM CRUDDUM**  
**30C**  
**Rheumatism**

res

**NHS RHEUMATISM**

rheumatism pellet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64117-718
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY CATION (3+) - UNII:069647RPT5)	ANTIMONY TRISULFIDE	30 [hp_C] in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
LACTOSE (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64117-718-	1.875 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination	06/01/1998	

1	01	Product	06/04/1998	
2	NDC:64117-718-02	7.5 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998	

  

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/04/1998	

**Labeler** - Natural Health Supply (018504618)

**Registrant** - Natural Health Supply (018504618)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Natural Health Supply		018504618	manufacture(64117-718)

Revised: 1/2019

Natural Health Supply