ABIES CANADENSIS- tsuga canadensis bark tsuga canadensis flower bud pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Abies canadensis 9C

Abies canadensis 9C

(**contains 0.443 mg of the active ingredient per pellet)

Slow digestion and sour stomach from overindulgence*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073



Slow digestion and sour stomach from overindulgence.*

densis 9

IDENCE. NOT FDA EVAL

Lot: Exp:

06960 00210 9

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.


Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive inaredients: lactose, sucrose



ABIES CANADENSIS

tsuga canadensis bark tsuga canadensis flower bud pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-0006
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TSUGA CANADENSIS BARK (UNII: R53V5F950S) (TSUGA CANADENSIS BARK - UNII:R53V5F950S)	TSUGA CANADENSIS BARK	9 [hp_C] in 9 [hp_C]
TSUGA CANADENSIS FLOWER BUD (UNII: Q3AW8FKK7X) (TSUGA CANADENSIS FLOWER BUD - UNII:Q3AW8FKK7X)	TSUGA CANADENSIS FLOWER BUD	9 [hp_C] in 9 [hp_C]

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)		

Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

_			
Pa	CKS	agir	
·u	CIC	4911	ш

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:0220-0006- 41	9 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

Marketing Information Marketing Category Unapproved homeopathic Marketing Start Date Marketing Start Date Marketing End Date 03/03/1983

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment			
Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-0006)

Revised: 7/2023 Boiron