

**STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:**sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

D&C red #33, D&C edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call **1-888-309-9030**

Principal Display Panel

Compare to the active ingredient of Colace® Regular Strength Stool Softener**

Stool Softener

Docusate Sodium 100 mg

Stool softener laxative

- Gentle
- Dependable
- Stimulant-free

SOFTGELS

**This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Regular Strength Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY DOLGENCORP, LLC

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

Compare to the active ingredient of Colace® Regular Strength Stool Softener **

Stool Softener

Docosate sodium 100 mg
Stool softener laxative

- Gentle
- Dependable
- Stimulant-free

100 Softgels

Actual Softgel Size

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts	
Active ingredient (in each softgel)	Purpose
Docosate sodium 100 mg	Stool softener laxative
Uses	
<ul style="list-style-type: none"> relieves occasional constipation (irregularity) generally produces bowel movement in 12 to 72 hours 	
Warnings	
<p>Do not use if you are presently taking mineral oil, unless told to do so by a doctor.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> stomach pain nausea vomiting noticed a sudden change in bowel habits that lasts over 2 weeks 	

Drug Facts (continued under label)

**This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Regular Strength Stool Softener.

DISTRIBUTED BY DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

LOT194

3 59726 28582 7

PLD-GZL
LB0005037

100% Satisfaction Guaranteed (888) 545-6330

Lot No.: Exp. Date:

PEEL HERE

Drug Facts (continued)

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each softgel contains: sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

D&C red #33, edible ink, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call 1-888-309-9030

DOLLAR GENERAL Stool Softener Laxative

docusate sodium capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-578
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)		DOCUSATE SODIUM	100 mg
Inactive Ingredients			
Ingredient Name			Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			

FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red, white	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P10;SCU2;D1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-578-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/31/2017	08/31/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	08/31/2017	08/31/2024

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 1/2023

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)