CHILDRENS CETIRZINE- cetirizine hydrochloride solution Pharmacy Value Alliance LLC

Childrens Cetirzine

Drug Facts

Active ingredient (in each 5 mL)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than
years and over	10 mL in 24 hours.
adults 65 years	5 mL once daily; do not take more than 5 mL in
and over	24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if carton is opened or if imprinted safety seal is broken or missing
- see bottom panel for lot number and expiration date
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

bubble gum artificial flavor, glacial acetic acid, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium acetate anhydrous, sucralose

Questions?

Call **1-866-923-4914**

Distributed By: Pharmacy Value Alliance, LLC 407 East Lancaster Avenue Wayne, PA 19087

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S ZYRTEC®*

Premier

Value[®]

2 Yrs. & older

Children's Cetirizine Hydrochloride Oral Solution 1 mg/mL Antihis tamine

Allergy

SUGAR FREE BUBBLE GUM flavor

INDOOR & OUTDOOR ALLERGIES

24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Dosing Cup Included

4 FL OZ (120 mL)

INDEPENDENTLY TESTED SATISFACTION GUARANTEED PV



622 2-7150-98002



CONTRACTO THE ACTIVE ROCKEDENT

2 Yrs. & older

Children's Cetirizine Hydrochloride Oral Solution 1 mg/mL Antihistamine

Allergy

SUGAR FREE **BUBBLE GUM flavor**

· Alcohol Free · Dye Free · Sugar Free

Dosing any should be wested and left to air dry after each use.

Do not use if carton is opened, or if imprinted safety seel is broken or mis sing. See bottom panel for expiration date.

This product is not manufactured or distributed by UCB Pharma, S.A. COPPORTION BELGIUN, owner of the registered trademark Children's Zyrtoc.



this product, please return it to the store where purchased for a full refund.

Distributed By 407 East Lancaster Avenue





Children's Cetirizine Hydrochloride Oral Solution

Antihistamine Allergy

1 mg/mL

SUGAR FREE BUBBLE GUM flavor

INDOOR & OUTDOOR ALLERGIES

24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes

· Itchy Throat or Nose



4 FL OZ (120 mL)



SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient Purpose (in each 5 mL) Cetirizine HCl 5 mg. Antihistamin

Uses

2 Yrs.

& older

R)

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose sneezing
- itchy, watery eyes itching of the nose or throat

Warnings

Do not use if you have ever had an allerd reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before us if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. medical help right away.

If pregnant or breast-feeding: • if breast-feeding: not recommended

- if pregnant: ask a health professional
- keep out of reach of children. In ca of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions

- use only with enclosed dosing cup find right dose on chart below
- mL = milliliter

adults and	5 mL or 10 mL once daily
children	depending upon severity of
6 years	symptoms; do not take more
and over	than 10 mL in 24 hours.
adults 65 years	5 mL once daily; do not take
and over	more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
	Wild and Total Control

children under ask a doctor 2 years of age

consumers ask a doctor with liver or kidney disea

Other information

- do not use if carton is opened or if imprinted safety seal is broken or missing see bottom panel for lot number and
- expiration date re between 20° to 25°C (68° to 77°F)

Inactive ingredients

bubble gum artificial flavor, glacial acetic acid, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium acetate anhydrous, sucralose

Questions? Call 1-866-923-4914



CHILDRENS CETIRZINE

cetirizine hydrochloride solution

Product Information

HUMAN OTC DRUG NDC:68016-106 Product Type Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Cetirizine Hydrochloride (UNII: 640047KTOA) (Cetirizine - UNII:YO7261ME24)	Cetirizine Hydrochloride	5 mg in 5 mL	

Inactive Ingredients		
Ingredient Name	Strength	
acetic acid (UNII: Q40Q9N063P)		
glycerin (UNII: PDC6 A3C0 OX)		
methylparaben (UNII: A2I8C7HI9T)		
propylene glycol (UNII: 6DC9Q167V3)		
propylparaben (UNII: Z8IX2SC1OH)		
water (UNII: 059QF0KO0R)		
sodium acetate anhydrous (UNII: NVG71ZZ7P0)		
sucralose (UNII: 96K6UQ3ZD4)		

Product Characteristics			
Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	BUBBLE GUM (Sugar Free)	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:68016-106-08	1 in 1 CARTON	05/20/2011	
1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA201546	05/20/2011	

Labeler - Pharmacy Value Alliance LLC (101668460)

Revised: 6/2017 Pharmacy Value Alliance LLC