

EXCHANGE SELECT ANTACID REGULAR STRENGTH- aluminum hydroxide, magnesium hydroxide, simethicone suspension
Army & Air Force Exchange Service

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Company Antacid Drug Facts

Active ingredient (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not exceed 120 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- shake well before use
- measure with dosing cup provided
- adults and children 12 years and over: 10 mL – 20 mL between meals, at bedtime or as directed by a doctor
- do not take more than 120 mL in any 24 hour period
- do not use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor
- mL = milliliter

Other information

- each 10 mL contains: magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F), do not freeze

Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

REGULAR STRENGTH

antacid

ANTACID • ANTI-GAS

Works on Contact!

Tough on Heartburn

CLASSIC ORIGINAL FLAVOR

ALCOHOL 0.2%

12 FL OZ (355 mL)

quality value

exchange **select**TM

REGULAR STRENGTH
antacid

ANTACID • ANTI-GAS

Works on Contact!

• **Tough on Heartburn**



**CLASSIC
ORIGINAL
FLAVOR**

ALCOHOL 0.2%

**12 FL OZ
(355 mL)**

quality
value

: 35740 CZ F3

DO NOT USE IF
PRINTED NECKBAND
IS BROKEN OR
MISSING



Drug Facts

| Active ingredients (in each 10 mL) | Purposes |
|---|-----------------|
| Aluminum hydroxide (equiv. to dried gel, USP) 400 mg..... | Antacid |
| Magnesium hydroxide 400 mg..... | Antacid |
| Simethicone 40 mg..... | Antigas |

Uses relieves ■ heartburn ■ acid indigestion ■ sour stomach
■ upset stomach due to these symptoms
■ pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not exceed 120 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ shake well before use ■ measure with dosing cup provided
■ adults and children 12 years and over: 10 mL – 20 mL between meals, at bedtime or as directed by a doctor
■ do not take more than 120 mL in any 24 hour period
■ do not use the maximum dosage for more than 2 weeks
■ children under 12 years: ask a doctor ■ mL = milliliter

Other information

■ each 10 mL contains: magnesium 175 mg
■ does not meet USP requirements for preservative effectiveness
■ store at 20-25°C (68-77°F), do not freeze

Inactive ingredients butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

Drug Facts
(continued)

**Questions or
comments?**
1-800-719-9260

**SATISFACTION
GUARANTEED
OR YOUR
MONEY BACK**

Packaged For:
Your Military Exchanges
By: Perrigo Company
Allegan, MI USA
49010

: 35740 CZ B2

EXCHANGE SELECT ANTACID REGULAR STRENGTH

aluminum hydroxide, magnesium hydroxide, simethicone suspension

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:55301-357 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|----------------------|-----------------|
| ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0) | ALUMINUM HYDRO XIDE | 400 mg in 10 mL |
| MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDRO XIDE ION - UNII:9159UV381P) | MAGNESIUM HYDRO XIDE | 400 mg in 10 mL |
| DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O) | DIMETHICONE | 40 mg in 10 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| SILICON DIO XIDE (UNII: ETJ7Z6XBU4) | |
| BUTYLPARABEN (UNII: 3QPIIU3FV8) | |
| HYPROMELLOSES (UNII: 3NXW29V3WO) | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | |
| CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) | |
| PEPPERMINT OIL (UNII: AV092KU4JH) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| WATER (UNII: 059QF0K00R) | |
| SORBITOL (UNII: 506T60A25R) | |

Product Characteristics

| | | | |
|----------|----------------|--------------|--|
| Color | WHITE (opaque) | Score | |
| Shape | | Size | |
| Flavor | MINT, LEMON | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:55301-357-40 | 355 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/08/2013 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part331 | 01/08/2013 | |

