

ORAL SALINE LAXATIVE GINGER LEMON- dibasic sodium phosphate, monobasic sodium phosphate liquid
CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ORAL SALINE LAXATIVE
GINGER LEMON

Drug Facts

<i>Active ingredients (in each tablespoon)</i>	<i>Purpose</i>
Dibasic Sodium Phosphate 1.4 g/tablespoon	Saline laxative
Monobasic Sodium Phosphate 6.2 g/tablespoon	Saline laxative

Use

Relieves occasional constipation

Warnings

Dosage warning

Taking more than the recommended dose in 24 hour can be harmful.

Do not use

- if you have a previous kidney problem, congestive heart failure, impaired renal functions, decreased intervascular volume, dehydration, uncorrected electrolyte abnormalities
- in children under 5 years old
- for bowel cleansing

Ask a doctor before use if you have

- abdominal pain, nausea, or vomiting
- kidney disease
- heart problems
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than a week
- dehydration

Ask a doctor or pharmacist before use if you are

- on a sodium restricted diet
- under a doctor's care for any medical condition
- taking any other prescription or non-prescription medications. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you

- have any rectal bleeding
- do not have a bowel movement within 6 hours

- have any symptoms that your body is losing more fluid than you are drinking
- have symptoms of dehydration including
 - thirstiness
 - dizziness
 - urinating less often than normal
 - vomiting

These symptoms may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately: 800-222-1222.

Directions

- **Use as a laxative for relief of occasional constipation**
- **dilute dose in the table below** with one glass (8 fl. oz.) of cool water. Drink, then follow with at least one additional glass (8 fl. oz.) of cool water. **There is significant loss of liquid when using this product.** To prevent dehydration, drink plenty of clear liquid after use.
- **Do not use for bowel cleansing.**
- **Do not take more unless directed by a doctor. See Warnings. There are three teaspoons in one tablespoon.**

Ages (years)	Dosage	Maximum Dose
12 & older	3 Teaspoons	6 or 9 Teaspoons*
10 & 11	3 Teaspoons*	3 Teaspoons*
5 to 9	1 ½ Teaspoons*	1 ½ Teaspoons*
Under 5	Do Not Use	Do Not Use

* **SINGLE DAILY DOSAGE. DO NOT TAKE MORE OF THIS PRODUCT IN A 24-HOUR PERIOD**

Other information

- **Each Teaspoon contains:** sodium 549 mg
- Saline laxatives increase retention of water in the intestines, promoting bowel movements.
- this product generally produces a bowel movement in 30 minutes to 6 hours
- this product is sugar free
- do not freeze
- store at 15 to 30°C (59 to 86°F)

Inactive ingredients

glycerin, lemon and ginger flavor, purified water, saccharin sodium, sodium benzoate

Questions or comments?

866-323-0107 or www.natureplex.com

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

**PRINCIPAL DISPLAY PANEL - 45 mL Bottle Carton
FOR DIRECTIONS LIFT SIDE PANEL**

CVS
Health™

NDC 59779-111-12

**Phosphate
Oral Saline
Laxative**

For relief of occasional
constipation

Ginger Lemon Flavor

1.5 FL OZ (45 mL)

Oral Saline Laxative



PL31105B
V02

KEEP THIS CARTON FOR
INSTRUCTIONS
AND WARNINGS

Drug Facts (continued)

Other information

- Each Teaspoon contains: sodium 549 mg
- Saline laxatives increase retention of water in the intestines, promoting bowel movements.
- this product generally produces a bowel movement in 30 minutes to 6 hours
- this product is sugar free
- do not freeze ■ store at 15 to 30°C (59 to 86°F)

Inactive ingredients

glycerin, lemon and ginger flavor, purified water, saccharin sodium, sodium benzoate

Questions or comments? 866-323-0107 or www.natureplex.com

RE15CTR REF CVS702298N

Distributed by: CVS Pharmacy, Inc.,
One CVS Drive, Woonsocket, RI 02895
© 2016 CVS/pharmacy
CVS.com • 1-800-SHOP CVS
Made in U.S.A.
V-32922



Oral Saline Laxative

**TAMPER EVIDENT:
MOUTH OF BOTTLE SEALED
FOR YOUR SAFETY. IF PRINTED
FOIL SEAL IS MISSING OR
BROKEN, DO NOT USE.**



NDC 59779-111-12

Phosphate
Oral Saline Laxative

For relief of occasional constipation



Ginger Lemon Flavor

1.5 FL OZ (45 mL)

◀ FOR DIRECTIONS LIFT SIDE PANEL



Drug Facts

Active ingredients (in each tablespoon)

Dibasic Sodium Phosphate 1.4 g/tablespoon..... Saline laxative
Monobasic Sodium Phosphate 6.2 g/tablespoon..... Saline laxative

Purpose



... can be harmful.

- congestive heart failure,
- kidney disease, uncorrected
- low sodium, uncorrected
- dehydration, uncorrected
- for bowel cleansing
- pain, nausea, or vomiting
- change in bowel habits lasting more
- than 2 weeks ■ dehydration
- on a sodium restricted diet
- taking any other prescription
- drug or more hours before or
- after work.

Do not bleed ■ do not
take any other symptoms that your
prescription or symptoms of
dehydration or less often

**FOR DIRECTIONS
LIFT PANEL
HERE**

Use orally before use.

Get medical help or contact a pharmacist if you experience any of the following symptoms:
■ dizziness or lightheadedness
■ fainting or loss of consciousness
■ severe or persistent stomach pain
■ severe or persistent nausea or vomiting
■ severe or persistent diarrhea
■ severe or persistent bloating or gas
■ severe or persistent weakness or fatigue
■ severe or persistent headache
■ severe or persistent drowsiness
■ severe or persistent confusion
■ severe or persistent irritability
■ severe or persistent mood changes
■ severe or persistent changes in behavior
■ severe or persistent changes in appetite
■ severe or persistent changes in weight
■ severe or persistent changes in skin color
■ severe or persistent changes in skin texture
■ severe or persistent changes in skin temperature
■ severe or persistent changes in skin moisture
■ severe or persistent changes in skin pH
■ severe or persistent changes in skin conductivity
■ severe or persistent changes in skin impedance
■ severe or persistent changes in skin capacitance
■ severe or persistent changes in skin inductance
■ severe or persistent changes in skin resistance
■ severe or persistent changes in skin conductance
■ severe or persistent changes in skin permittivity
■ severe or persistent changes in skin permeability
■ severe or persistent changes in skin porosity
■ severe or persistent changes in skin roughness
■ severe or persistent changes in skin smoothness
■ severe or persistent changes in skin softness
■ severe or persistent changes in skin firmness
■ severe or persistent changes in skin elasticity
■ severe or persistent changes in skin flexibility
■ severe or persistent changes in skin extensibility
■ severe or persistent changes in skin contractility
■ severe or persistent changes in skin adhesiveness
■ severe or persistent changes in skin cohesiveness
■ severe or persistent changes in skin stickiness
■ severe or persistent changes in skin tackiness
■ severe or persistent changes in skin glossiness
■ severe or persistent changes in skin dullness
■ severe or persistent changes in skin shine
■ severe or persistent changes in skin luster
■ severe or persistent changes in skin sheen
■ severe or persistent changes in skin radiance
■ severe or persistent changes in skin brightness
■ severe or persistent changes in skin clarity
■ severe or persistent changes in skin transparency
■ severe or persistent changes in skin opacity
■ severe or persistent changes in skin translucency
■ severe or persistent changes in skin opacity
■ severe or persistent changes in skin translucency

Maximum Dose
Do not use more than 9 Teaspoons*
Teaspoons*
½ Teaspoons*
Do Not Use

PRODUCT IN A 24-HOUR PERIOD

Drug Facts (continued)

Use Relieves occasional constipation

Warnings
Dosage warning
Taking more than the recommended dose in 24 hours
 Do not use if you have a previous kidney problem, impaired renal functions, decreased intervascular volume, electrolyte abnormalities, or in children under 5 years of age.

Ask a doctor before use if you have abdominal pain, kidney disease, heart problems, or a sudden change in bowel habits that lasts for more than 2 weeks or already used a laxative for more than 2 weeks.

Ask a doctor or pharmacist before use if you are under a doctor's care for any medical condition, taking prescription or over-the-counter medications, or taking other drugs. Laxatives may affect how other drugs work.

Drug Facts (continued)

Stop use and ask a doctor if you have any rectal bleeding, have a bowel movement within 6 hours, have any signs of dehydration including thirstiness, dizziness, or urination that is less than normal, or vomiting. These symptoms may indicate a serious condition.

Drug Facts (continued)

Keep out of reach of children. In case of overdose, call your healthcare provider or Poison Control Center immediately: 800-222-1222.

Drug Facts (continued)

Directions
 Use as a laxative for relief of occasional constipation. Drink 8 to 10 glasses (8 fl. oz.) of cool water. Drink the additional glass (8 fl. oz.) of cool water. There is sign of dehydration. To prevent dehydration, drink plenty of water. Do not use for bowel cleansing. Do not take more than the recommended dose. See Warnings. There are three teaspoons in one tablespoon.

Ages (years)	Dosage
12 & older	3 Teaspoons
10 & 11	3 Teaspoons*
5 to 9	1 ½ Teaspoons*
Under 5	Do Not Use

*SINGLE DAILY DOSAGE. DO NOT TAKE MORE OF THIS PRODUCT THAN RECOMMENDED.

ORAL SALINE LAXATIVE GINGER LEMON

tribasic sodium phosphate, monobasic sodium phosphate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-111
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74) (PHOSPHATE ION - UNII: NK08V8K8HR)	SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM	1.4 g in 14.7868 mL
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW) (PHOSPHATE ION - UNII: NK08V8K8HR)	SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM	6.2 g in 14.7868 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-111-12	1 in 1 CARTON	08/31/2012	
1		45 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC monograph not final	part334	08/31/2012	
-------------------------	---------	------------	--

Labeler - CVS Pharmacy (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
Natureplex LLC		062808196	MANUFACTURE(59779-111)

Revised: 12/2017

CVS Pharmacy