

AQUANIL HC- hydrocortisone lotion

Person and Covey

Aquanil HC

Active Ingredient

Hydrocortisone

Stop Use and Ask a Doctor

Stop use and ask a doctor if:

- Condition worsens
- If symptoms persist for more than 7 days or clear up and occur again within a few days. Discontinue use of this product and do not begin use of any other hydrocortisone product unless you have consulted a doctor.
- Do not use for diaper rash. Consult a doctor.

Keep out of the Reach of Children

Keep out of the reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Purpose

Antipruritic (Anti-itch)

Directions

- Shake well before using.
- For adults and children 2 years of age and older: Apply to affected area not more than 2 to 4 times daily.
- For children under 2 years of age: there is no recommended dosage except under the advice and supervision of a doctor.
- Store away from excessive heat or cold.

Inactive Ingredients

Purified Water, Glycerin, Cetyl Alcohol, Benzyl Alcohol, Sodium Laureth Sulfate, Stearyl Alcohol, Dimethicone, Xanthan Gum

Questions?

Questions? Please call (800) 423-2341

Uses

For the temporary relief of minor skin irritations, inflamaations, itching and rashes caused by:

-insect bites

-eczema

-psoriasis

-soaps

-detergents

-cosmetics,

-jewelry,

-poison oak,

-poison sumac


-Other uses of this product should be undertaken only under the advice and supervision of a doctor.

Warnings

For external use only.

Do not get into eyes. If contact occurs, rinse thoroughly with water.

Package Label. Principal Display Panel



AQUANIL HC

hydrocortisone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0096-0732
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	0.01 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
WATER (UNII: 059QF0KO0R)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
XANTHAN GUM (UNII: TTV12P4NEE)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ALCOHOL (UNII: 936JST6JCN)	

STEARYL ALCOHOL (UNII: 2KR89I4H1Y)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0096-0732-04	118 g in 1 BOTTLE; Type 0: Not a Combination Product	01/08/1995	
2	NDC:0096-0732-15	16 g in 1 BOTTLE; Type 0: Not a Combination Product	01/08/1995	01/07/2022

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	01/08/1995	

Labeler - Person and Covey (008482473)

Establishment

Name	Address	ID/FEI	Business Operations
Person and Covey		008482473	manufacture(0096-0732)

Revised: 12/2023

Person and Covey