

**MECLIZINE HCL- meclizine hydrochloride tablets tablet**  
**Trigen Laboratories, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRUG FACTS**

***Active Ingredients (in each tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Uses:***

prevents and treats nausea, vomiting, or dizziness due to motion sickness. • For other uses, consult your doctor.

***WARNING: Ask a doctor before use if you have***

• Glaucoma • A breathing problem such as emphysema or chronic bronchitis • Trouble urinating due to an enlarged prostate gland.

**KEEP OUT OF REACH OF CHILDREN**

**Ask doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using product**

• You may get drowsy • Avoid alcoholic drinks • Alcohol, sedatives and tranquilizers may increase drowsiness • Be careful when driving a motor vehicle or operating machinery

**If pregnant or breast feeding,** ask a Physician before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **Adults & children 12 years and over:** 2-4 tablet once daily
- **Children under 12 years:** ask a doctor

***Other Information***

- **each tablet contains: calcium** 51 mg

- Store at room temperature 15°-30°C (59°-86°F)

**Inactive ingredients**

Microcrystalline cellulose, magnesium stearate, sodium starch glycolate, crospovidone, talc, and lactose.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

**TRIGEN**  
LABORATORIES

**Manufactured for:**

TRIGEN Laboratories, Inc., Sayreville, NJ 08872  
www.trigenlab.com  
Rev. 08/13

**PRINCIPAL DISPLAY PANEL - 25 mg Tablet Label**

**NDC 13811-647-10**


**Meclizine HCl**  
**25 mg**

**100 TABLETS**

**TRIGEN**  
LABORATORIES

**Manufactured for:**

TRIGEN Laboratories, Inc., Sayreville, NJ 08872  
www.trigenlab.com  
Rev. 08/13



**Drug Facts**

**Active Ingredients (in each tablet)...** Purpose  
Meclizine HCl 25 mg . . . . . Antiemetic

**Uses:** prevents and treats nausea, vomiting, or dizziness due to motion sickness. • For other uses, consult your doctor.

**WARNING: Ask a doctor before use if you have**

- Glaucoma
- A breathing problem such as emphysema or chronic bronchitis
- Trouble urinating due to an enlarged prostate gland.

**KEEP OUT OF REACH OF CHILDREN**

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

**TRIGEN**  
LABORATORIES  
Manufactured for:  
TRIGEN Laboratories, Inc., Sayreville, NJ 08872  
www.trigenlab.com Rev. 08/13

**TRIGEN**  
LABORATORIES  
Manufactured for:  
TRIGEN Laboratories, Inc., Sayreville, NJ 08872  
www.trigenlab.com Rev. 08/13

Lift Here for more Drug Facts

N 3 13811-647-10 5

**Drug Facts** (continued)

**Ask doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using product** • You may get drowsy • Avoid alcoholic drinks  
• Alcohol, sedatives and tranquilizers may increase drowsiness  
• Be careful when driving a motor vehicle or operating machinery

**If pregnant or breast feeding,** ask a Physician before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** • **Adults & children 12 years and over:** 2-4 tablets once daily • **Children under 12 years:** ask a doctor

**Other Information**  
• **each tablet contains: calcium**

51 mg  
• Store at room temperature 15°-30°C (59°-86°F)

**Inactive ingredients**  
Microcrystalline cellulose, magnesium stearate, sodium starch glycolate, crospovidone, talc, and lactose.

**TRIGEN**  
LABORATORIES  
Manufactured for:  
TRIGEN Laboratories, Inc., Sayreville, NJ 08872  
www.trigenlab.com Rev. 08/13

## MECLIZINE HCL

meclizine hydrochloride tablets tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:138 11-647(NDC:57631-008)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

## Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
POVIDONE K30 (UNII: U725QWY32X)	
TALC (UNII: 7SEV7J4R1U)	
LACTOSE (UNII: J2B2A4N98G)	

## Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	13mm
Flavor		Imprint Code	ET3
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13811-647-10	100 in 1 BOTTLE		
2	NDC:13811-647-01	1000 in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	09/23/2013	

**Labeler** - Trigen Laboratories, Inc. (830479668)

**Registrant** - Trigen Laboratories, Inc.. (830479668)