

**ALLERGY RELIEF D- cetirizine hcl, pseudoephedrine hcl tablet, extended release  
H E B**

-----  
**HEB Allergy Relief-D Drug Facts**

**Active ingredients (in each extended release tablet)**

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

**Purpose**

Antihistamine

Nasal Decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- do not use more than directed
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, talc, yellow iron oxide

**Questions or comments?**

**1-800-719-9260**

## **Principal Display Panel**

Compare to Zyrtec-D<sup>®</sup> active ingredients

Allergy Relief-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride

Extended Release Tablets, 5 mg/120 mg

Antihistamine/Nasal Decongestant

Allergy & Congestion

Indoor & Outdoor Allergies

12 Hour Relief of:

Sneezing

Itchy, Watery Eyes

Runny Nose

Itchy Throat or Nose

Sinus Pressure

Nasal Congestion

12 Hour

actual size

12 EXTENDED RELEASE TABLETS



**Drug Facts** (continued)

**Drug Facts** (continued)

fever or other upper respiratory allergies:  
 ■ itchy, watery eyes ■ sneezing ■ nasal congestion  
 ■ itchy, watery eyes ■ sneezing ■ nasal congestion  
 ■ itching of the nose or throat ■ nasal congestion  
 ■ reduces swelling of nasal passages  
 ■ temporarily relieves sinus congestion and pressure  
 ■ temporarily restores free breathing through  
 the nose

**Drug Facts**

**Active ingredients**  
 (in each extended release tablet)  
 Antihistamine  
 Cetirizine HCl 5 mg  
 Nasal Decongestant  
 Pseudoephedrine HCl 120 mg

**Purpose**  
 temporarily relieves these symptoms due to hay

Compare to Zyrtec-D® active ingredients\*

NDC 37808-785-53



# Allergy Relief-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride  
 Extended Release Tablets, 5 mg/120 mg  
 Antihistamine/Nasal Decongestant

## Allergy & Congestion

Indoor & Outdoor Allergies

12 Hour Relief of:

- Sneezing
- Runny Nose
- Sinus Pressure
- Itchy, Watery Eyes
- Itchy Throat or Nose
- Nasal Congestion



actual size

**12 EXTENDED RELEASE TABLETS**

17653 JF C5

**Drug Facts** (continued)

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease    ■ thyroid disease    ■ diabetes
- glaucoma        ■ high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.**

**When using this product**

- do not use more than directed
- drowsiness may occur    ■ avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.

**Drug Facts** (continued)

- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
  - if pregnant: ask a health professional before use.
- Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

■ do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, talc, yellow iron oxide

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

MADE WITH PRIDE & CARE FOR H.E.B.® SAN ANTONIO, TX 78204

Made in India

**100%**  
**GUARANTEE**  
**promise**  
 If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.

**Drug Facts** (continued)

**Questions or comments?** 1-800-719-9260

\* This product is not manufactured or distributed by McNeil Consumer Healthcare, division of McNeil-PPC, Inc., distributor of Zyrtec-D®

**GLUTEN FREE**



**ALLERGY RELIEF D**

cetirizine hcl, pseudoephedrine hcl tablet, extended release

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-785
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DD19F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYDROXYPROPYL CELLULOSE (160000 WAMW)</b> (UNII: RFW2ET671P)	

<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	

### Product Characteristics

<b>Color</b>	WHITE (one side white one side light yellow)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	5029;5;120
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-785-53	12 in 1 CARTON	01/19/2018	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:37808-785-62	24 in 1 CARTON	01/19/2018	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077170	01/19/2018	

**Labeler** - HEB (007924756)