PAIN RELIEF EXTRA STRENGTH- acetaminophen tablet Safeway

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Safeway Inc. Pain Relief Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 6 caplets (3,000 mg) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see Liver warning)

adults and children 12 years and over	 take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

• store at 20-25°C (68-77°F)

Inactive ingredients

carnauba wax*, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid

Questions or comments?

1-888-SAFEWAY

Principal Display Panel

Extra Strength

Compare to Extra Strength Tylenol® Caplets active ingredient

Aspirin-Free

^{*}may contain one or more of these ingredients

Pain Relief
Acetaminophen Caplets, 500 mg
Pain Reliever
Fever Reducer
For Adults

ACTUAL SIZE 250 CAPLETS





EXP.

LOT NO.



Extra Strength

NDC 21130-484-85

Acetaminophen Caplets, 500 mg

- Pain Reliever Fever Reducer
- For Adults

ACTUAL SIZE

250 CAPLETS

Drug Facts

Active Ingredient (In each caplet)

Purpose

Acetaminophen 500 mg......Pain reliever/fever reducer

Uses

SAFEWAY ()

- temporarily relieves minor aches and pains due to:
- the common cold
- headache backache
- minor pain of arthritis toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 6 caplets (3,000 mg) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an all ergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
 new symptoms occur redness or swelling is present
 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions addition	iake more ilian directed (see Liver wanting
adults and children 12 years and over	■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

QUALITY & SATISFACTION GUARANTEED P.O. BOX 99, PLEASANTON, CA 94566-0009 DISTRIBUTED BY SAFEWAY INC. dis hibutor of Ex ha Strength Tylenol® Caplets. **This product is not manufactured or distributed by McNeil Healthcare LLC Inactive ingredients carnauta wax*, corns arch*, cos carmellos es cdium*, hypromellose, polyethylen e glycol, povidone, pregelafnized starch, sodium starch glycolate*, stearic acid Questions or comments? 1-8 88-SAFEWAY Other Information ■ store at 20-25°C (68-77°F) Drug Facts (continued) 'may con tain one or more of these ingredients

DO NOT USE IF ITAINTED SEAL UNDER CAP IS BROKEN OR MISSING

OR YOUR MONEY BACK

1-888-SAFEWAY / www.safeway.com

PAIN RELIEF EXTRA STRENGTH

acetaminophen tablet

Product Information			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:21130-484
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (ACETAMINO PHEN)	ACETAMINOPHEN	500 mg	

Inactive Ingredients			
Ingredient Name	Strength		
CARNAUBA WAX			
HYPROMELLOSES			
POLYETHYLENE GLYCOLS			
POVIDONES			
STEARIC ACID			
STARCH, CORN			
CROSCARMELLOSE SODIUM			

Product Characteristics			
Color	WHITE	Score	no score
Shape	CAPSULE (caplet)	Size	16 mm
Flavor		Imprint Code	L484
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:21130-484-62	1 in 1 CARTON				
1		24 in 1 BOTTLE				
2	NDC:21130-484-78	1 in 1 CARTON				
2		100 in 1 BOTTLE				
3	NDC:21130-484-85	1 in 1 CARTON				
3		250 in 1 BOTTLE				
4	NDC:21130-484-90	500 in 1 BOTTLE				
5	NDC:21130-484-76	1 in 1 CARTON				
5		120 in 1 BOTTLE				
6	NDC:21130-484-71	1 in 1 CARTON				
6		50 in 1 BOTTLE				
7	NDC:21130-484-02	550 in 1 BOTTLE				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	07/06/2000	

Labeler - Safeway (009137209)

Revised: 11/2013 Safeway