SALICYLIC ACID- liquid wart remover liquid Walgreen Company

Walgreens Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Uses

• for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- on irritated, infected or reddened skin
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes

When using this product

- avoid contact with eyes. If product get into eyes, flush with water for 15 minutes
- avoid inhaling vapors

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• wash affected area, may soak wart in warm water for 5 minutes

- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castro oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Well at Walgreens

Liquid wart remover

Salicylic Acid 17%

• Removes Common & plantar warts safely & easily

Effectively removes warts.

0.5 FL OZ (15mL)



Liquid Wart Remover

Salicylic Acid 17%

0.5 FL 0Z (15 mL)

- Walgreens Pharmacist Recommended. Walgreens Pharmacist Survey Study, November 2012.
- #This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Compound Wo.

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED



walgreens.com ©2013 Walgreen Co.

Questions? Call 1-866-964-0939

Inactive ingredient flexible collodion containing alcohol and ether

Other information atore between 20° to 30°C (68° to 88°F)

- dry area thoroughly
 and the area thoroughly cover each with applicator to sufficiently cover each wart
 an exply small amount of wart remover with applicator to sufficiently cover each wart
 before a some of the application once or twice daily as needed until wart is removed.
- DIVECTIONS wash affected area, may soak wart in warm water for 5 minutes

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor it discomfort persists.

- avoid inhaling vapors
- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes When using this product
- moles, birthmarks and warts with hair growing from them mucous membranes ■ genital warts and warts on the face ■ irritated, infected or reddened skin
- no esu fon od supervision of a doctor or podiatrist
- \mathbf{m} if you are disbetic or have poor blood circulation, except under the advice and
 - csb potne tighthy and store at room temperature away from heat
 - Fisher away from fire or flame

For external use only.

SgnimsW

interruption of the footprint pattern.

recognized by its location only on the bottom of the foot, its tendemess and the **????** • for the rough 'cauliflower-like' appearance of the surface. Plantar wart is easily YVAIT FEITIOVET

Salicylic acid 17% w/w. Purpose Active ingredient Drug Facts

DO NOT USE IF NECKBAND IS BROKEN

DO NOT USE IF NECKBAND IS BROKEN **Unpose:** Wart remover Use: For the removal of common and plantar warts. The common wart is easily recognize he footprint pattern. WARNINGS: For external use only ghtly and store at room temperature away from hear ie: Keep away from fire or flame. Cap both Nantar wart is recognized by its location only on the Walgreens edient Salicylic acid (17% w/w)

Liquid Wart Remover

Salicylic Acid 17%

0.5 FL OZ (15 mL)

blood circulation, except under the advice and supervision Do not use this product if you are diabetic or have poor prowing from them, genital warts, warts on the face and nuccus membranes. Avoid contact with eyes. If produc nedical help or contact a Poison Control Center right av reddened skin or on moles, birthmarks, warts with hair jets into the eye, flush with water for 15 minutes. Avo each wart. Let dry and repeat this procedure once or t

1.5" H WRLLABELWG-2 00% SATISFACTION

SALICYLIC ACID

w the rough

liquid wart remover liquid

Product Information

HUMAN OTC DRUG Item Code (Source) NDC:0363-8217 **Product Type**

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) SALICYLIC ACID 0.17 g in 1 g

Inactive Ingredients Ingredient Name Strength PYROXYLIN (UNII: KYR8BR2X6O) CAMPHOR (NATURAL) (UNII: N20HL7Q941) CASTOR OIL (UNII: D5340Y2I9G)

l	P	Packaging Packag				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
l	1	NDC:0363- 8217-15	15 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	06/23/2008		
l	2	NDC:0363- 8217-10	10 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	06/23/2008		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	06/23/2008	

Labeler - Walgreen Company (008965063)

Revised: 2/2024 Walgreen Company