MEIJER COLD AND HOT PAIN RELIEVING ANALGESIC- lidocaine hydrochloride and menthol, unspecified form cream Meijer Distribution, INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

$Meijer_{\scriptsize{\circledR}}$ Cold & Hot Pain Relieving Cream Topical Analgesic

Drug Facts

Active ingredients	Purpose	
Lidocaine HCl 4%	Topical	
Lidocaine (1C) 476	analgesic	
Menthol 1%	Topical	
Mericioi 1%	analgesic	

Use

temporarily relieves minor pain

Warnings

For external use only

Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- rare cases of serious burns have been reported with products of this type
- do not bandage or apply local heat (such as heating pads) to the area of use with a medicated patch
- avoid contact with eyes and mucous membranes
- a transient burning sensation may occur upon application but generally disappears in several days

Discontinue use and consult a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

 you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions

adults and children over 12 years:

- Apply to affected area not more than 3 to 4 times daily.
- AFTER APPLYING, WASH HANDS WITH SOAP AND WATER

children 12 years or younger: ask a doctor

Other information

store at room temperature

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, alcohol denat., aloe barbadensis leaf juice, aminomethyl propanol, C30-45 alkyl cetearyl dimethicone crosspolymer, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, dicetyl phosphate, dimethicone, disodium EDTA, ethylhexylglycerin, glyceryl stearate, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, isohexadecane, phenoxyethanol, polysorbate 60, steareth-21, water.

Questions or comments?

1-866-567-8600

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544

PRINCIPAL DISPLAY PANEL - 77 g Bottle Carton

meijer_®

Compare to Icy Hot® Active Ingredients*

cold & hot Pain Relieving Cream Menthol 1% | Lidocaine 4%

Helps to Numb Away Pain | Non-Greasy

Maximum Strength External Analgesic with 4% Lidocaine

NET WT 2.7 OZ (77g)



Pain Relieving Cream Menthol 1% | Lidocaine 4%

Helps to Numb Away Pain | Non-Greasy

Temporarily Relieves Minor Pain For:

Back, neck & shoulder

Knee & elbow
Foot, ankle & leg

Hand & wrist

meijer

Compare to Icy Hot® Active Ingredients*

cold & hot

Pain Relieving Cream Menthol 1% | Lidocaine 4%

Helps to Numb Away Pain | Non-Greasy

NET WT 2.7 OZ (77g)


Maximum Strength External Analgesic with 4% Lidocaine

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com





PID 4685145





cold & hot

Menthol 1% | Lidocaine 4% Pain Relieving Cream



etasi Racts

Menthol 1%M Topical analgesic ∏qocsiue HCl 4% Topical analgesic əsodınd Active ingredients

Use temporarily relieves minor pain

spnimaW

For external use only

Do not use • on large areas of the body or on cut, irritated or swollen skin • on puncture wounds • for more than one week

without consulting a doctor

application but generally disappears in several days of use with a medicated patch • avoid contact with eyes and mucous membranes • a translent burning sensation may occur upon serious burns have been reported with products of this type • do not bandage or apply local heat (such as heating pads) to the area When using this product • use only as directed. Read and follow all directions and warnings on this carton. • rare cases of

more than 7 days or clear up and occur a gain within a few days • you experience aigns of skin injury, such as pain, swelling, or Discontinue use and consult a doctor if • condition worsens • redness is present • initation develops • symptom spersist for

blistering where the product was applied

Keep out of reach of child ren . If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately. It pregnant or b reast-feeding, ask a health professional before use.

MITHSOAP AND WATER adults and children over 1 2 years: • Apply to affected area not more than 3 to 4 times daily. • After Applying, was Hands Directions


children 12 years or youn ger: aska doctor


Other information store at room temperature

taurate copolymer, isohexadecane, phenoxyethanol, polysorbate 60, stea reth-21, water. phosphate, dimethicone, disodium EDTA, ethyhexylglycerni, glyceryl stearate, hydroxyethyl acrylate/sodium acryloyidimethyl propanol, C30 -45 alkyl cetearyl dimethicone crosspolymer, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, dicetyl Inactive ingredients acrylates/C10-30 alkyl a crylate crosspolymer, alcohol denat., aloe barbadensis leaf juice, aminomethyl

C Questions or comments? 1-866-567-8600

Made in Canada 07-192 Keep carbon as it contains important information. Close cap tightly between uses. Child resistant packaging. *This product is not manufactured or distributed by CHATTEM, INC., owner of the registered trademark Icy Hot®.





MEIJER COLD AND HOT PAIN RELIEVING ANALGESIC

lidocaine hydrochloride and menthol, unspecified form cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-355
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Lidocaine Hydrochloride (UNII: V13007Z41A) (Lidocaine - UNII:98PI200987)	Lidocaine Hydrochloride Anhydrous	40 mg in 1 g	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	10 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
ALCOHOL (UNII: 3K9958V90M)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
Ceteth-20 Phosphate (UNII: 921FTA1500)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Ethylhexylglycerin (UNII: 147D247K3P)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
Isohexadecane (UNII: 918X1OUF1E)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Polysorbate 60 (UNII: CAL22UVI4M)	
Steareth-21 (UNII: 53J3F32P58)	
Water (UNII: 059QF0KO0R)	

Product Characteristics			
Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

	Packaging					
7	t Item Code Package Description		Marketing Start Date	Marketing End Date		
:	NDC:41250-355-	1 in 1 CARTON	04/20/2020			
	77 g in 1 BOTTLE; Type 0: Not a Combination Product					

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	04/20/2020	

Labeler - Meijer Distribution, INC (006959555)

Registrant - Garcoa, Inc. (036464697)

Establishment					
Name	Address	ID/FEI	Business Operations		
Sigan Industries INC.		255106239	MANUFACTURE(41250-355)		

Revised: 1/2022 Meijer Distribution, INC