GOOD NEIGHBOR PHARMACY ALL DAY ALLERGY D- cetirizine hcl, pseudoephedrine hcl tablet, extended release Amerisource Bergen

Amerisource Bergen All Day Allergy-D Drug Facts

Active ingredient (in each extended release tablet)

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

Purpose

Antihistamine

Nasal Decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland

• liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- do not use more than directed
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• do not break or chew tablet; swallow tablet whole

| adults and children 12 years and over | take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours. |
|--|--|
| adults 65 years and over | ask a doctor |
| children under 12 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

Other information

• store between 20° to 25°C (68° to 77°F)

Inactive ingredients

colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, talc, yellow iron oxide

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Zyrtec-D $^{\circledR}$ active ingredients

Original Prescription Strength

ALLERGY & CONGESTION

All Day Allergy-D


cetirizine hydrochloride and pseudoephedrine hydrochloride extended release tablets, 5 mg/120 mg antihistamine/nasal decongestant

Indoor & Outdoor Allergies


12 Hour Relief of:

Sneezing - Itchy, Watery Eyes - Runny Nose

Itchy Throat or Nose - Sinus Pressure - Nasal Congestion actual size



All Day Allergy-D Carton Image 1



All Day Allergy-D Carton Image 1

All Day Allergy-D Carton Image 2

GOOD NEIGHBOR PHARMACY ALL DAY ALLERGY D

cetirizine hcl, pseudoephedrine hcl tablet, extended release

| Product Information | luct Information | | | |
|----------------------------|------------------|--------------------|---------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:24385-175 | |
| Route of Administration | ORAL | | | |

| Active Ingredient/Active Moiety | | | | |
|--|----------------------------------|----------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| CETIRIZINE HYDRO CHLO RIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24) | CETIRIZINE HYDROCHLORIDE | 5 mg | | |
| PSEUDO EPHEDRINE HYDRO CHLO RIDE (UNII: 6 V9 V2RYJ8 N) (PSEUDO EPHEDRINE - UNII:7CUC9 DDI9 F) | PSEUDOEPHEDRINE HYDROCHLORIDE | 120 mg | | |
| | | | | |

Inactive Ingredients

| Ingredient Name | Strength | |
|---|----------|--|
| SILICON DIO XIDE (UNII: ETJ7Z6XBU4) | | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | | |
| LACTO SE MO NO HYDRATE (UNII: EWQ57Q8I5X) | | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | | |
| MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U) | | |
| TALC (UNII: 7SEV7J4R1U) | | |
| FERRIC OXIDE YELLOW (UNII: EX438 O2MRT) | | |

| Product Characteristics | | | |
|-------------------------|--|--------------|------------|
| Color | WHITE (one side white one side light yellow) | Score | no score |
| Shape | ROUND | Size | 12mm |
| Flavor | | Imprint Code | 5029;5;120 |
| Contains | | | |

| I | Packaging | | | |
|---|------------------|---|-----------------------------|---------------------------|
| # | t Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:24385-175-53 | 2 in 1 CARTON | 05/06/2008 | |
| 1 | | 6 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 2 | NDC:24385-175-62 | 4 in 1 CARTON | 05/15/2008 | |
| 2 | | 6 in $1BLISTER$ PACK; Type $0\colon Nota$ Combination Product | | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| ANDA | ANDA077170 | 05/06/2008 | |
| | | | |

Labeler - Amerisource Bergen (007914906)

Revised: 11/2020 Amerisource Bergen