# BISMU-KOTE- bismuth subsalicylate suspension Vedco, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### **BISMU-KOTE**

## Anti-Diarrheal Liquid

Palatable Oral Suspension

## KEEP OUT OF REACH OF CHILDREN FOR ANIMAL USE ONLY

#### **INDICATIONS:**

A palatable oral suspension for use as an aid in controlling simple diarrhea in cattle, horses, dogs and cats.

#### **CAUTION:**

This product contains salicylate; do not administer with other salicylate containing products, such as aspirin.

#### **DOSAGE AND ADMINISTRATION:**

Administer orally.

**Dogs and Cats:** 1 to 3 tablespoonfuls every 1-3 hours. **Calves and Foals:** 3 to 4 ounces every 2-3 hours. **Horses and Cattle:** 6 to 10 ounces every 2-3 hours.

#### **WARNING:**

If diarrhea persists after using this product for 2 days, consult veterinarian.



#### **ACTIVE INGREDIENT:**

Bismuth Subsalicylate...... 1.75% w/w In a palatable aqueous suspension. Flavoring and color added.

#### **INACTIVE INGREDIENTS:**

Water, Xanthan Gum, Magnesium Salicylate, Methyl Salicylate, Sodium Saccharin, Hydrochloric Acid, Methylparaben, Propylparaben, and FD&C Red #40.

SHAKE WELL BEFORE USING. FOR ORAL USE ONLY KEEP FROM FREEZING.

Store at room temperature not above 37°C (98.6°F).

#### **NET CONTENTS:**

1 GALLON (3.785 L)

Distributed By **VEDCO, INC.** St. Joseph, MO 64507

**VINV-BSMO-KOTE** 

### 1 GALLON (3.785 L)

**INDICATIONS:** A palatable oral suspension for use as an aid in controlling simple diarrhea in cattle, horses, dogs and cats.

**CAUTION:** This product contains salicylate; do not administer with other salicylate containing products, such as aspirin.

### DOSAGE AND ADMINISTRATION:

Administer orally.

**Dogs** and **Cats:** 1 to 3 tablespoonfuls every 1-3 hours.

Calves and Foals: 3 to 4 ounces every 2-3 hours.

Horses and Cattle: 6 to 10 ounces every 2-3 hours.

**WARNING:** If diarrhea persists after using this product for 2 days, consult veterinarian.

TAKE TIME



OBSERVE LABEL DIRECTIONS

Distributed By **NEDCO, INC.** St. Joseph, MO 64507

Rev. 04-15



#### ACTIVE INGREDIENT:

Bismuth Subsalicylate........1.75% w/w In a palatable aqueous suspension. Flavoring and color added.

#### **INACTIVE INGREDIENTS:**

Water, Xanthan Gum, Magnesium Salicylate, Methyl Salicylate, Sodium Saccharin, Hydrochloric Acid, Methylparaben, Propylparaben, and FD&C Red #40.

SHAKE WELL BEFORE USING. FOR ORAL USE ONLY KEEP FROM FREEZING.

Store at room temperature not above 37°C (98.6°F).

VINV-BSMO-KOTE

Lot No.:

Exp. Date:

No Varnish



#### **BISMU-KOTE**

bismuth subsalicylate suspension

#### **Product Information**

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:50989-501

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII: 0414PZ4LPZ)	BISMUTH SUBSALICYLATE	17.4 g in 1 L

Packaging						
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date		
1	NDC:50989-501-29	4 in 1 CASE				
1		3.785 L in 1 JUG				

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	04/09/2015				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

## **Labeler -** Vedco, Inc. (021634266)

Establishment						
Name	Address	ID/FEI	Business Operations			
First Priority Incorporated		179925722	manufacture, label, api manufacture			

Revised: 11/2022 Vedco, Inc.