SALICYLIC ACID- liquid wart remover liquid RITE AID CORPORATION

Rite Aid Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Uses

• for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temerature away from heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists.

Keep out of reach of children.

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

Other information

store between 20° - 25°C (68° - 77°F)

- close tightly to prevent solidification
- store in a cool place

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Rite Aid Pharmacy

MAXIMUM STRENGTH

Liquid

Wart Remover

Salicylic Acid 17%


Removes common & plantar warts

Convenient brush applicator

Safe & effective

0.31 FL OZ (9mL)





MAXIMUM STRENGTH
Liquid Wart Remover
(Salicylic Acid 17%)

53-012RA-02



Do not use this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist. Do not use on irritated, infected or reddened skin or on moles, birthmarks, warts with hair growing from them, genital warts, warts on the face and mucous membranes. When using this product and mucous membranes. When using this product avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. Stop use and ask a doctor if discomfort persists. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions: Wash affected area, may soak wart in warm water for 5 minutes. Dry area thoroughly. Apply small amount of wart remover with applicator to sufficiently cover each wart. Let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks. Other in a cool place. Inactive ingredients: camphor, castor oil, ethanol, ethyl ether, nitrocellulose Questions? Call

50-012RA-02

DISTRIBUTED BY: RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011, MADE IN USA WITH U.S. AND IMPORTED PARTS

Keep packaging for complete drug facts information.

SALICYLIC ACID

liquid wart remover liquid

Product Information	uct Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0119		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 9 mL	

Inactive Ingredients			
Ingredient Name	Strength		
CAMPHOR (NATURAL) (UNII: N20HL7Q941)			
CASTOR OIL (UNII: D5340Y2I9G)			
PYROXYLIN (UNII: KYR8BR2X6O)			

ı	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:11822- 0119-9	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	12/22/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	12/22/2017	

Labeler - RITE AID CORPORATION (014578892)

Revised: 2/2024 RITE AID CORPORATION