

RADIANCE SUPERBE DAY CREAM NUDE- ensulizole, octocrylene, titanium dioxide, zinc oxide cream

RADIANCE SUPERBE DAY CREAM NEUTRAL BRONZE- ensulizole, octocrylene, titanium dioxide, zinc oxide cream

RADIANCE SUPERBE DAY CREAM NEUTRAL LIGHT- ensulizole, octocrylene, titanium dioxide, zinc oxide cream

RADIANCE SUPERBE DAY CREAM TRANSLUCENT- ensulizole, octocrylene, titanium dioxide, zinc oxide cream

RADIANCE SUPERBE DAY CREAM NEUTRAL MEDIUM- ensulizole, octocrylene, titanium dioxide, zinc oxide cream

RADIANCE SUPERBE DAY CREAM NEUTRAL CARAMEL- ensulizole, octocrylene, titanium dioxide, zinc oxide cream

RADIANCE SUPERBE DAY CREAM NEUTRAL TAN- ensulizole, octocrylene, titanium dioxide, zinc oxide cream

Haute Custom Beauty

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Radiance Superbe Day Cream (Translucent and 6 tones)

Active Ingredients.....sunscreen

Octocrylene 6%.....Sunscreen

Titanium dioxide 5%.....Sunscreen

Zinc oxide 5%.....Sunscreen

Ensulizole 4%.....Sunscreen

Inactive Ingredients

AQUA (WATER), PROPANEDIOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, SODIUM ACRYLATES COPOLYMER, COPENICIA CERIFERA WAX, ORYZA SATIVA WAX, CENTELLA ASIATICA (HYDROCOTYL) LEAF EXTRACT, HYDROLIZED SILK, LECITHIN, TOCOPHERYL ACETATE, XANTHAN GUM, POLYHYDROXYSTEARIC ACID, ALUMINA, STEARIC ACID, ROYAL JELLY EXTRACT, GLYCERYL LINOLEATE, GLYCERYL LINOLENATE, PANTHENOL, AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER, PHENOXYETHANOL, GLYCERIN, CAPRYLYL GLYCOL, SODIUM HYDROXIDE, MALUS DOMESTICA FRUIT CELL CULTURE EXTRACT, ARTEMIA EXTRACT, PLANKTON EXTRACT, ALGAE EXTRACT, PARFUM (FRAGRANCE), PHYTOSTEROLS, OLEA EUROPAEA (OLIVE) FRUIT OIL, SQUALANE, HYDROLYZED PEA PROTEIN, BUTYROSPERMUM PARKII (SHEA) BUTTER, CERAMIDE NP, CERAMIDE AP, CERAMIDE EOP, PHYTOSPHINGOSINE, CHOLESTEROL, SODIUM LAUROYL LACTYLATE, CARBOMER, DIISOPROPYL ADIPATE, ACRYLIC ACID/ACRYLAMIDOMETHYL PROPANE SULFONIC ACID COPOLYMER, DIMETHYLMETHOXY CHROMANOL, GLYCERYL CAPRILATE, PHOSPHOLIPIDS, CARAMEL, CI 77891, CI 77492, CI 77491 , CI 77499 , CINNAMYL ALCOHOL, EUGENOL, HEXYL CINNAMAL, LINALOOL, d-LIMONENE, CITRONELLOL, BENZYL SALICYLATE.

Uses

helps prevent sunburn * higher SPF gives more sunburn protection * if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts.

You may report effects to FDA at 1-800-FDA-1088.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: *apply liberally 15 minutes before sun exposure and as needed * reapply at least every 2 hours and as needed or after towel drying, swimming, or perspiring. *. use water resistant sunscreen if swimming or sweating * Sun Protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of SPF 15 or higher and other sun protection measures including:

- * limit time in the sun, especially from 10 a.m. - 2 p.m.

- * wear long-sleeve shirts, pants, hats and sunglasses

- * children under 6 months of age: Ask a doctor

Other information

Other information * protect this product from excessive heat and direct sun. * Sun alert: limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Description

RADIANCE SUPERBE DAY CREAM

BROAD SPECTRUM SPF 35

OIL-FREE SUNSCREEN

A latest generation Triple Age Management Sunscreen with an immediate ultra-sheer complexion perfecting finish available in 6 ultra-sheer shades + translucent, leaving skin with a radiant, healthy glow. Oil free, for all skin types, including sensitive skin.

Haute Custom Beauty SLU

Passeig de Gracia 41

08047 Barcelona

Haute Custom Beauty INC

Austin, TX 78703 USA

PRODUCT OF SPAIN

www.hautecustombeauty.com

Airplane image OK

Gluten Free

No: parabens, sulphates, mineral oil, silicones, phthalates, PEGS, methysilothazzolinone, petroleum derivatives



TRANSLUCENT

RADIANCE SUPERBE DAY CREAM
BROAD SPECTRUM SPF35 OIL-FREE SUNSCREEN
TRIPLE AGE MANAGEMENT RESTORATIVE HYDRATION
HIGH PROTECTION

HAUTE
CUSTOM BEAUTY
AUSTIN • BARCELONA

NET WT. 0.5 OZ. / 15ml e

Drug Facts (continued)

Inactive Ingredients

aqua (water), propandiol, caprylic/capric triglyceride, sodium acrylates copolymer, copericla centifera wax, oryza saliva wax, centella asiatica (hydrocotyl) leaf extract, hydrolyzed silk, lecithin, tocopherol acetate, xanthan gum, polyhydroxysebacic acid, alumina, stearic acid, royal jelly extract, glyceryl linoleate, glyceryl linolenate, panthenol, ammonium acryloyldimethyltaurate copolymer, phenoxylethanol, glycerin, caprylic glycol, sodium hydroxide, maltodextrin, plankton extract, algae extract, parfum (fragrance), phytosterols, olea europaea (olive) fruit oil, squalene, hydrolyzed pea protein, butyrospermum parkii (shea) butter, ceramide np, ceramide ap, ceramide eop, phytoosphingosine, cholesterol, sodium lauryl lactylate, carbomer, disopropyl adipate, acrylic acid/acrylamidomethylpropane sulfonic acid copolymer, dimethylmethoxy chromanol, glyceryl caprylate, phospholipids, cinamyl alcohol, eugenol, hexyl cinamal, linoleol, d-limonene, ceteareth-12, benzyl salicylate, may contain yellow iron oxide (ci 77492), red iron oxide (ci 77491), black iron oxide (ci 77499).

NO
PARABENS • SULPHATES
PHTHALATES • PEGS
PETROLEUM DERIVATIVES

Haute Custom Beauty SLU
Passage de Gràcia, 41
08007 Barcelona
Austin TX 78703 USA
PRODUCT OF SPAIN
hautecustombeauty.com

RADIANCE SUPERBE DAY CREAM
BROAD SPECTRUM SPF35
OIL-FREE SUNSCREEN
At latest generation Triple Age Management
Sunscreen with an immediate ultra-sheer
complexion perfecting finish available in 6
ultra-sheer shades • translucent, leaving skin
with a radiant, healthy glow. Oil free. For all
skin types, including sensitive skin.



Drug Facts

Active Ingredients
Purpose
Octocrylene 6%.....Sunscreen
Titanium dioxide 5%.....Sunscreen
Zinc Oxide 5%.....Sunscreen
Ensulizole 4%.....Sunscreen

Warnings
For external use only
Do not use on damaged or broken skin.
When using this product keep out of eyes.
Rinse with water to remove.
Stop use and ask a doctor if rash or irritation develops and lasts.
You may report side effects to FDA at 1-800-FDA-1088. Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use: • apply liberally 15 minutes before sun exposure and as needed • reapply at least every 2 hours and as needed or after towel drying, swimming, or perspiring • use water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of SPF 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • Sun alert: limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

PLEASE RECYCLE
12 M
SKU: R515US-F
8 436596 301078
Radiance Superbe Day Cream SPF 35
TRANSLUCENT



Radiance Superbe Day Cream Nude
72414-001



Drug Facts

Active Ingredients

Octocrylene 6%.....	Sunscreen
Titanium dioxide 5%.....	Sunscreen
Zinc Oxide 5%.....	Sunscreen
Ensulizole 4%.....	Sunscreen

Purpose

Uses: • helps prevent sunburn • higher SPF gives more sunburn protection • If used as directed with other sun protection measures (*see Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts.

You may report side effects to FDA at 1-800-FDA-1088. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: • apply liberally 15 minutes before sun exposure and as needed • reapply at least every 2 hours and as needed or after towel drying, swimming, or perspiring • use water resistant sunscreen if swimming or sweating

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of SPF 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Drug Facts (continued)

Other information • protect this product from excessive heat and direct sun

- Sun alert: limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive Ingredients

aqua (water), propanediol, caprylic/capric triglyceride, sodium acrylates copolymer, copernicia cerifera wax, oryza sativa wax, centella asiatica (hydrocotyl) leaf extract, hydrolyzed silk, lecithin, tocopheryl acetate, xanthan gum, polyhydroxystearic acid, alumina, stearic acid, royal jelly extract, glyceryl linoleate, glyceryl linolenate, panthenol, ammonium acryloyldimethyltaurate/vp copolymer, phenoxyethanol, glycerin, caprylyl glycol, sodium hydroxide, malus domestica fruit cell culture extract, artemia extract, plankton extract, algae extract, parflum (fragrance), phytosterols, olea europaea (olive) fruit oil, squalane, hydrolyzed pea protein, butyrospermum parkii (shea) butter, ceramide np, ceramide ap, ceramide eop, phytosphingosine, cholesterol, sodium lauroyl lactylate, carbomer, diisopropyl adipate, acrylic acid/acrylamidomethyl propane sulfonic acid copolymer, dimethylmethoxy chromanol, glyceryl caprilate, phospholipids, cinnamyl alcohol, eugenol, hexyl cinnamal, linalcol, d-limonene, citronellol, benzyl salicylate, may contain caramel color, titanium dioxide (ci 77891), yellow iron oxide (ci 77492), red iron oxide (ci 77491), black iron oxide (ci 77499).

Radiance Superbe Day Cream Neutral Light 72414-002



Drug Facts

Active Ingredients

Octocrylene 6%.....	Sunscreen
Titanium dioxide 5%.....	Sunscreen
Zinc Oxide 5%.....	Sunscreen
Ensulizole 4%.....	Sunscreen

Purpose

Uses: • helps prevent sunburn • higher SPF gives more sunburn protection • If used as directed with other sun protection measures (*see Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts.

You may report side effects to FDA at 1-800-FDA-1088. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: • apply liberally 15 minutes before sun exposure and as needed • reapply at least every 2 hours and as needed or after towel drying, swimming, or perspiring • use water resistant sunscreen if swimming or sweating

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of SPF 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Drug Facts (continued)

Other information • protect this product from excessive heat and direct sun

- Sun alert: limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive Ingredients

aqua (water), propanediol, caprylic/capric triglyceride, sodium acrylates copolymer, copernicia cerifera wax, oryza sativa wax, centella asiatica (hydrocotyl) leaf extract, hydrolyzed silk, lecithin, tocopheryl acetate, xanthan gum, polyhydroxystearic acid, alumina, stearic acid, royal jelly extract, glyceryl linoleate, glyceryl linolenate, panthenol, ammonium acryloyldimethyltaurate/vp copolymer, phenoxyethanol, glycerin, caprylyl glycol, sodium hydroxide, malus domestica fruit cell culture extract, artemia extract, plankton extract, algae extract, parflum (fragrance), phytosterols, olea europaea (olive) fruit oil, squalane, hydrolyzed pea protein, butyrospermum parkii (shea) butter, ceramide np, ceramide ap, ceramide eop, phytosphingosine, cholesterol, sodium lauroyl lactylate, carbomer, diisopropyl adipate, acrylic acid/acrylamidomethyl propane sulfonic acid copolymer, dimethylmethoxy chromanol, glyceryl caprilate, phospholipids, cinnamyl alcohol, eugenol, hexyl cinnamal, linalcol, d-limonene, citronellol, benzyl salicylate, may contain caramel color, titanium dioxide (ci 77891), yellow iron oxide (ci 77492), red iron oxide (ci 77491), black iron oxide (ci 77499).

Radiance Superbe Day Cream Neutral Medium 72414-003



Radiance Superbe Day Cream Neutral Caramel
72414-004



Drug Facts

Active Ingredients

Octocrylene 6%.....	Sunscreen
Titanium dioxide 5%.....	Sunscreen
Zinc Oxide 5%.....	Sunscreen
Ensulizole 4%.....	Sunscreen

Purpose

Uses: • helps prevent sunburn • higher SPF gives more sunburn protection • If used as directed with other sun protection measures (*see Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts.

You may report side effects to FDA at 1-800-FDA-1088. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: • apply liberally 15 minutes before sun exposure and as needed • reapply at least every 2 hours and as needed or after towel drying, swimming, or perspiring • use water resistant sunscreen if swimming or sweating

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of SPF 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Drug Facts (continued)


Other information • protect this product from excessive heat and direct sun

- Sun alert: limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive Ingredients

aqua (water), propanediol, caprylic/capric triglyceride, sodium acrylates copolymer, copernicia cerifera wax, oryza sativa wax, centella asiatica (hydrocotyl) leaf extract, hydrolyzed silk, lecithin, tocopheryl acetate, xanthan gum, polyhydroxystearic acid, alumina, stearic acid, royal jelly extract, glyceryl linoleate, glyceryl linolenate, panthenol, ammonium acryloyldimethyltaurate/vp copolymer, phenoxyethanol, glycerin, caprylyl glycol, sodium hydroxide, malus domestica fruit cell culture extract, artemia extract, plankton extract, algae extract, parflum (fragrance), phytosterols, olea europaea (olive) fruit oil, squalane, hydrolyzed pea protein, butyrospermum parkii (shea) butter, ceramide np, ceramide ap, ceramide eop, phytosphingosine, cholesterol, sodium lauroyl lactylate, carbomer, diisopropyl adipate, acrylic acid/acrylamidomethyl propane sulfonic acid copolymer, dimethylmethoxy chromanol, glyceryl caprilate, phospholipids, cinnamyl alcohol, eugenol, hexyl cinnamal, linalcol, d-limonene, citronellol, benzyl salicylate, may contain caramel color, titanium dioxide (ci 77891), yellow iron oxide (ci 77492), red iron oxide (ci 77491), black iron oxide (ci 77499).

Radiance Superbe Day Cream Neutral Tan
72414-005



CREAM
UNSCREEN
HYDRATION
HEVIA | IR-A

RADIANCE SUPERBE DAY CREAM
BROAD SPECTRUM SPF35 OIL-FREE SUNSCREEN
TRIPLE AGE MANAGEMENT RESTORATIVE HYDRATION
HIGH PROTECTION

NET WT. 0.5 OZ. / 15ml e



HAUTE
CUSTOM BEAUTY
AUSTIN • BARCELONA

ON

Houte Custom Beauty LLC
Paseo de Cibola 41
05007 Barcelona
Houte Custom Beauty Inc.
Austin TX 78703 USA
PRODUCT OF SPAIN

hautbecustombeauty.com

GLUTEN FREE

OK



**BROAD SPECTRUM DAY CHAM
BROAD SPECTRUM DAY CHAM**

NEUTRAL TAN



SKILL RESISTANCE



- Sunbathing: wearing protective clothing, and using suntan cream reduces the risks of skin aging, skin cancer, and other harmful effects of the sun.

Other information • protect this product

- children under 6 months of age: Ask a doctor
- pregnancy
- wear long-sleeve shirts, pants, hats, and
- 10 a.m. – 2 p.m.
- and time the sun, especially from
- including
- and other sun protection measures
- or higher and other
- sunscreen with a broad spectrum range of SPF 16
- with skin aging. To decrease the risk, regularly use a
- and increases your risk of skin cancer and early
- skin Protection Measures. Spending time in the
- (shaded) sunscreen. Depending on weather
- (drying, sweating, or perspiring) use water
- (and every 2 hours and as needed or when water
- before you reapply and as needed • reapply at
- sunscreen use • apply every 2

Directions

Use only as directed. Do not use on damaged or broken skin.

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts.

Questions and concerns?

You may report side effects to FDA at 1-800-FDA-1088. Keep out of reach of children.

For medical help or contact a Poison Control Center right away.

Warnings

For external use only

Uses: • helps prevent sunburn • higher SPF gives more sunburn protection • if used as directed with other sun protection • if used as directed with other sun protection measures (see [Warnings](#)) decreases the risk of skin cancer and early skin aging caused by the sun.

Drug Facts	
Active ingredients	Cocophane 8% Triam. didec 8% Zinc Oxide 5% Sunscreen Sunscreen Sunscreen
Purpose	

Inactive Ingredients

Drug Facts (continued)

Drug Facts

Active Ingredients

Octocrylene 6%.....	Sunscreen
Titanium dioxide 5%.....	Sunscreen
Zinc Oxide 5%.....	Sunscreen
Ensulizole 4%.....	Sunscreen

Purpose

Uses: • helps prevent sunburn • higher SPF gives more sunburn protection • If used as directed with other sun protection measures (*see Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts.

You may report side effects to FDA at 1-800-FDA-1088. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: • apply liberally 15 minutes before sun exposure and as needed • reapply at least every 2 hours and as needed or after towel drying, swimming, or perspiring • use water resistant sunscreen if swimming or sweating

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of SPF 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Drug Facts (continued)

Other information • protect this product from excessive heat and direct sun

- Sun alert: limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive Ingredients

aqua (water), propanediol, caprylic/capric triglyceride, sodium acrylates copolymer, copernicia cerifera wax, oryza sativa wax, centella asiatica (hydrocotyl) leaf extract, hydrolyzed silk, lecithin, tocopheryl acetate, xanthan gum, polyhydroxystearic acid, alumina, stearic acid, royal jelly extract, glyceryl linoleate, glyceryl linolenate, panthenol, ammonium acryloyldimethyltaurate/vp copolymer, phenoxyethanol, glycerin, caprylyl glycol, sodium hydroxide, malus domestica fruit cell culture extract, artemia extract, plankton extract, algae extract, parflum (fragrance), phytosterols, olea europaea (olive) fruit oil, squalane, hydrolyzed pea protein, butyrospermum parkii (shea) butter, ceramide np, ceramide ap, ceramide eop, phytosphingosine, cholesterol, sodium lauroyl lactylate, carbomer, diisopropyl adipate, acrylic acid/acrylamidomethyl propane sulfonic acid copolymer, dimethylmethoxy chromanol, glyceryl caprilate, phospholipids, cinnamyl alcohol, eugenol, hexyl cinnamal, linalcol, d-limonene, citronellol, benzyl salicylate, may contain caramel color, titanium dioxide (ci 77891), yellow iron oxide (ci 77492), red iron oxide (ci 77491), black iron oxide (ci 77499).

Radiance Superbe Day Cream Neutral Bronze
72414-006

ensulizole, octocrylene, titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72414-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	4 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CERAMIDE AP (UNII: F1X8L2B00J)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
GLYCERYL LINOLENATE (UNII: SGB6X4G86K)	
PEA PROTEIN (UNII: 7Q50F46595)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERIN (UNII: PDC6A3C0OX)	
CERAMIDE NP (UNII: 4370DF050B)	
CINNAMYL ALCOHOL (UNII: SS8YOP444F)	
BENZYL SALICYLATE (UNII: WAO5MNK9TU)	
OLEA EUROPAEA FRUIT VOLATILE OIL (UNII: 8E7358CX1J)	
MALUS DOMESTICA WHOLE (UNII: 04W636S1V3)	
ROYAL JELLY (UNII: L497I37F0C)	
PANTHENOL (UNII: WW9CM0O67Z)	
CAPRYLIC/CAPRIC/LAURIC TRIGLYCERIDE (UNII: FJ1H6M2JG9)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
LINALOOL, (+)- (UNII: F4VNO44C09)	
PROPANEDIOL (UNII: 5965N8W85T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
AMMONIUM ACRYLOYLDIMETHYLTaurate/VP COPOLYMER (UNII: W59H9296Z G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CENTELLA ASIATICA LEAF (UNII: 6810070TYD)	
SILK, ENZYME HYDROLYZED (1000 MW) (UNII: 960MDR3Z07)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
XANTHAN GUM (UNII: TTV12P4NEE)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)	
SODIUM 2-ACRYLAMIDO-2-METHYL-1-PROPANE SULFONATE/SODIUM ACRYLATE/N-ISOPROPYLACRYLAMIDE/TRIMETHYL(3-METHACRYLAMIDOPROPYL)AMMONIUM CHLORIDE	

COPOLYMER (UNII: R9E4IU0HDO)	
DIMETHYLMETHOXY CHROMANOL (UNII: XBH432G01F)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
.BETA.-CITRONELLOL, (+/-)- (UNII: 565OK72VNF)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SQUALANE (UNII: GW89575KF9)	
SHEA BUTTER (UNII: K49155WL9Y)	
CERAMIDE EOS (UNII: CR0J8RN66K)	
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)	
CARBOMER 980 (UNII: 4Q93RCW27E)	
EUGENOL (UNII: 3T8H1794QW)	
HEXYL CINNAMATE (UNII: 532UJ0Y6RI)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72414-001-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	12/28/2021	
2	NDC:72414-001-15	15 g in 1 APPLICATOR; Type 0: Not a Combination Product	12/28/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/28/2021	12/28/2021

RADIANCE SUPERBE DAY CREAM NEUTRAL BRONZE

ensulizole, octocrylene, titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72414-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	4 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 g in 100 g

Inactive Ingredients		
	Ingredient Name	Strength
	CERAMIDE AP (UNII: F1X8L2B00J)	
	PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
	GLYCERYL LINOLENATE (UNII: SGB6X4G86K)	
	PEA PROTEIN (UNII: 7Q50F46595)	
	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
	GLYCERIN (UNII: PDC6A3C0OX)	
	CERAMIDE NP (UNII: 4370DF050B)	
	CINNAMYL ALCOHOL (UNII: SS8YOP444F)	
	BENZYL SALICYLATE (UNII: WAO5MNK9TU)	
	OLEA EUROPAEA FRUIT VOLATILE OIL (UNII: 8E7358CX1J)	
	MALUS DOMESTICA WHOLE (UNII: 04W636S1V3)	
	ROYAL JELLY (UNII: L497I37F0C)	
	PANTHENOL (UNII: WW9CM0O67Z)	
	CAPRYLIC/CAPRIC/LAURIC TRIGLYCERIDE (UNII: FJ1H6M2JG9)	
	DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
	LINALOOL, (+)- (UNII: F4VNO44C09)	
	PROPANEDIOL (UNII: 5965N8W85T)	
	.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
	POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
	ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
	AMMONIUM ACRYLOYLDIMETHYLTaurate/VP COPOLYMER (UNII: W59H9296ZG)	
	CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
	CARNAUBA WAX (UNII: R12CBM0EIZ)	
	CHOLESTEROL (UNII: 97C5T2UQ7J)	
	CENTELLA ASIATICA LEAF (UNII: 6810070TYD)	
	SILK, ENZYME HYDROLYZED (1000 MW) (UNII: 960MDR3Z07)	
	LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
	XANTHAN GUM (UNII: TTV12P4NEE)	
	STEARIC ACID (UNII: 4ELV7Z65AP)	
	GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)	
	SODIUM 2-ACRYLAMIDO-2-METHYL-1-PROPANE SULFONATE/SODIUM ACRYLATE/N-ISOPROPYLACRYLAMIDE/TRIMETHYL(3-METHACRYLAMIDOPROPYL)AMMONIUM CHLORIDE COPOLYMER (UNII: R9E4IU0HDO)	
	DIMETHYLMETHOXY CHROMANOL (UNII: XBH432G01F)	
	GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
	EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
	LIMONENE, (+/-)- (UNII: 9MC3I34447)	
	.BETA.-CITRONELLOL, (+/-)- (UNII: 565OK72VNF)	
	SODIUM HYDROXIDE (UNII: 55X04QC32I)	
	SQUALANE (UNII: GW89575KF9)	
	SHEA BUTTER (UNII: K49155WL9Y)	
	CERAMIDE EOS (UNII: CR0J8RN66K)	
	SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)	
	CARBOMER 980 (UNII: 4Q93RCW27E)	
	EUGENOL (UNII: 3T8H1794QW)	
	HEXYL CINNAMATE (UNII: 532UJ0Y6RI)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72414-006-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/01/2022	
2	NDC:72414-006-15	15 g in 1 APPLICATOR; Type 0: Not a Combination Product	07/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/01/2022	

RADIANCE SUPERBE DAY CREAM NEUTRAL LIGHT

ensulizole, octocrylene, titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72414-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	4 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
AMMONIUM ACRYLOYLDIMETHYLTaurate/VP COPOLYMER (UNII: W59H9296ZG)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CERAMIDE AP (UNII: F1X8L2B00J)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
GLYCERYL LINOLENATE (UNII: SGB6X4G86K)	
PEA PROTEIN (UNII: 7Q50F46595)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERIN (UNII: PDC6A3C0OX)	
CERAMIDE NP (UNII: 4370DF050B)	
CINNAMYL ALCOHOL (UNII: SS8YOP444F)	

BENZYL SALICYLATE (UNII: WAO5MNK9TU)	
OLEA EUROPAEA FRUIT VOLATILE OIL (UNII: 8E7358CX1J)	
MALUS DOMESTICA WHOLE (UNII: 04W636S1V3)	
ROYAL JELLY (UNII: L497I37F0C)	
PANTHENOL (UNII: WW9CM0O67Z)	
CAPRYLIC/CAPRIC/LAURIC TRIGLYCERIDE (UNII: FJ1H6M2JG9)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
LINALOOL, (+)- (UNII: F4VNO44C09)	
PROPANEDIOL (UNII: 5965N8W85T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CENTELLA ASIATICA LEAF (UNII: 6810070TYD)	
SILK, ENZYME HYDROLYZED (1000 MW) (UNII: 960MDR3Z07)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
XANTHAN GUM (UNII: TTV12P4NEE)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)	
SODIUM 2-ACRYLAMIDO-2-METHYL-1-PROPANE SULFONATE/SODIUM ACRYLATE/N-ISOPROPYLACRYLAMIDE/TRIMETHYL(3-METHACRYLAMIDOPROPYL)AMMONIUM CHLORIDE COPOLYMER (UNII: R9E4IU0HDO)	
DIMETHYLMETHOXY CHROMANOL (UNII: XBH432G01F)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
.BETA.-CITRONELLOL, (+/-)- (UNII: 565OK72VNF)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SQUALANE (UNII: GW89575KF9)	
SHEA BUTTER (UNII: K49155WL9Y)	
CERAMIDE EOS (UNII: CROJ8RN66K)	
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)	
CARBOMER 980 (UNII: 4Q93RCW27E)	
EUGENOL (UNII: 3T8H1794QW)	
HEXYL CINNAMATE (UNII: 532UJ0Y6RI)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72414-002-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/01/2022	
2	NDC:72414-002-15	15 g in 1 APPLICATOR; Type 0: Not a Combination Product	07/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/28/2021	

RADIANCE SUPERBE DAY CREAM TRANSLUCENT

ensulizole, octocrylene, titanium dioxide, zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72414-000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 g in 100 g
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	4 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
CERAMIDE AP (UNII: F1X8L2B00J)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
GLYCERYL LINOLENATE (UNII: SGB6X4G86K)	
PEA PROTEIN (UNII: 7Q50F46595)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERIN (UNII: PDC6A3C0OX)	
CERAMIDE NP (UNII: 4370DF050B)	
CINNAMYL ALCOHOL (UNII: SS8YOP444F)	
BENZYL SALICYLATE (UNII: WAO5MNMK9TU)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
OLEA EUROPAEA FRUIT VOLATILE OIL (UNII: 8E7358CX1J)	
MALUS DOMESTICA WHOLE (UNII: 04W636S1V3)	
ROYAL JELLY (UNII: L497I37F0C)	
PANTHENOL (UNII: WW9CM0O67Z)	
CAPRYLIC/CAPRIC/LAURIC TRIGLYCERIDE (UNII: FJ1H6M2JG9)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
LINALOOL, (+)- (UNII: F4VNO44C09)	
PROPANEDIOL (UNII: 5965N8W85T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
AMMONIUM ACRYLOYLDIMETHYLTaurate/VP COPOLYMER (UNII: W59H9296ZG)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CENTELLA ASIATICA LEAF (UNII: 6810070TYD)	
SILK, ENZYME HYDROLYZED (1000 MW) (UNII: 960MDR3Z07)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
XANTHAN GUM (UNII: TTV12P4NEE)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

SODIUM 2-ACRYLAMIDO-2-METHYL-1-PROPANE SULFONATE/SODIUM ACRYLATE/N-ISOPROPYLACRYLAMIDE/TRIMETHYL(3-METHACRYLAMIDOPROPYL)AMMONIUM CHLORIDE COPOLYMER (UNII: R9E4IU0HDO)	
DIMETHYLMETHOXY CHROMANOL (UNII: XBH432G01F)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
.BETA.-CITRONELLOL, (+/-)- (UNII: 565OK72VNF)	
CERAMIDE EOS (UNII: CROJ8RN66K)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SQUALANE (UNII: GW89575KF9)	
SHEA BUTTER (UNII: K49155WL9Y)	
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)	
CARBOMER 980 (UNII: 4Q93RCW27E)	
EUGENOL (UNII: 3T8H1794QW)	
HEXYL CINNAMATE (UNII: 532UJ0Y6RI)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72414-000-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/01/2022	
2	NDC:72414-000-15	15 g in 1 APPLICATOR; Type 0: Not a Combination Product	07/01/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/01/2022	

RADIANCE SUPERBE DAY CREAM NEUTRAL MEDIUM

ensulizole, octocrylene, titanium dioxide, zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72414-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	4 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CERAMIDE AP (UNII: F1X8L2B00J)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
GLYCERYL LINOLENATE (UNII: SGB6X4G86K)	
PEA PROTEIN (UNII: 7Q50F46595)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERIN (UNII: PDC6A3C0OX)	
CERAMIDE NP (UNII: 4370DF050B)	
CINNAMYL ALCOHOL (UNII: SS8YOP444F)	
BENZYL SALICYLATE (UNII: WAO5MNMK9TU)	
OLEA EUROPAEA FRUIT VOLATILE OIL (UNII: 8E7358CX1J)	
MALUS DOMESTICA WHOLE (UNII: 04W636S1V3)	
ROYAL JELLY (UNII: L497I37F0C)	
PANTHENOL (UNII: WW9CM0O67Z)	
CAPRYLIC/CAPRIC/LAURIC TRIGLYCERIDE (UNII: FJ1H6M2JG9)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
LINALOOL, (+)- (UNII: F4VNO44C09)	
PROPANEDIOL (UNII: 5965N8W85T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
AMMONIUM ACRYLOYLDIMETHYLTaurate/VP COPOLYMER (UNII: W59H9296ZG)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CENTELLA ASIATICA LEAF (UNII: 6810070TYD)	
SILK, ENZYME HYDROLYZED (1000 MW) (UNII: 960MDR3Z07)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
XANTHAN GUM (UNII: TTV12P4NEE)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)	
SODIUM 2-ACRYLAMIDO-2-METHYL-1-PROPANE SULFONATE/SODIUM ACRYLATE/N-ISOPROPYLACRYLAMIDE/TRIMETHYL(3-METHACRYLAMIDOPROPYL)AMMONIUM CHLORIDE COPOLYMER (UNII: R9E4IU0HDO)	
DIMETHYLMETHOXY CHROMANOL (UNII: XBH432G01F)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
.BETA.-CITRONELLOL, (+/-)- (UNII: 565OK72VNF)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SQUALANE (UNII: GW89575KF9)	
SHEA BUTTER (UNII: K49155WL9Y)	
CERAMIDE EOS (UNII: CROJ8RN66K)	
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)	
CARBOMER 980 (UNII: 4Q93RCW27E)	
EUGENOL (UNII: 3T8H1794QW)	
HEXYL CINNAMATE (UNII: 532UJ0Y6RI)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72414-003-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/01/2022	
2	NDC:72414-003-15	15 g in 1 APPLICATOR; Type 0: Not a Combination Product	07/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/01/2022	

RADIANCE SUPERBE DAY CREAM NEUTRAL CARAMEL

ensulizole, octocrylene, titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72414-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	4 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CERAMIDE AP (UNII: F1X8L2B00J)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
GLYCERYL LINOLENATE (UNII: SGB6X4G86K)	
PEA PROTEIN (UNII: 7Q50F46595)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERIN (UNII: PDC6A3C0OX)	
CERAMIDE NP (UNII: 4370DF050B)	
CINNAMYL ALCOHOL (UNII: SS8YOP444F)	
BENZYL SALICYLATE (UNII: WAO5MNK9TU)	
OLEA EUROPAEA FRUIT VOLATILE OIL (UNII: 8E7358CX1J)	
MALUS DOMESTICA WHOLE (UNII: 04W636S1V3)	
ROYAL JELLY (UNII: L497I37F0C)	
PANTHENOL (UNII: WW9CM0O67Z)	
CAPRYLIC/CAPRIC/LAURIC TRIGLYCERIDE (UNII: FJ1H6M2JG9)	

DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
LINALOOL, (+)- (UNII: F4VNO44C09)	
PROPANEDIOL (UNII: 5965N8W85T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
AMMONIUM ACRYLOYLDIMETHYLTaurate/VP COPOLYMER (UNII: W59H9296Z G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CENTELLA ASIATICA LEAF (UNII: 6810070TYD)	
SILK, ENZYME HYDROLYZED (1000 MW) (UNII: 960MDR3Z07)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
XANTHAN GUM (UNII: TTV12P4NEE)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)	
SODIUM 2-ACRYLAMIDO-2-METHYL-1-PROPANE SULFONATE/SODIUM ACRYLATE/N-ISOPROPYLACRYLAMIDE/TRIMETHYL(3-METHACRYLAMIDOPROPYL)AMMONIUM CHLORIDE COPOLYMER (UNII: R9E4IU0HDO)	
DIMETHYLMETHOXY CHROMANOL (UNII: XBH432G01F)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
.BETA.-CITRONELLOL, (+/-)- (UNII: 565OK72VNF)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SQUALANE (UNII: GW89575KF9)	
SHEA BUTTER (UNII: K49155WL9Y)	
CERAMIDE EOS (UNII: CROJ8RN66K)	
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)	
CARBOMER 980 (UNII: 4Q93RCW27E)	
EUGENOL (UNII: 3T8H1794QW)	
HEXYL CINNAMATE (UNII: 532UJ0Y6RI)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72414-004-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/01/2022	
2	NDC:72414-004-15	15 g in 1 APPLICATOR; Type 0: Not a Combination Product	07/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/01/2022	

RADIANCE SUPERBE DAY CREAM NEUTRAL TAN

ensulizole, octocrylene, titanium dioxide, zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72414-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)		ENSULIZOLE	4 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	6 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	5 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
CERAMIDE AP (UNII: F1X8L2B00J)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
GLYCERYL LINOLENATE (UNII: SGB6X4G86K)	
PEA PROTEIN (UNII: 7Q50F46595)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERIN (UNII: PDC6A3C0OX)	
CERAMIDE NP (UNII: 4370DF050B)	
CINNAMYL ALCOHOL (UNII: SS8YOP444F)	
BENZYL SALICYLATE (UNII: WAO5MNK9TU)	
OLEA EUROPAEA FRUIT VOLATILE OIL (UNII: 8E7358CX1J)	
MALUS DOMESTICA WHOLE (UNII: 04W636S1V3)	
ROYAL JELLY (UNII: L497I37F0C)	
PANTHENOL (UNII: WW9CM0O67Z)	
CAPRYLIC/CAPRIC/LAURIC TRIGLYCERIDE (UNII: FJ1H6M2JG9)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
LINALOOL, (+)- (UNII: F4VNO44C09)	
PROPANEDIOL (UNII: 5965N8W85T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
AMMONIUM ACRYLOYLDIMETHYLTaurate/VP COPOLYMER (UNII: W59H9296ZG)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CENTELLA ASIATICA LEAF (UNII: 6810070TYD)	
SILK, ENZYME HYDROLYZED (1000 MW) (UNII: 960MDR3Z07)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
XANTHAN GUM (UNII: TTV12P4NEE)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)	

SODIUM 2-ACRYLAMIDO-2-METHYL-1-PROPANE SULFONATE/SODIUM ACRYLATE/N-ISOPROPYLACRYLAMIDE/TRIMETHYL(3-METHACRYLAMIDOPROPYL)AMMONIUM CHLORIDE COPOLYMER (UNII: R9E4IU0HDO)	
DIMETHYLMETHOXY CHROMANOL (UNII: XBH432G01F)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
LIMONENE, (+/-)- (UNII: 9MC3I34447)	
.BETA.-CITRONELLOL, (+/-)- (UNII: 565OK72VNF)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SQUALANE (UNII: GW89575KF9)	
SHEA BUTTER (UNII: K49155WL9Y)	
CERAMIDE EOS (UNII: CROJ8RN66K)	
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)	
CARBOMER 980 (UNII: 4Q93RCW27E)	
EUGENOL (UNII: 3T8H1794QW)	
HEXYL CINNAMATE (UNII: 532UJ0Y6RI)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72414-005-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/01/2022	
2	NDC:72414-005-15	15 g in 1 APPLICATOR; Type 0: Not a Combination Product	07/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/01/2022	

Labeler - Haute Custom Beauty (024442805)

Registrant - Haute Custom Beauty (466493781)

Establishment

Name	Address	ID/FEI	Business Operations
Haute Custom Beauty SLU		466493781	manufacture(72414-000, 72414-001, 72414-002, 72414-003, 72414-004, 72414-005, 72414-006) , label(72414-000, 72414-001, 72414-002, 72414-003, 72414-004, 72414-005, 72414-006)

Revised: 11/2022

Haute Custom Beauty