

**SUNMARK ARTHRITIS PAIN RELIEVER- acetaminophen tablet, film coated, extended release**  
**Strategic Sourcing Services LLC**

-----  
**McKesson Arthritis Pain Reliever Drug Facts**

**Active ingredient (in each caplet)**

Acetaminophen 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- minor pain of arthritis
- muscular aches
- backache
- premenstrual and menstrual cramps
- the common cold
- headache
- toothache
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)

adults	<ul style="list-style-type: none"><li>• take 2 caplets every 8 hours with water</li><li>• swallow whole; do not crush, chew, split or dissolve</li><li>• do not take more than 6 caplets in 24 hours</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
under 18 years of age	<ul style="list-style-type: none"><li>• ask a doctor</li></ul>

**Other information**

- store at 20-25°C (68-77°F). Avoid excessive heat 40°C (104°F).

## **Inactive ingredients**

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

## **Questions or comments?**

**1-800-719-9260**

## **Principal Display Panel**

sunmark®

COMPARE TO TYLENOL® 8HR ARTHRITIS PAIN ACTIVE INGREDIENT

See New Warning

arthritis pain reliever

Acetaminophen

Extended-Release Tablets, 650 mg

Pain reliever/Fever reducer

For the Temporary Relief of Minor Arthritis Pain

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

100 CAPLETS\* - 650 mg EACH

GLUTEN FREE

\*Capsule-Shaped Tablets



TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	L544
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-0018-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/26/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075077	05/26/2017	

**Labeler** - Strategic Sourcing Services LLC (116956644)

Revised: 11/2022

Strategic Sourcing Services LLC