

BISACODYL- bisacodyl tablet, delayed release
Chain Drug Consortium

Premier Value 44-327

Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

Purpose

Stimulant laxative

Uses

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- a sudden change in bowel habits that lasts more than 2 weeks
- stomach pain, nausea or vomiting

When using this product

- do not use within 1 hour after taking an antacid or milk
- do not chew or crush tablet(s)
- you may have stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you need to use a laxative for more than 1 week
- you have rectal bleeding or fail to have a bowel movement after use of a laxative.
These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive humidity
- see end flap for expiration date and lot number

Inactive ingredients

acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments?

1-800-426-9391

Principal Display Panel

**Premier
Value®**

***COMPARE TO THE ACTIVE INGREDIENT IN DULCOLAX® LAXATIVE TABLETS**

Bisacodyl, 5 mg

Bisacodyl USP, 5 mg

STIMULANT LAXATIVE

Gentle, dependable
constipation relief

Comfort coated

100 Tablets

actual size

INDEPENDENTLY TESTED

PV

SATISFACTION GUARANTEED

*This product is not manufactured or distributed by Sanofi-Aventis Deutschland GMBH, owner of the registered trademark Dulcolax® Laxative Tablets.

50844 REV0119A32712

Distributed By:

Pharmacy Value Alliance, LLC

407 East Lancaster Avenue,

Wayne, PA 19087

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING



*COMPARE TO THE ACTIVE INGREDIENT IN
DULCOLAX® LAXATIVE TABLETS

Bisacodyl, 5 mg

Bisacodyl USP, 5 mg
STIMULANT LAXATIVE

Gentle, dependable
constipation relief

100 Tablets Comfort coated



Bisacodyl, 5 mg
Bisacodyl USP, 5 mg
STIMULANT LAXATIVE

100 Tablets



If for any reason you are not satisfied with
this product, please return it to the store
where purchased for a full refund.



Distributed By:
Pharmacy Value Alliance, LLC
407 East Lancaster Avenue,
Wayne, PA 19087



TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

B-1590-327-12
REV0119A32712

6

*This product is not manufactured or distributed by
Sanofi-Aventis Deutschland GmbH, owner of the
registered trademark Dulcolax® Laxative Tablets.
50844 REV0119A32712

Questions or comments?
1-800-426-9391

Drug Facts (continued)
lactose anhydrous, magnesium stearate,
methylparaben, polydextrose, polyethylene
glycol, polyvinyl acetate phthalate, povidone,
propylene glycol, propylparaben, shellac glaze,
simethicone, sodium alginate, sodium benzoate,
sodium bicarbonate, stearic acid, sucrose, talc,
titanium dioxide, tracein, triethyl citrate

Inactive ingredients acacia, ammonium
hydroxide, calcium carbonate, carnauba wax,
colloidal anhydrous silica, corn starch, D&C
yellow #10 aluminum lake, FD&C yellow #6
aluminum lake, hypromellose, iron oxide black.

Other information
■ store at 25°C (77°F); excursions permitted
between 15°-30°C (59°-86°F)
■ avoid excessive humidity
■ see end flap for expiration date and lot number

Directions ■ take with a glass of water
adults and children take 1 to 3 tablets
12 years and over in a single daily dose
children 6 to under take 1 tablet in a
single daily dose
children under 6 ask a doctor

Drug Facts (continued)
■ you need to use a laxative for more than 1
week
■ if pregnant or breast-feeding, ask a health
professional before use.
■ keep out of reach of children. In case of
overdose, get medical help or contact a Poison
Control Center (1-800-222-1222) right away.

Drug Facts (continued)
Ask a doctor before use if you have
■ stomach pain, nausea or vomiting
■ a sudden change in bowel habits that lasts
more than 2 weeks
When using this product
■ do not chew or crush tablet(s)
■ do not use within 1 hour after taking an
antacid or milk
■ you may have stomach discomfort, faintness
and cramps
Stop use and ask a doctor if
■ you have rectal bleeding or fail to have a
bowel movement after use of a laxative. These
could be signs of a serious condition.

Drug Facts
Active ingredient
Bisacodyl USP, 5 mg, Stimulant laxative
Purpose
(in each tablet)
Uses
■ for relief of occasional constipation and
irregularity
■ this product generally produces bowel
movement in 6 to 12 hours
Warnings
Do not use if you cannot swallow without
chewing.

BISACODYL

bisacodyl tablet, delayed release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-688
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name		Basis of Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)		5 mg

Inactive Ingredients	
Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
AMMONIA (UNII: 5138Q19F1X)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SHELLAC (UNII: 46N107B71O)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics				
Color	orange	Score	no score	
Shape	ROUND	Size	6mm	
Flavor		Imprint Code	5	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-688-10	1 in 1 CARTON	03/25/2002	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:68016-688-25	1 in 1 CARTON	03/25/2002	
2		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		505G(a)(3)	03/25/2002	

Labeler - Chain Drug Consortium (101668460)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(68016-688) , pack(68016-688)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(68016-688) , pack(68016-688)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(68016-688)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(68016-688)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(68016-688)

