

SALICYLIC ACID- wart remover gel gel
Rite Aid Corporation

Rite Aid Wart Remover Gel

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.
- Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

keep away from fire and flame

Do not use

- on moles, birth marks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals and lips
- on irritated, infected or reddened skin
- on genital warts and warts on the face
- if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- if product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

if discomfort persists

see your doctor or podiatrist.

Directions

- after washing affected area, soak wart in for 5 minutes in comfortably warm water
- dry area thoroughly
- apply one drop of gel at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

Other information

store between 59°F to 86°F (15°C to 30°C)

Inactive ingredients

camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel**Rite Aid****MAXIMUM STRENGTH****wart****remover****gel**

salicylic acid 17%

safely removes common and plantar warts

convenient and easy

no drip formula

NET WT 0.25 OZ (7g)

GLUE

GLUE

PRINT SIDE GLUE

Drug Facts**Active ingredient**

Salicylic acid 17% w/w

Purpose

Wart remover

Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance on the surface ■ the plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

Warnings

For external use only. Flammable - keep away from fire and flame.

Do not use ■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

Do not use on

- moles, birthmarks and warts with hair growing from them
- mucous membranes such as nose, anus, genitals and lips
- irritated, infected or reddened skin
- genital warts and warts on the face

When using this product ■ if product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

If discomfort persists see your doctor or podiatrist.

Directions

- after washing affected area, soak wart for 5 minutes in comfortably warm water ■ dry area thoroughly
- gently squeeze a drop of gel from tube and apply to wart. Apply one drop at a time to sufficiently cover each wart. ■ let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

Other information

store between 59°F and 86°F (15°F and 30°C)

Inactive ingredients

camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

Questions? Call 1-866-964-0939

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Compound W®.


**wart
remover gel**

salicylic acid 17%


**MAXIMUM
STRENGTH**
**wart
remover gel**

DISTRIBUTED BY:
RITE AID
30 HUNTER LANE
CAMP HILL, PA 17011

MADE IN USA



BGWRRRA-1


MAXIMUM STRENGTH
**wart
remover gel**

salicylic acid 17%

safely
removes
common and
plantar warts

convenient and easy
no drip formula

NET WT .25 OZ (7 g)


**MAXIMUM
STRENGTH**
**wart
remover gel**

*Compare to active ingredient
in Compound W®

ACTUAL
SIZE

ITEM 354608

STRIP IN UPC:
0-11822-54608-9
80% MAGNIFICATION,
20% TRUNCATION.
DOTTED RULE
DOES NOT PRINT.

**NO VARNISH
AREA**

Ingredient Name	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
ALCOHOL (UNII: 3K9958V90M)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
HYPOPHOSPHOROUS ACID (UNII: 8B1RL9B4ZJ)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	

POLYSORBATE 80 (UNII: 6OZP39ZG8H)

PYROXYLIN (UNII: KYR8BR2X6O)

CASTOR OIL (UNII: D5340Y2I9G)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0121-7	7 g in 1 TUBE; Type 0: Not a Combination Product	10/07/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	10/07/2014	

Labeler - Rite Aid Corporation (014578892)

Revised: 2/2024

Rite Aid Corporation