

CHILDRENS 24 HOUR ALLERGY- loratadine solution
Meijer Distribution Inc

Childrens 24 hour allergy

Drug Facts

Active ingredient (in each 5 mL)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	2 teaspoonfuls daily; do not take more than 2 teaspoonfuls in 24 hours
children 2 to under 6 years of age	1 teaspoonful daily; do not take more than 1 teaspoonful in 24 hours
consumers with liver or kidney disease	ask a doctor

Other information

- **safety sealed: do not use if imprinted safety seal is torn or missing**

- store between 2° and 25°C (36° and 77°F)

Inactive ingredients

artificial grape flavor, citric acid monohydrate, glycerin, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sucrose

Questions?

call **1-866-923-4914**

**DIST. BY MEIJER
DISTRIBUTION, INC.
2929 WALKER AVE NW
GRAND RAPIDS, MI 49544**

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

meijer™

**Compare to
Children's
CLARITIN®
active ingredient***

**2 Years
and Older**

**Children's
24 Hour
Allergy**
Loratadine Oral Solution 5 mg/5 mL
Antihistamine

Indoor & Outdoor Allergies

Grape Flavor

**24 Hour
non-drowsy†**

Relief of
Sneezing
Runny Nose
Itchy, Watery Eyes
Itchy Throat
or Nose

children's

**Dosage Cup
Enclosed**

4 FL OZ
(120 mL)

†When taken as directed. See Drug Facts Panel.



CHILDRENS 24 HOUR ALLERGY

loratadine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-085
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJ03BO7QN) (Loratadine - UNII:7AJ03BO7QN)	Loratadine	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
citric acid monohydrate (UNII: 2968PHW8QP)	
glycerin (UNII: PDC6A3C0OX)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0K00R)	
sodium benzoate (UNII: OJ245FE5EU)	
sodium metabisulfite (UNII: 4VON5FNS3C)	
sucrose (UNII: C151H8M554)	

Product Characteristics

Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-085-08	1 in 1 CARTON		
1		120 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	08/20/2004	

Labeler - Meijer Distribution Inc (006959555)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(41250-085)