

ACETAMINOPHEN- acetaminophen tablet
Strategic Sourcing Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HMT - 1003 - 2018-1231

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">▪ take 2 tablets every 6 hours while symptoms last▪ do not take more than 6 tablets in 24 hours, unless directed by a doctor▪ do not use for more than 10 days unless directed by a doctor
children under 12 years	<ul style="list-style-type: none">▪ ask a doctor

Other information

- store between 20-25°C (68-77°F)
- retain carton for complete product information

Inactive ingredients

povidone, pregelatinized starch, sodium starch glycolate, stearic acid

PRINCIPAL DISPLAY PANEL

NDC 62011-0049-1

Health Mart®

compare to Tylenol®
Extra Strength Tablets
active ingredient †

extra strength

pain relief
acetaminophen 500 mg
pain reliever/fever reducer

contains no aspirin

for adults

100 tablets

INK AND COATING FREE
FOR LOT AND
EXPIRATION STAMPING



141_LHM403001F



Drug Facts

Active ingredient
(in each tablet) Acetaminophen 500 mg.....Pain reliever/fever reducer

Purpose

- Uses**
- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - menstrual and menstrual cramps
 - temporarily reduces fever

Warnings

- **Liver warnings:** This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product
- **Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:
 - skin redness
 - blisters
 - rash
- If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 - if you are allergic to acetaminophen or any of the inactive ingredients in this product
- Ask a doctor before use. If you have liver disease, ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Drug Facts (continued)

- Stop use and ask a doctor if**
- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use.
- Keep out of reach of children.**
- Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- adults and children 12 and over
 - take 2 tablets every 6 hours while symptoms last
 - do not take more than 6 tablets in 24 hours, unless directed by a doctor
 - do not use for more than 10 days unless directed by a doctor
- children under 12 years
 - ask a doctor

Other information

- store between 20-25°C (68-77°F)
- see bottom panel for complete product information
- **Inactive ingredients:** povidone, pregelatinized starch, sodium starch glycolate, stearic acid

DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Hebel Consumer Healthcare, a subsidiary of Johnson & Johnson Baby Products

MCKESSON
Distributed by McKesson
Money Back Guarantee
One Park Drive, San Francisco, CA 94104
healthmart.com

EXTRA STRENGTH

Pain Relief
Acetaminophen 500 mg
Pain Reliever/Fever Reducer
Contains No Aspirin • For Adults

Health Mart.

NDC 62011-0049-1
Compare to Tylenol® Extra Strength Tablets active ingredient †

EXTRA STRENGTH

Pain Relief
Acetaminophen 500 mg
Pain Reliever/Fever Reducer
Contains No Aspirin • For Adults



ACTUAL SIZE

100 TABLETS

NDC 62011-0049-1
Compare to Tylenol® Extra Strength Tablets active ingredient †

EXTRA STRENGTH

Pain Relief
Acetaminophen 500 mg
Pain Reliever/Fever Reducer
Contains No Aspirin • For Adults



ACTUAL SIZE

100 TABLETS

NC

NC

ACETAMINOPHEN acetaminophen tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0049
Route of Administration	ORAL		
Active Ingredient/Active Moiety			

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE (UNII: FZ989GH94E)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	M2A4;57344
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0049-1	1 in 1 CARTON	12/13/2012	06/30/2024
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	12/13/2012	06/30/2024

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 11/2022

Strategic Sourcing Services LLC