

ARC FIRST AID CONTAINS 101 PIECES - benzalkonium chloride, lidocaine, water, isopropyl alcohol, aspirin

American Red Cross

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ARC FIRST AID Contains 101 PIECES

ACTIVE INGREDIENTS:

Benzalkonium Chloride 0.13%

Lidocaine HCL 0.5%

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with:

Minor Cuts

Scrapes

Burns

Warnings:

For external use only

Do not use: In eyes, in large quantities, over raw blistered areas, or on deep puncture wounds, animal bites or serious burns, for more than one week

Keep out of reach of Children.

If ingested, contact a Poison Control Center right away.

Directions: Clean affected area, Apply small amount not more than 3 times daily.

May be covered with a sterile bandage.

Other Information:

Store at room temperature

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

Reorder BC-001

Genuine First Aid Burn Cream

**Antiseptic Pain Relief
With Aloe**

ACTIVE INGREDIENTS:

Benzalkonium

Chloride 0.13%

Lidocaine HCL 0.5%

Net Wt 0.9g - (1/32 oz)



Manufactured in CHINA for
GENUINE FIRST AID

Drug Facts

Purpose: First aid antiseptic,
external analgesic

Uses: First aid to help prevent
infection and for the temporary
relief of pain and itching

associated with: • minor cuts
• scrapes • burns

Warnings:

For external use only

Do not use • in eyes • in large
quantities • over raw blistered
areas, or on deep puncture
wounds, animal bites or serious
burns • for more than one week

Keep out of reach of children.

If ingested, contact a Poison
Control Center right away.

Directions: • clean affected area
• apply small amount not more
than 3 times daily • may be
covered with a sterile bandage

Other information:

Store at room temperature



600609



2015/01

Active Ingredient:

Purpose

Benzalkonium Chloride 0.40%..... First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive Ingredient: Purified water

LOT/EXP:

Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

REORDER AST-001

Antiseptic Towelette
Toallitas Antisepticas

Active Ingredient: Benzalkonium Chloride 0.40%, First Aid Antiseptic
Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.
Warnings: For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.
Do not use: In the eyes, or over large areas of the body.
Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.
Inactive ingredient: Purified water.

Made in CHINA

---TEAR HERE---

REORDER AST-001

**Antiseptic
Towelette**

**Toallitas
Antisepticas**


 ISO 9001:2010


 1
 /pouch

Genuine First Aid LLC, Clearwater FL 33755
www.GenuineFirstAid.com



GENUINE FIRST AID®



Active Ingredient:

Purified Water USP...q.s.

Inactive Ingredients:

| | |
|--------------------------------|-------|
| Sodium Chloride USP | 44mg |
| Monobasic Sodium Phosphate USP | 18mg |
| Sodium Phosphate Dibasic USP | 111mg |
| Edetate Disodium USP | 10mg |
| Benzalkonium Chloride | 0.5mg |

NF (as preservative)

Store in a cool place. For irrigation only.

Discard unused portion of the solution.

Not for injection.

Warning:

If you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor.

Do not use if solution changes color or becomes cloudy.

Directions

Remove contacts before using.

Twist top to remove.

Flush the affected area as needed. Control

Rate of flow by pressure on the bottle. Do not touch

tip of the container to any surface. Do not reuse.

If necessary continue flushing with emergency eyewash or shower.

Discard bottle after use.

Uses:

For flushing or irrigating the eyes to

remove loose foreign material, air pollutants,

or chlorinated water

Code No.: GUJ/DRUG/G/1080

Batch No.:

Mfg Date:

Exp: Date:

10ml

Sterile Isotonic Buffered Genuine

Eyewash

For single use only

10ml

Sterile Isotonic buffered
GENUINE Eyewash
For single use only

Directions: Remove contact lens before using. Twist top to remove. Flush the affected area as needed. Control rate of flow by pressure on the bottle. Do not touch tip of the container to any surface. Do not reuse. If necessary, continue flushing with emergency eyewash or shower. Discard bottle after use.

Uses: For flushing or irrigating the eyes to remove loose foreign material, air pollutants, or chlorinated water.

Each 10 ml contains:

Active Ingredient:
Purified Water ...q.s.

Inactive Ingredients:
Sodium Chloride
Monobasic Sodium Phosphate
Dibasic Sodium Phosphate
Edetate Disodium
Benzalkonium Chloride
NF (as preservative)

Store in a cool place. For irrigation only. Discard unused portion of the solution. Not for injection.

Mfg. Lic. No.: KTK/28/332/2002
Batch No.:
Mfg. date:
Exp. date:



**Manufactured in INDIA for
GENUINE FIRST AID**

REORDER
EYEW-10S

FOR EXTERNAL USE ONLY

STERILE A

Warning:
If you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor. Do not use if solution changes color or becomes cloudy.

Active Ingredient:

Purpose

Isopropyl Alcohol, 70% v/v.....

Antiseptic

Use: For preparation of skin before injection.

Warnings: For external use only.

Flammable - keep away from fire or flame

Store at room temperature 15-30 degree Celsius (59-86 degree Fahrenheit)

Do not use: with electrocautery, in the eyes.

Enter section text here

Keep out of reach of children. If swallowed,

get medical help or contact a Poison Control

Center right away.

Wipe Injection site vigorously and discard.

Inactive Ingredient: Purified water.

LOT/EXP: Made in CHINA

20140301

Alcohol Cleansing Pad

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

REORDER ACP-001



Genuine First Aid LLC, Clearwater FL 33755
www.GenuineFirstAid.com



GENUINE FIRST AID®



DRUG FACTS - Alcohol Cleansing Pad

Active Ingredient: Isopropyl Alcohol, 70% v/v
Purpose: Antiseptic
Use: For preparation of the skin before injection.
Warnings: For external use only.
Flammable - keep away from fire or flame.
Do not use: with electrocautery, in the eyes
Stop use if irritation and redness develop.
 If condition persists for more than 72 hours,
 consult your doctor.
Keep out of reach of children. If swallowed,
 get medical help or contact a Poison Control
 Center right away.
Directions: Wipe injection site vigorously and
 discard.
Other information: Store at room temperature
 15°-30° C (59°-86° F)
Inactive ingredient: Purified water.

--- TEAR HERE ---

LOT/EXP: Made in CHINA
20140301

Enter section text here

Enter section text here

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of reye's syndrome, a rare but serious illness.

Stomach bleeding warning: This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user; has had stomach ulcers or bleeding problems takes a blood thinning (anticoagulant) or steroid drug takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) takes more or for a longer time than directed is age 60 or older has 3 or more alcoholic drinks every while using this product.

Do not use

if you are allergic to aspirin or any other pain relievers/fever reducers

for more than 10 days for pain unless directed by a doctor

for more than 3 days for fever unless directed by a doctor

for at least 7 days after a tonsillectomy or oral surgery

Ask a doctor before use if you have;

asthma

stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, ulcers or bleeding problems

a child experiencing arthritis pain

if you are;

allergic to aspirin

taking prescription drug for anticoagulation (thinning of blood), diabetes, gout or arthritis

Stop use and ask a doctor if;

an allergic reaction occurs, Seek medical help right away

pain or fever persists

new or unexpected symptoms occur

redness or swelling is present

ringing in ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in unborn child or complications during delivery.

Enter section text here

Enter section text here

Enter section text here

Enter section text here

MADE IN USA

Distributed by GENUINE FIRST AID

600 Cleveland Str Suite 400, Clearwater, FL 33755

2 Tablets

GENUINE FIRST AID.

Chewable Aspirin 81mg



GENUINE FIRST AID.

2 Tablets

Chewable Aspirin 81mg

Active ingredient (in each tablet) Purpose
Aspirin 81 mg (NSAID*) Analgesic/Antipyretic
*nonsteroidal anti-inflammatory drug

Uses

- temporary relief of minor aches, pains and headaches
- to reduce fever associated with colds, sore throats, teething

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness

Stomach bleeding warning: This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user ■ has had stomach ulcers or bleeding problems ■ takes a blood thinning (anticoagulant) or steroid drug ■ takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ takes more or for a longer time than directed ■ is age 60 or older ■ has 3 or more alcoholic drinks every day while using this product

Do not use ■ if you are allergic to aspirin or any other pain relievers/fever reducers ■ for more than 10 days for pain unless directed by a doctor ■ for more than 3 days for fever unless directed by a doctor ■ for at least 7 days after a tonsillectomy or oral surgery

Warnings (continued)

Ask a doctor before use if you have ■ asthma ■ stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, ulcers or bleeding problems ■ a child experiencing arthritis pain

if you are ■ allergic to aspirin ■ taking a prescription drug for anticoagulation (thinning of the blood), diabetes, gout or arthritis

Stop use and ask a doctor if ■ an allergic reaction occurs. Seek medical help right away ■ pain or fever persists ■ new or unexpected symptoms occur ■ redness or swelling is present ■ ringing in the ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions Do not use more than directed

Adults and Children (12 years and older): Chew 4 to 8 tablets with water every 4 hours. Do not exceed 48 tablets in 24 hours unless directed by a doctor.

Children Under 12 Years: Consult a doctor.

Other information

- store at room temperature ■ tamper evident sealed packets
- do not use any opened or torn packets

Inactive ingredients flavor, FD&C yellow #6, saccharin sodium, silicon dioxide, starch, stearic acid, sucrose

MADE IN USA

Distributed by **GENUINE FIRST AID**
600 Cleveland Str Suite 400, Clearwater, FL 33755

American Red Cross

CONTAINS 101 PIECES

FIRST AID KIT

CLEAN . TREAT . PROTECT

HOME PLAY AUTO OFFICE WORK

All Purpose Kit

NEW

ORGANIZED POCKETS FOR EMERGENCY ACCESS

SMALL CUTS AND BURNS 1

MEDIUM CUTS AND SCRATCHES 2

SEVERE BLEEDING AND BURNS 3

CPR BREATHING BARRIER 4

PROTECTION 5

INSTRUMENTS 6

AND

EASY REFILL SYSTEM

REFILL PACKS AVAILABLE FOR EACH
POCKET

Carrying Case

- 1 Soft-side Bag
- 1 Easy Access Pocket System

Small Cuts and Burns

- 25 Adhesive Plastic Bandages 3/4"x3"
- 25 Junior Plastic Bandages 3/8"x1-1/2"
- 1 Adhesive Plastic Bandage 1"x3"
- 1 Adhesive Spot Bandage 7/8"x7/8"
- 1 Elbow/Knee Adhesive Bandage
- 1 Burn Cream
- 20 Cotton Tipped Applicators

Medium Cuts and Scratches

- 1 Antiseptic Towelettes
- 1 Sterile Gauge Pad 2"x2"
- 1 Roller Gauge Bandage 2"x4.1yds.
- 1 Sterile Eye Pad
- 1 Sterile Eye Wash 10ml
- 2 Butterfly Wound Closure

Severe Bleeding and Burns

- 1 First Aid Tape Roll 1/2"x2.5 yds.
- 1 Combine Pad 5"x9"
- 1 Roller Gauge Bandage 3"x4.1yds

CPR

- 1 CPR Breathing Barrier

Protection

- 2 Medical Grade Vinyl Gloves
- 1 Alcohol Cleansing Pad
- 2 Chewable Aspirin Tablets
- 1 Triangular Bandage 42"x42"x59"

Instruments

- 1 Emergency First Aid Guide
- 6 Assorted Safety Pins
- 1 Plastic Tweezers

Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|------------------|------------------------|
| Part 1 | 1 PACKAGE | 0.9 g |
| Part 2 | 1 PACKAGE | 0.8 mL |
| Part 3 | 1 BOTTLE | 10 mL |
| Part 4 | 1 PACKAGE | 0.5 mL |
| Part 5 | 1 PACKAGE | 2 |

Part 1 of 5

GENUINE FIRST AID BURN ANTISEPTIC PAIN RELIEF WITH ALOE

benzalkonium chloride, lidocaine cream

Product Information

| | |
|-------------------------|----------------|
| Item Code (Source) | NDC:52124-0004 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---------------------------------------------------------------------------|-----------------------|-----------------|
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y) | BENZALKONIUM CHLORIDE | 0.13 g in 100 g |
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE | 0.5 g in 100 g |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:52124-0004-1 | 0.9 g in 1 PACKAGE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|------------------------------------------|----------------------|--------------------|
| OTC monograph final | part345 | 04/29/2010 | |

Part 2 of 5

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

| | |
|--------------------------------|----------------|
| Item Code (Source) | NDC:52124-0001 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---------------------------------------------------------------------------|-----------------------|-------------------|
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y) | BENZALKONIUM CHLORIDE | 0.40 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:52124-0001-1 | 0.8 mL in 1 PACKAGE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|------------------------------------------|----------------------|--------------------|
| OTC monograph final | part333 | 04/29/2010 | |

Part 3 of 5

STERILE ISOTONIC BUFFERED GENUINE EYEWASH
water liquid

Product Information

| | |
|--------------------------------|----------------|
| Item Code (Source) | NDC:52124-0005 |
| Route of Administration | OPHTHALMIC |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|----------------------------------------------------|-------------------|--------------------|
| WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R) | WATER | 98.16 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|------------------------------------------------|----------|
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW) | |
| SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74) | |

EDETATE DISODIUM (UNII: 7FLD91C86K)

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:52124-0005-1 | 10 mL in 1 BOTTLE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|------------------------------------------|----------------------|--------------------|
| OTC monograph final | part349 | 04/29/2010 | |

Part 4 of 5

ALCOHOL CLEANSING PAD

isopropyl alcohol liquid

Product Information

| | |
|-------------------------|----------------|
| Item Code (Source) | NDC:52124-0002 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|----------------------------------------------------------------------------|-------------------|--------------------|
| ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302) | ISOPROPYL ALCOHOL | 70 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:52124-0002-1 | 0.5 mL in 1 PACKAGE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|------------------------------------------|----------------------|--------------------|
| OTC monograph final | part333 | 04/29/2010 | |

Part 5 of 5

CHEWABLE ASPIRIN

aspirin tablet, chewable

Product Information

Item Code (Source) NDC:52124-0012

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--------------------------------------------------------|-------------------|----------|
| ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E) | ASPIRIN | 81 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------------------|----------|
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| SACCHARIN (UNII: FST467XS7D) | |
| SODIUM CATION (UNII: LYR4M0NH37) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| SUCROSE (UNII: C151H8M554) | |

Product Characteristics

| | | | |
|-----------------|-----------------|---------------------|----------|
| Color | orange (ORANGE) | Score | no score |
| Shape | ROUND | Size | 11mm |
| Flavor | | Imprint Code | ASPIRIN |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:52124-0012-1 | 2 in 1 PACKAGE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|------------------------------------------|----------------------|--------------------|
| OTC monograph final | part345 | 04/29/2010 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|------------------------------------------|----------------------|--------------------|
|--------------------|------------------------------------------|----------------------|--------------------|

| | | | |
|---------------------|---------|------------|--|
| OTC monograph final | part333 | 04/29/2010 | |
|---------------------|---------|------------|--|

Labeler - American Red Cross (003255213)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------------------------|---------|-----------|---------------------|
| GFA Production (Xiamen) Co., Ltd | | 421256261 | manufacture |

Revised: 6/2010

American Red Cross