### DUOFILM WART REMOVER- salicylic acid liquid MSD Consumer Care, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### $DuoFilm_{\circledast}$ SALICYLIC ACID WART REMOVER

#### **Drug Facts**

#### **Active ingredient**

Salicylic acid 17% (w/w)

#### **Purpose**

Wart Remover

#### Uses

- for removal of common and plantar warts
- common warts can be easily recognized by the rough cauliflower-like appearance of the surface
- plantar warts can be recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern

#### Warnings

#### For external use only

**Flammable** Keep away from fire or flame

#### Do not use

- if you have diabetes
- if you have poor blood circulation
- on irritated skin or any area that is infected or reddened
- on moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes

#### When using this product

- if product gets in eyes, flush with water for 15 minutes
- do not inhale vapors
- cap bottle tightly when not in use and store at room temperature away from heat

#### **Stop use and ask a doctor if** discomfort lasts

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- wash affected area
- may soak wart in warm water for 5 minutes

- dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each wart
- let dry
- self-adhesive cover-up discs may be used to conceal wart
- repeat procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

#### Other information

- store between 20° to 25°C (68° to 77°F)
- keep tightly closed

#### **Inactive ingredients**

castor oil, ethyl lactate, flexible collodion, polybutene. (Contains alcohol 18% v/v and ether 53% v/v from flexible collodion).

#### Questions?

866-360-3226

#### PRINCIPAL DISPLAY PANEL - 9.8 mL Bottle Carton

#### **LIQUID**


#### **DuoFilm**®

#### SALICYLIC ACID WART REMOVER

- Safe and reliable removal of common and plantar warts
- Cover-up discs protect warts as they heal

1/3 FL OZ (9.8 mL) 20 cover-up discs





# **#1** Family Doctor Recommended Brand

LIQUID

DuoFilm®
WART REMOVER

PS

DuoFilm.
WART REMOVER

LIQUID

LIQUID

# **DuoFilm**®

#### SALICYLIC ACID WART REMOVER

- Safe and reliable removal of common and plantar warts
- Cover-up discs protect warts as they heal

1/3 FL OZ (9.8 mL) 20 cover-up discs NO PRINT NO VARNISH CODE AREA

## DuoFilm® WART REMOVER LIQUID

© Copyright & Distributed by MSD Consumer Care, Inc., PO Box 377, Memphis, TN 38151 USA, a subsidiary of Merck & Co., Inc., Whitehouse Station, NJ USA. All rights reserved. Product of Brazil 51514-54



11017-252-20



M9383

#### **Gnestions?** 866-360-3226

Inactive ingredients castor oil, ethyl lactate, flexible collodion, polybutene. (Contains alcohol 18% v/v and ether 53% v/v from flexible collodion.)

keep tightly closed

Other information ators C (68° to 77° F)

conceal wart • repeat procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

■ self-adhesive cover-up discs may be used to

■ let dry

room temperature away from heat

 do not inhale vapors
 cap bottle tightly when not in use and store at tead most ways autragment moor

winnies

When using this product if ush with water for 15 if product gets in eyes, flush with water for 15


wincous memoranes


reddened on moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or

if you have poor blood circulation
 on irritated skin or any area that is infected or

Do not use sefected aven uoy if

Flammable: Keep away from fire or flame





#### **DUOFILM WART REMOVER**

salicylic acid liquid

Proc	luct	Info	rmation
------	------	------	---------

Product TypeHUMAN OTC DRUG LABELItem Code (Source)NDC:11523-0635Route of AdministrationTOPICALDEA Schedule

#### **Active Ingredient/Active Moiety**

Ingredient NameBasis of StrengthStrengthSalicylic Acid (Salicylic Acid)Salicylic Acid150.28 mg in 1 mL

#### **Inactive Ingredients**

Ingredient Name	Strength
castor oil	
ethyl lactate	
alcohol	
ether	

#### **Product Characteristics**

1104401 044140010400		
Color	YELLOW (clear yellow)	Score
Shape		Size
Flavor		Imprint Code
Contains		

#### **Packaging**

	rackaging					
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date		
1	NDC:11523-0635-2	1 in 1 CARTON				
1		9.8 mL in 1 BOTTLE, WITH APPLICATOR				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part358B	08/14/1990		

**Labeler** - MSD Consumer Care, Inc. (968091715)

Revised: 1/2013 MSD Consumer Care, Inc.