VASOPRO EPHEDRINE- ephedrine hydrochloride, guaifenes in tablet Optimal Research Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

VASOPRO EPHEDRINE expectorant / Bronchodilator

Drug Facts

Active Ingredients (in each tablet)

Ephedrine Hydrochloride 25mg Guaifenesin 200mg

Purpose

Bronchodilator

Expectorant

Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center immediately.

Uses: • Temporarily relieves shortness of breath, tightness of chest, and wheezing due to bronchial asthma

• Eases breathing for asthma patients • Helps loosen mucus and thin bronchial secretions to drain bronchial tubes.

Warnings:

Do not use this product • unless a diagnosis of asthma has been made by a doctor

• If seal is not intact or punctured.

Ask a doctor before use if you have

- heart disease high blood pressure thyroid disease diabetes
- difficulty in urination due to enlargement of the prostate gland.

Ask a doctor before use if • you have been hospitalized for asthma

• you are taking any prescription drug for asthma.

Stop use and ask a doctor if • symptoms do not get better within 1 hour or become worse

- you get nervous or sleepless, have tremors or nausea, or lose your appetite
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts.

These could be signs of a serious condition.

Ask a doctor before use if you have • persistent or chronic cough such as occurs with smoking, asthma.

chronic bronchitis, or emphysema • cough with excessive mucus

If pregnant or breast-feeding, ask a health care professional before use.

Do not use if you are taking any prescription monoamine oxidase inhibitor (MAOI) (certain drugs for

depression,

psychiatric, or emotional conditions, or Parkinson's Disease), or for 2 weeks after stopping the MAOI drug.

If you don't know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Directions:

- Adults and children 12 years of age and over. Take 1 tablet every 4 hours: do not take more than 6 tablets in 24 hours
- Children under 12 years of age: Consult a doctor.

Inactive Ingredients: Colloidal silicon dioxide, Croscarmellose sodium, Magnesium stearate, Maltodextrin, Microcrystalline cellulose

Povidone, Pregelatinized corn starch, Stearic acid.

Tamper evident, do not use if blister seals are not intact Maximum Sale Allowed 2 Boxes Per Transaction

MEGA-PRO® INTERNATIONAL

Maximum Strength
VASOPRO
EPHEDRINE
Expectorant / Bronchodilator
24 Tablets

DO NOT SELL TO MINORS

ABUSE OF THIS PRODUCT COULD BE FATAL

Distribution of this product requires a DEA License.

Distributed by: Mega-Pro International®, St. George, UT 84770

Packaging



Tamper evident, do not use if blister seals are not intact Maximum Sale Allowed 2 Boxes Per Transaction

MEGA-PRO®

Maximum Strength

Expectorant / Bronchodilator

- **■** Ephedrine HCl 25 mg
- Guaifenesin 200 mg

24 Tablets

DO NOT SELL TO MINORS ABUSE OF THIS PRODUCT COULD BE FATAL

Distribution of this product requires a DEA License.



EPHEDRINE

Drug Facts

Active Ingredients (in each tablet) Purpose
Ephedrine Hydrochloride 25mg Bronchodilate
Custemer's Officer Guaifenesin 200mg Expectorant

EDHEDBINE

Uses: Temporarily relieves shortness of breath, tightness of chest, and wheazing due to bronchial astima Eases breathing for astima patients Helps loosen mucu and thin bronchial secretions to drain bronchial tubes.

Expectorant / Bronchodilator

Maximum Strength

Warnings:

Do not use this product m unless a diagnosis of asthma has been made by a doctor m if seal is not intact or punctured.

Ask a doctor before use if you have
m heart disease m high blood pressure m thyroid disease diabetes
m difficulty in urhation due to enlargement of the prostate gland.

Make A dector before use if myou have been hospitalized for asthma
you are taking any prescription drug for asthma.

you are taking any prescription drug for asthma.

Stop use and ask a dostor if m symptoms do not get better within 1 hour or become worse myou get nervous or sleepless, have tremors or nausea, or lose your appetits cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

Ask a doctor before use if you have to persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysems cough with excessive mucus if pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of shildren. In case of overdose, get medical help or contact Poison Control

Center immensately.

Do not use if you are taking any prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's Disease), or for 2 weeks after stopping the MAOI drug. If you don't know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Directions:

Adults and children 12 years of age and over: Take 1 tablet every 4 hours; do not take more than 6 tablets in 24 hours
Children under 12 years of age: Consult a doctor.

Inactive Ingredients: Colloidal silicon dioxide, Croscarmellose sodium, Magnesium stearate, Maltodextrin, Microcrystallina cellulose, Povidone, Pregelatinizad Magnesium stearate, Mah corn starch, Stearlc acid.

27314CPR

VASOPRO EPHEDRINE

ephedrine hydrochloride, guaifenesin tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70258-320

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EPHEDRINE HYDRO CHLORIDE (UNII: NLJ6390P1Z) (EPHEDRINE - UNII:GN83C131XS)	EPHEDRINE HYDROCHLORIDE	25 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg

Inactive Ingredients

Ingredient Name

Strength

COLLOIDAL SILICON DIOXIDE (UNII: ETJ7Z6 XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28 O L 1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
PO VIDO NE (UNII: FZ989 GH9 4E)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics			
Color	white	Score	4 pieces
Shape	ROUND	Size	9mm
Flavor		Imprint Code	MP101
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:70258-320-24	1 in 1 BOX	11/23/2015	
1	24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	11/23/2015	

Labeler - Optimal Research Inc (612492678)

Establishment			
Name	Address	ID/FEI	Business Operations
Pharmatech Llc		968082094	manufacture(70258-320)

Revised: 11/2015 Optimal Research Inc