REDEYE RELIEF- apis mellifera, euphrasia stricta, calcium sulfide, loeselia mexicana whole, pulsatilla vulgaris ointment TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

RedEye Relief Sterile Eye Ointment

Apis HPUS 6X Euphrasia HPUS 6X Hepar sulphuris HPUS 12X Hoitzia coccinea HPUS 6X Pulsatilla HPUS 6X

The letters HPUS indicate that the components of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Apis HPUS......Burning, stinging, itching, watering Euphrasia HPUS.....Red eyes or lids, itching, burning, watering Hepar sulphuris HPUS.....Redness, stinging, discharge Hoitzia coccinea HPUS....Redness, dryness Pulsatilla HPUS.....Itching, burning, redness, watering

Warnings:

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.

- For external use only.
- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- If pregnant or breast-feeding, ask a health professional before use.
- Replace cap after every use.
- To avoid contamination: do not touch tip to any surface.
- Use within 30 days of opening.
- EXPIRATION DATE ONLY REFERS TO THE UNOPENED TUBE.
- The use of this container by more than one person may spread infection.
- Contact lens wearers: Consult a physician before use.

Do not use:

- Do not use if bottom ridge of tube cap is exposed and imprinted carton seal is not intact.
- You frequently contract infections that do not clear up easily.
- You experience eye pain or changes in vision.

Stop use and ask a doctor if:

• You experience eye pain, changes in vision, continued redness or irritation of the eye.

- The condition worsens.
- The condition last longer than 72 hours.

Keep out of reach of children

In case of accidental ingestion, get medical help or contact Poison Control Center right away.

Directions:

- Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.
- Wash your hands.
- Squeeze out approx. 1/8" of ointment onto fingertip.
- Gently apply directly to affected area.
- Apply before bedtime.
- Homeopathic remedies may not be effective for everyone. Individual results may vary.

Other information

- Store at room temperature 15° to 30° C (59° to 86°F)
- Keep tube tightly closed. Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications.
- RedEye ReliefTM Homeopathic Sterile Lubricating Eye Ointment is a homeopathic dilution, for details see www.thereliefproducts.com

Inactive Ingredients:

Lactose, Lanolin alcohol, Mineral oil, White petrolatum.

Questions?

Call: 888-969-6855

Indications and uses

Uses*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Burning • Stinging • Itching • Watering • Red eyes or lids • Sleeplessness • Discharge; after serious causes have been ruled out by a physician.

*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

VOID OF AQUEOUS & COLOR



FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Drug Facts

Active ingredients Purpose Apis HPUS 6X......Burning, stinging, itching, watering Euphrasia HPUS 6X.....Red eyes or lids, itching, burning, watering Hepar sulphuris HPUS 12X.....Redness, stinging, discharge Hoitzia coccinea HPUS 6X....Redness, dryness

Pulsatilla HPUS 6X....Itching, burning, redness, watering Valeriana officinalis HPUS 6X....Sleeplessness

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as:
 Burning
 Stinging
 Itching
 Watering
 Red eyes or lids
 Sleeplessness
 Discharge; after serious causes have been ruled out by a physician.
 These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

A PHÝSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only. • This product is intended to complement, not replace standard medical treatment. • Initial worsening of symptoms may occur. • If pregnant or breast-feeding, ask a health professional before use. . Contact lens wearers: Consult a physician before use • Keep out of reach of children. • In case of accidental ingestion, get medical help or contact a Poison Control Center right away. • To avoid contamination: Do not touch tip to any surface. . Replace cap after every use. • Use within 30 days of opening. EXPIRATION DATE ONLY REFERS TO THE **UNOPENED TUBE.** • The use of this container by more than one person may spread infection.

Do not use if: ● Bottom ridge of tube is exposed. • Cap or tube is damaged. •

TUBE IMAGE IS ACTUAL SIZE

Drug Facts (continued)

Stop use and ask a doctor if:

You experience eye pain or change in vision, continued redness or irritation of the eye.

The condition worsens.

Symptoms last longer than 72 hours.

Directions

Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.
 Wash your hands.
 Before bedtime, pull down the lower lid of the affected eye and apply a small 1/4 inch of ointment, to the inside of the eyelid.
 Close the eye to allow contact with the eye.
 Homeopathic remedies may not be effective for everyone. Individual results may vary.

Other information

Non-prescription drug products cannot treat infections. Store at room temperature 15° to 30° C (59° to 86°F) · Keep tube tightly closed. Active ingredients are micro-diluted in accordance the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. RedEye Relief® Homeopathic Sterile Lubricating Eve Ointment is a homeopathic dilution, for details see www.thereliefproducts.com.

Inactive ingredients

Lactose, Lanolin alcohol, Mineral oil, White petrolatum.

Do not use if bottom ridge of tube is exposed, cap or tube is damaged. No usar la cresta inferior del tubo está expuesta, el goma o el tubo están dañados

PRESERVATIVE FREE

NDC # 17312-167-13





RedEye Relief® PM

Sterile Eye Ointment
Belladonna Free
Nighttime Formula

Temporarily Relieves:

 Redness, irritation, stinging, burning, itching, watering, dryness

Sléeplessness

Due to smoke, smog, allergens, stress, fatigue, or medication side effects.



Stay Healthy, Naturally.®

100% Natural Active Ingredients

LIONATORATIU

MADE IN THE USA HOMEOPATHIC Net wt. 0.14 oz (4 grams)



Also try our **RedEye Relief**® eye drops for your irritated and suffering eyes.



2017 - 2019
WOMEN'S CHOICE AWARD*
AMERICA'S MOST RECOMMENDED

RedEye Relief®PM 🌢

Ungüento para los ojos estériles.

Para los Síntomas de Blefaritis Formula Noctuma

Alivia Temporalmente:

- Enrojecimiento, irritación
- Escozor, quemazón, comezón
- Lagrimeo, sequedad
- Insomnio

A causa del humo, niebla tóxica, alérgenos, estrés, fatiga o efectos secundarios de los medicamentos

Drug Facts are in Spanish on the interior of this carton. Encontrara la informacion en espanol sobre este medicamento al interior de la caja.

© 2019 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane #115, Reno. NV. 89502

Questions or Comments? 888-969-6855 www.thereliefproducts.com

PLEASE RECYCLE

Ini1117 R0519





VOID OF AQUEOUS



no varnish

Do not use if tamper evident carton seals are torn, broken or missing. FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

REDEYE RELIEF

apis mellifera, euphrasia stricta, calcium sulfide, loeselia mexicana whole, pulsatilla vulgaris ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-167
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_X] in 1 g
EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	6 [hp_X] in 1 g
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X] in 1 g
PULSATILLA VULGARIS (UNII: 176KB35JEV) (PULSATILLA VULGARIS - UNII:176KB35JEV)	PULSATILLA VULGARIS	6 [hp_X] in 1 g
LOESELIA MEXICANA WHOLE (UNII: XA8YCV5M3E) (LOESELIA MEXICANA WHOLE - UNII:XA8YCV5M3E)	LOESELIA MEXICANA WHOLE	6 [hp_X] in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
PETROLATUM (UNII: 4T6H12BN9U)		
LACTOSE (UNII: J2B2A4N98G)		
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)		

MINERAL OIL (UNII: T5L8T28FGF	ı۱

ı	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:17312-167-	1 in 1 PACKAGE	05/28/2018	
	1	4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	05/28/2018		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - TRP Company (105185719)

Registrant - TRP Company (105185719)

Revised: 1/2023 TRP Company