

EXTRA STRENGTH PAIN RELIEF- acetaminophen tablet
Geri-Care Pharmaceutical Corp

gc201

Active Ingredients

Acetaminophen 500 mg

Purpose

Pain Reliever/Fever Reducer

Uses

- temporarily relieves minor aches and pains
- temporarily reduces fever

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 tablets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptom occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over: Take 1 to 2 tablets every 4 to 6 hours, as needed; not more than 6 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other Information

- **TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.**
- store at 20°C-25°C (68°F-77°F)

Inactive Ingredients

povidone, sodium starch glycolate, starch, stearic acid.

Questions or comments?

1-800-540-3765

Drug Facts

Active ingredient (in each tablet) **Purposes**
Acetaminophen 500 mg Pain Reliever /
Fever Reducer

Uses • temporarily relieves minor aches and pains
• temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening • blisters • rash
- If a skin reaction occurs, stop use and seek medical help right away.

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition. ▶



NDC 57896-201-10

Extra Strength

ACETAMINOPHEN

Pain Reliever / Fever Reducer



Compare to the active ingredient in
Extra Strength **TYLENOL®** Tablets*

1000 Tablets 500 mg each

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions • do not take more than directed

Adults and children 12 years of age and over	Take 1 to 2 tablets every 4 to 6 hours, as needed; not more than 6 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
----------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

Children under 12 years	ask a doctor
-------------------------	--------------

Other information • **TAMPER EVIDENT:** Do not use if imprinted seal under cap is missing or broken.

- store at 20°C-25°C (68°F-77°F)

Inactive ingredients: povidone, sodium starch glycolate, starch, stearic acid.

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by the owner of the registered trademark **TYLENOL®**.

DIST. BY: **GERI-CARE PHARMACEUTICALS CORP.**

1650 63rd Street, Brooklyn, NY 11204

REV 0821A



3 57896 20110 4

EXTRA STRENGTH PAIN RELIEF

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-201
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white (WHITE)	Score	no score
Shape	ROUND (Round)	Size	12mm
Flavor		Imprint Code	M2A457344
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-201-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2012	06/01/2020
2	NDC:57896-201-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2012	
3	NDC:57896-201-05	50 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2012	06/01/2020

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/01/1989	

Labeler - Geri-Care Pharmaceutical Corp (611196254)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 10/2023

Geri-Care Pharmaceutical Corp