UBER NUMB- lidocaine hydrochloride cream UBERScientific, LLC

Uber Numb Cream

Drug Facts

Active Ingredients

Lidocaine HCL (5%)

Purpose

External Analgesic

Uses

For the Temporary relief of pain and discomfort associated with anorectal disorders

Warnings:

For external ues only. If condition worsens or does not improve within 7 days, consult a doctor. Do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, consult a doctor promptly. Do not put this product into the rectum by using fingers or any mechanical device or applicator.

Keep out of reach of children.

If swallowed, get medical help or contact the Poison Control Center immediately

Directions:

For optimum results cleanse the affected area with mild soap and warm water and rinse thoroughly, Gently dry by patting or blotting with toilet tissue or a clean, soft cloth before application of this product. **Adults and children 12 years and older:**

Apply externally up to 6 times per day.

Consult a Doctor Children under 12:

Inactive Ingredients:

Allantoin Gel, Deionized Water, Benzyl Alcohol, Carbomer, Propylene Glycol, Sodium Polyacrylate, Tocopheryl Acetate (Vitamin E), Triethanolamine

Distributed by:

Package Labeling:







Drug Facts (continued)

Directions

Adults and children 12 years and older: For optimum results cleanse the affected area with mild scap and with water and make thorought, Gerify or by bratting or blotting with toilest Apply externally up 10 8 times per day.

Apply externally up 10 8 times per day.

Children under 12: Consult a Doctor

Inactive Ingredients
Adainon det. Decirated Water, Benzyl Alcohol, Carbomer, Allahon, Carbomer, Children under Polygen/yeath, Tocophary's Acetale

MADE IN USA



MAXIMUM STRENGTH

MAXIMUM STRENGTH

MAXIMUM STRENGTH

MAXIMUM STRENGTH

in 1 g

UBER NUMB

UNII:98PI200987)

lidocaine hydrochloride cream

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71131-051		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - LIDOCAINE 50 mg

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
TROLAMINE (UNII: 903K93S3TK)				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:71131-051- 02	1 in 1 CARTON	11/01/2017				
1		57 g in 1 JAR; Type 0: Not a Combination Product					

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/01/2017	

Labeler - UBERScientific, LLC (080459429)

Revised: 11/2023 UBERScientific, LLC