

## **APPLAUSE- instant hand sanitizer gel**

### **QuestSpecialty Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **QS Applause Drug Listing**

### **Active Ingredient**

Ethyl Alcohol 60%.....Antiseptic

### **purpose**

Antiseptic

### **Uses**

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

### **Warnings**

- **Flammable. Keep away from fire or flame.**
- **For external use only.**

### **do not use**

- In the eyes

### **When Using**

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

### **Stop Use**

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- **Keep out of reach of children.**

### **Directions for Use**

- Place a palmful ( 5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).
- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

label jpg



**APPLAUSE**  
Gel Antiseptic Handwash





**APPLAUSE**  
Gel Antiseptic Handwash

**Datos Medicos**

<b>Ingrediente Activo</b> Alcohol etilico 60%	<b>Proposito</b> Antiseptico
--	---------------------------------

**Usos**  
• Lave con las manos para disminuir la bacteria en la piel. • Recomendado para uso repetitivo.

**Advertencia** • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente.

**No use** • En los ojos.

**Cuando usando este producto** • No sea cerca de los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritacion. • Si se requiere, busque asistencia medica y consulte con el control venenoso inmediatamente.

**Pare el uso y pregúntele a un doctor** • Si la irritacion se desarrolla. Si la condicion persiste por mas de 72 horas, consulte con un doctor. • **Mantenga lejos de los niños.**

**Direcciones**  
Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequena (2.5 gramos) en una mano, difunda sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.

**Otra informacion** Almacene bajo de 95°F. • Cierre el pico para evitar evaporacion.

**Ingredientes inactivo** Agua, Trietanolamina, Fragancia, Acrilico Polimero.





**Gel Antiseptic Handwash**  
Gel Antiséptico Lavamano

**Kills 99.9% of Most Common Germs**  
**Evaporates Quickly**  
**Leaves Hands Soft**

**WARNING / ADVERTENCIA**  
**FLAMMABLE. KEEP OUT OF REACH OF CHILDREN**  
**See Additional Cautions on Side Panel**  
**INFLAMABLE. NO SE DEJE AL ALCANCE DE LOS NIÑOS**  
**Ver Precauciones Adicionales a Lado**

**NET CONTENTS: 1 QUART (32 FL. OZ.)**

**Drug Facts**

<b>Active ingredient</b> Ethyl Alcohol 60%	<b>Purpose</b> Antiseptic
---	------------------------------

**Uses**  
• Handwash to help decrease bacteria on the skin. • Recommended for repeated use.

**Warnings** • Flammable. Keep away from fire or flame. • For external use only. Do not use • In the eyes.

**When using this product** • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

**Stop use and ask a doctor if** • Irritation develops. If condition persists for more than 72 hours consult a doctor. **Keep out of reach of children.**

**Directions**  
Place a palmful (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

**Other information** Store below 95°F • Close spout to avoid evaporation.

**Inactive ingredients** Water, Triethanolamine, Fragrance, Acrylic Polymer.

**Drug Facts**

<b>Active ingredient</b> Ethyl Alcohol 60%	<b>Purpose</b> Antiseptic
---	------------------------------

**Uses**  
• Handwash to help decrease bacteria on the skin. • Recommended for repeated use.

**Warnings** • Flammable. Keep away from fire or flame. • For external use only. Do not use • In the eyes.

**When using this product** • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

**Stop use and ask a doctor if** • Irritation develops. If condition persists for more than 72 hours consult a doctor. **Keep out of reach of children.**

**Directions**  
Place a palmful (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

**Other information** Store below 95°F • Close spout to avoid evaporation.

**Inactive ingredients** Water, Triethanolamine, Fragrance, Acrylic Polymer.



**Gel Antiseptic Handwash**  
Gel Antiséptico Lavamano

**Kills 99.9% of Most Common Germs**  
**Evaporates Quickly**  
**Leaves Hands Soft**

**WARNING / ADVERTENCIA**  
**FLAMMABLE. KEEP OUT OF REACH OF CHILDREN**  
**SEE ADDITIONAL CAUTIONS ON SIDE PANEL**  
**INFLAMABLE. NO SE DEJE AL ALCANCE DE LOS NIÑOS**  
**VER PRECAUCIONES ADICIONALES A LADO**

**NET CONTENTS: 1 GALLON**

Quest Specialty Corporation  
P.O. Box 624 • Brenham, TX 77834  
713.896.8188

**Datos Medicos**

<b>Ingrediente Activo</b> Alcohol etilico 60%	<b>Proposito</b> Antiseptico
--	---------------------------------

**Usos**  
• Lave con las manos para disminuir la bacteria en la piel. • Recomendado para uso repetitivo.

**Advertencia** • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente.

**No use** • En los ojos.

**Cuando usando este producto** • No sea cerca de los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritacion. • Si se requiere, busque asistencia medica y consulte con el control venenoso inmediatamente.

**Pare el uso y pregúntele a un doctor** • Si la irritacion se desarrolla. Si la condicion persiste por mas de 72 horas, consulte con un doctor. • **Mantenga lejos de los niños.**

**Direcciones**  
Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequena (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.

**Otra informacion** Almacene bajo de 95°F. • Cierre el pico para evitar evaporacion.

**Ingredientes inactivo** Agua, Trietanolamina, Fragancia, Acrilico Polimero.



QuestSpecialty

# APPLAUSE

## Gel Antiseptic Handwash

Gel Antiséptico Lavamano

**Kills 99.9% of  
Most Common Germs  
Evaporates Quickly  
Leaves Hands Soft**

**WARNING / ADVERTENCIA  
FLAMMABLE  
KEEP OUT OF REACH OF CHILDREN  
SEE ADDITIONAL CAUTIONS ON SIDE PANEL  
INFLAMABLE  
NO SE DEJE AL ALCANCE DE LOS NIÑOS  
VEA PRECAUCIONES ADICIONALES A LADO**

**NET CONTENTS: 8 FL. OZ.**

QuestSpecialty Corporation  
P.O. Box 624 • Brenham, TX 77834 • 713.896.8188



### Drug Facts

Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic

### Uses

• Handwash to help decrease bacteria on the skin. • Recommended for repeated use.

**Warnings** • Flammable. Keep away from fire or flame. • For external use only.

**Do not use** • In the eyes.

**When using this product** • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

**Stop use and ask a doctor if** • Irritation develops. If condition persists for more than 72 hours consult a doctor. **Keep out of reach of children.**

### Directions

Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

**Other information** Store below 95°F. • Close spout to avoid evaporation.

**Inactive ingredients** Water, Triethanolamine, Fragrance, Acrylic Polymer.

### Datos Médicos

Ingrediente Activo	Propósito
Alcohol etílico 60%	Antiséptico

### Usos

• Lave con las manos para desmenuir la bacteria en la piel • Recomendado para uso repetitivo

**Advertencia** • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente.

**No use** • En los ojos

**Cuando usando este producto** • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente.

**Para el uso y pregúntele a un doctor** • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • Mantenga lejos de los niños.

### Direcciones

Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.

**Otra Información** Almacene bajo de 95°F. • Cierre el pico para evitar evaporación.

**Ingredientes inactivo** Agua, Trietanolamina, Fragancia, Acrílico Polímero.

ITEM 693000001-080Z

Made in USA

600005693

QuestSpecialty

# APPLAUSE

**GEL ANTISEPTIC HANDWASH**  
GEL ANTISÉPTICO LAVAMANO

Kills 99.9% of  
Most Common Germs

Evaporates Quickly

Leaves Hands Soft

**WARNING / ADVERTENCIA:**  
FLAMMABLE. KEEP OUT OF REACH OF CHILDREN  
See Additional Cautions on Side Panel  
INFLAMABLE . NO SE DEJE AL ALCANCE DE LOS NIÑOS  
Vea Precauciones Adicionales a Lado

**NET CONTENTS: 55 GALLONS (208.2 L)**

#### Drug Facts

**Active ingredient** ..... **Purpose**  
Ethyl Alcohol 60% ..... Antiseptic

#### Uses

• Handwash to help decrease bacteria on the skin. • Recommended for repeated use.

**Warnings** • **Flammable. Keep away from fire or flame.** • **For external use only.**

**Do not use** • In the eyes.

**When using this product** • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

**Stop use and ask a doctor if** • Irritation develops. If condition persists for more than 72 hours consult a doctor. **Keep out of reach of children.**

#### Directions

Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

#### Other information

Store below 95°F. • Close spout to avoid evaporation.

**Inactive ingredients** Water, Triethanolamine, Fragrance, Acrylic Polymer.

#### Datos Médicos

**Ingrediente Activo** ..... **Propósito**  
Alcohol etílico 60% ..... Antiséptico

#### Usos

• Lave con las manos para disminuir la bacteria en la piel. • Recomendado para uso repetitivo.

**Advertencia** • **Inflamable. Mantenga alejado del fuego.** • **Para uso externo solamente.**

**No use** • En los ojos.

**Cuando usando este producto** • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente.

**Pare el uso y pregúntele a un doctor** • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • **Mantenga lejos de los niños.**

#### Direcciones

Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.

#### Otra Información

Almacene bajo de 95°F. • Cierre el pico para evitar evaporación.

**Ingredientes inactivo** Agua, Trietanolamina, Fragancia, Acrílico Polímero.

QuestSpecialty Corporation  
P.O. Box 624 • Brenham, TX 77834

ITEM 699300001-55DR

713.896.8188

Made in USA

QuestSpecialty

# APPLAUSE

**GEL ANTISEPTIC HANDWASH**  
GEL ANTISÉPTICO LAVAMANO

Kills 99.9% of  
Most Common Germs

Evaporates Quickly

Leaves Hands Soft

**WARNING / ADVERTENCIA:**  
FLAMMABLE. KEEP OUT OF REACH OF CHILDREN  
See Additional Cautions on Side Panel  
INFLAMABLE . NO SE DEJE AL ALCANCE DE LOS NIÑOS  
Vea Precauciones Adicionales a Lado

**NET CONTENTS: 5 GALLONS (18.9 L)**

<b>Drug Facts</b>	
<b>Active ingredient</b> .....	<b>Purpose</b>
Ethyl Alcohol 60% .....	Antiseptic
<b>Uses</b>	
• Handwash to help decrease bacteria on the skin. • Recommended for repeated use.	
<b>Warnings</b> • Flammable. Keep away from fire or flame. • For external use only.	
<b>Do not use</b> • In the eyes.	
<b>When using this product</b> • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
<b>Stop use and ask a doctor if</b> • Irritation develops. If condition persists for more than 72 hours consult a doctor. <b>Keep out of reach of children.</b>	
<b>Directions</b>	
Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
<b>Other information</b>	
Store below 95°F. • Close spout to avoid evaporation.	
<b>Inactive ingredients</b> Water, Triethanolamine, Fragrance, Acrylic Polymer.	

<b>Datos Médicos</b>	
<b>Ingrediente Activo</b>	<b>Propósito</b>
Alcohol etílico 60%	Antiséptico
<b>Usos</b>	
• Lave con las manos para disminuir la bacteria en la piel. • Recomendado para uso repetitivo.	
<b>Advertencia</b> • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente.	
<b>No use</b> • En los ojos.	
<b>Cuando usando este producto</b> • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente.	
<b>Pare el uso y pregúntele a un doctor</b> • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • Mantenga lejos de los niños.	
<b>Direcciones</b>	
Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.	
<b>Otra Información</b>	
Almacene bajo de 95°F. • Cierre el pico para evitar evaporación.	
<b>Ingredientes inactivo</b> Agua, Trietanolamina, Fragancia, Acrílico Polímero.	

QuestSpecialty Corporation  
P.O. Box 624 • Brenham, TX 77834  
713.896.8188

ITEM 693000001-05PL

Made in USA

QuestSpecialty

# APPLAUSE

## Gel Antiseptic Handwash

Gel Antiséptico Lavamano

**Kills 99.9% of  
Most Common Germs  
Evaporates Quickly  
Leaves Hands Soft**

### WARNING / ADVERTENCIA

**FLAMMABLE**

**KEEP OUT OF REACH OF CHILDREN**

See Additional Cautions on Side Panel

**INFLAMABLE**

**NO SE DEJE AL ALCANCE DE LOS NIÑOS**

Vea Precauciones Adicionales a Lado

**NET CONTENTS: 4 FL. OZ.**

QuestSpecialty Corporation

P.O. Box 624 • Brenham, TX 77834 • 713.896.8188

### Drug Facts

Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic

### Uses

- Handwash to help decrease bacteria on the skin.
- Recommended for repeated use.

**Warnings** • Flammable. Keep away from fire or flame.  
• For external use only.

**Do not use** • In the eyes.

**When using this product** • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

**Stop use and ask a doctor if** • Irritation develops. If condition persists for more than 72 hours consult a doctor.  
**Keep out of reach of children.**

### Directions

Place a 'palmful' (5 grams) of product in one hand.  
• Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).  
• Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds).  
• Will air dry in 15 seconds.

### Other information

Store below 95°F. • Close spout to avoid evaporation.

### Inactive ingredients

Water, Triethanolamine, Fragrance, Acrylic Polymer.



ITEM 693000001-040Z

Made in USA

600006693

**QuestSpecialty**  
Corporation

GHS  
EXEMPT

**APPLAUSE  
HAND SANITIZER**



10831788002712

**# 693000001-04OZ**



## APPLAUSE

instant hand sanitizer gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67858-693
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	3 g in 5 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER 940 (UNII: 4Q93RCW27E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67858-693-02	24 in 1 CARTON	10/02/2018	
1	NDC:67858-693-01	107 g in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:67858-693-04	12 in 1 CARTON	10/02/2018	
2	NDC:67858-693-03	212 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:67858-693-06	4 in 1 CARTON	10/02/2018	
3	NDC:67858-693-05	3407 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:67858-693-07	187358 g in 1 DRUM; Type 0: Not a Combination Product	10/02/2018	
5	NDC:67858-693-09	12 in 1 CARTON	01/01/2021	
5	NDC:67858-693-08	424 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	10/02/2018	

**Labeler** - QuestSpecialty Corporation (103840377)

**Registrant** - QuestSpecialty Corporation (103840377)

## Establishment

Name	Address	ID/FEI	Business Operations
QuestSpecialty Corporation		103840377	manufacture(67858-693)

Revised: 3/2023

QuestSpecialty Corporation