

**GOOD SENSE TUSSIN DM COUGH AND CHEST CONGESTION- dextromethorphan hbr,
guaifenesin solution**

L. Perrigo Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Tussin DM Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg

Guaifenesin, USP 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

- Phenylketonurics: Contains Phenylalanine 30 mg per 10 mL
- store at 20-25°C (68-77°F)

Inactive ingredients

aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol, purified water

Questions or comments?

1-800-719-9260

Principal Display Panel

Non-Drowsy

Tussin DM

Cough Suppressant (Dextromethorphan HBr)

Expectorant (Guaifenesin)

Sugar-Free

Cough & Chest Congestion

Relieves:

Cough

Mucus

Specially Formulated for Diabetics


Peak Cold

Adult

For Ages 12 & Over

Compare to active ingredients of Robitussin® Sugar-Free Cough + Chest Congestion DM

4 FL OZ (118 mL)



NDC 0113-0578-26

NDC 0113-0578-26

GOODSENSE®

GOODSENSE®

Non-Drowsy

Non-Drowsy

Tussin

Tussin

DM Cough Suppressant
(Dextromethorphan HBr)
Expectorant
(Guaifenesin)

DM Cough Suppressant
(Dextromethorphan HBr)
Expectorant
(Guaifenesin)

Sugar-Free

Sugar-Free

**Cough &
Chest Congestion**

**Cough &
Chest Congestion**

Relieves:

- **Cough**
 - **Mucus**
- Specially Formulated For Diabetics*

Relieves:

- **Cough**
 - **Mucus**
- Specially Formulated For Diabetics*



Peak Cold

Adult
For Ages 12 & Over



Peak Cold

Adult
For Ages 12 & Over

Compare to active ingredients of
Robitussin® Sugar-Free
Cough + Chest Congestion DM




Compare to active ingredients of
Robitussin® Sugar-Free
Cough + Chest Congestion DM



4 FL OZ (118 mL)

4 FL OZ (118 mL)



Chest Congestion
Cough &
Sugar-Free

DM Tussin

GOODSENSE®

Drug Facts

Active ingredients (in each 10 mL) Purposes

Dextromethorphan HBr, USP 20 mg.....Cough suppressant
Guaifenesin, USP 200 mg.....Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

Drug Facts (continued)

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

- **Phenylketonurics: Contains Phenylalanine 30 mg per 10 mL**
- store at 20-25°C (68-77°F)

Inactive ingredients aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol, purified water

Questions or comments?

1-800-719-9260

Gluten Free

Dosage Cup Included


DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

Distributed By **Perrigo®** Allegan, MI 49010

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org



GOOD SENSE TUSSIN DM COUGH AND CHEST CONGESTION

dextromethorphan hbr, guaifenesin solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0578
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-0578-26	1 in 1 CARTON	09/20/1994	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/20/1994	

Labeler - L. Perrigo Company (006013346)

Revised: 12/2019

L. Perrigo Company