

OXYGEN - oxygen gas
The Service Center LLC

Oxygen

US1072

OXYGEN, COMPRESSED USP

Medical Gas

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN 2

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Do not smoke. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only be establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.


CAS: 7782-44-7.

PRODUCED BY AIR LIQUEFACTION

THE SERVICE CENTER LLC

BROADVIEW, IL

60155-2817



OXYGEN, REFRIGERATED LIQUID USP

UN1073

MEDICAL GAS

Produced by Air Liquefaction.

OXYGEN 2

CONTENTS: Liquid

Liters When Full

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Do not smoke. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Extremely cold oxidizing liquid may explode on ignition or impact. Can cause severe frostbite. Do not get liquid in eyes, on skin or on clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on, or roll equipment over spills. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

WARNING: USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only be establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

FIRST AID: In case of frostbite, obtain medical attention immediately.

DO NOT REMOVE THIS PRODUCT LABEL.

THE SERVICE CENTER LLC

OXYGEN, REFRIGERATED LIQUID, USP

UN1073

MEDICAL GAS

PRODUCED BY AIR LIQUEFACTION

Contents: _____ Liquid

Liters When Full



↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑

DANGER! MAY CAUSE OR INTENSIFY FIRE: OXIDIZER, CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Do not smoke. Use and store only outdoors or in a well-ventilated place. In case of fire: stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Extremely cold oxidizing liquid and gas under pressure. Vigorously accelerates combustion. Combustibles in contact with liquid may explode on ignition or impact. Can cause severe frostbite. Do not get liquid in eyes, on skin or on clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on, or roll equipment over spills. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Federal Law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the *Federal Food, Drug, and Cosmetic Act.*

FIRST AID: In case of frostbite, obtain medical attention immediately.

**DO NOT REMOVE
THIS LABEL**



THE SERVICE CENTER LLC.
BROADVIEW, IL 60155-2817

CAS. 7782-44-7

BROADVIEW, IL 60155-2817

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:67024-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	992 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End Date
---	-----------	---------------------	-----------------	--------------------

#	Item Code	Package Description	Date	Marketing End Date
1	NDC:67024-001-01	680 L in 1 CYLINDER; Type 0: Not a Combination Product		
2	NDC:67024-001-02	415 L in 1 CYLINDER; Type 0: Not a Combination Product		
3	NDC:67024-001-03	650 L in 1 CYLINDER; Type 0: Not a Combination Product		
4	NDC:67024-001-04	248 L in 1 CYLINDER; Type 0: Not a Combination Product		
5	NDC:67024-001-05	165 L in 1 CYLINDER; Type 0: Not a Combination Product		
6	NDC:67024-001-06	170 L in 1 CYLINDER; Type 0: Not a Combination Product		
7	NDC:67024-001-07	198 L in 1 CYLINDER; Type 0: Not a Combination Product		
8	NDC:67024-001-08	3452 L in 1 CYLINDER; Type 0: Not a Combination Product		
9	NDC:67024-001-09	2697 L in 1 CYLINDER; Type 0: Not a Combination Product		
10	NDC:67024-001-10	1699 L in 1 CYLINDER; Type 0: Not a Combination Product		
11	NDC:67024-001-11	7100 L in 1 CYLINDER; Type 0: Not a Combination Product		
12	NDC:67024-001-12	9500 L in 1 CYLINDER; Type 0: Not a Combination Product		
13	NDC:67024-001-13	3113 L in 1 CYLINDER; Type 0: Not a Combination Product		
14	NDC:67024-001-14	31 L in 1 DEWAR; Type 0: Not a Combination Product		
15	NDC:67024-001-15	41 L in 1 DEWAR; Type 0: Not a Combination Product		
16	NDC:67024-001-16	45 L in 1 DEWAR; Type 0: Not a Combination Product		
17	NDC:67024-001-17	160 L in 1 DEWAR; Type 0: Not a Combination Product		
18	NDC:67024-001-18	180 L in 1 DEWAR; Type 0: Not a Combination Product		
19	NDC:67024-001-19	410 L in 1 DEWAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205712	03/08/2002	

Labeler - The Service Center LLC (943157438)

Establishment

Name	Address	ID/FEI	Business Operations
The Service Center LLC		943157438	manufacture(67024-001)

Establishment

Name	Address	ID/FEI	Business Operations
The Service Center LLC		961683567	manufacture(67024-001)

Establishment

Name	Address	ID/FEI	Business Operations
The Service Center LLC		961683575	manufacture(67024-001)

