

SIGNATURE CARE FIRST AID ANTIBIOTIC- neomycin, polymyxin b, pramoxine hcl cream Safeway

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Better Living Brands LLC First Aid Antibiotic Cream + Pain Relief Drug Facts

Active ingredients (in each gram)

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

emulsifying wax, methylparaben, mineral oil, poloxamer 188, propylene glycol, purified water, white petrolatum

Questions or comments?

1-888-723-3929

Principal Display Panel

Compare To Neosporin® + Pain Relief active ingredients

Quality Guaranteed

First Aid Antibiotic Cream + Pain Relief

#1 DOCTOR RECOMMENDED COMBINATION OF ACTIVE INGREDIENTS

First Aid Antibiotic/Pain Relieving Cream

NEOMYCIN SULFATE, POLYMYXIN B SULFATE

PRAMOXINE HCl

MAXIMUM STRENGTH

Soothes painful cuts, helps prevent infection in minor cuts, scrapes and burns

NET WT 0.5 OZ (14 g)



Quality Guaranteed

Compare To Neosporin® + Pain Relief active ingredients*
NDC 21130-559-58

First Aid Antibiotic Cream + Pain Relief

First Aid Antibiotic/Pain Relieving Cream

#1 DOCTOR RECOMMENDED COMBINATION OF ACTIVE INGREDIENTS*

Long Lasting Infection Protection

NEOMYCIN SULFATE, POLYMYXIN B SULFATE
PRAMOXINE HCl

MAXIMUM STRENGTH

- Soothes painful cuts, helps prevent infection in minor cuts, scrapes and burns

NET WT 0.5 OZ (14 g)

Code Area



*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.

DISTRIBUTED BY:
BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0009
1-888-723-3929
www.betterlivingbrandsLLC.com

OUR PROMISE
QUALITY & SATISFACTION
100% GUARANTEED
OR YOUR MONEY BACK.

S 2171 RD 17037

: 80958 L J C3



Drug Facts		Drug Facts (continued)	
Active ingredients (in each gram)	Purpose	Stop use and ask a doctor if	
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....First aid antibiotic Polymyxin B 10,000 units as polymyxin B sulfate.....First aid antibiotic Pramoxine HCl 10 mg.....External analgesic		<ul style="list-style-type: none"> ■ you need to use longer than 1 week ■ condition persists or gets worse ■ symptoms persist for more than 1 week, or clear up and occur again within a few days ■ rash or other allergic reaction develops 	
Uses first aid to help prevent infection and for temporary relief of pain or discomfort in minor: ■ cuts ■ scrapes ■ burns		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)	
Warnings For external use only. Do not use ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body		Directions ■ adults and children 2 years of age or older: ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ children under 2 years of age: ask a doctor	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns		Other information ■ store at 20°-25°C (68°-77°F)	
		Inactive ingredients emulsifying wax, methylparaben, mineral oil, poloxamer 188, propylene glycol, purified water, white petrolatum	
		Questions or comments? 1-888-723-3929	



◆ Neomycin Sulfate, Polymyxin B Sulfate, Pramoxine HCl in the U.S. Source: AlphaImpactRx

SIGNATURE CARE FIRST AID ANTIBIOTIC

neomycin, polymyxin b, pramoxine hcl cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-559
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
METHYL PARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLOXAMER 188 (UNII: LQA7B6G8JG)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-559-58	1 in 1 CARTON	11/10/2015	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	11/10/2015	

Labeler - Safeway (009137209)

Revised: 7/2017

Safeway