

ACETAMINOPHEN - APAP ARTHRITIS- acetaminophen tablet, film coated, extended release
Valu Merchandisers Company

Acetaminophen - APAP Arthritis

Drug Facts

Active ingredient (in each caplet)

Acetaminophen USP, 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none"> ▪ take 2 caplets every 8 hours with water ▪ swallow whole; do not crush, chew, split or dissolve ▪ do not take more than 6 caplets in 24 hours ▪ do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none"> ▪ ask a doctor

Other information

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

Inactive ingredients

croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

Questions?

call **1-800-406-7984**

PROUDLY DISTRIBUTED BY:
 VALU MERCHANDISERS, CO.
 5000 KANSAS AVE
 KANSAS CITY, KS 66106

PRINCIPAL DISPLAY PANEL - 650 mg Caplet Bottle Carton

COMPARE TO THE ACTIVE INGREDIENT OF TYLENOL® ARTHRITIS PAIN**

Best
Choice®

ARTHRITIS
Pain Relief

ACTUAL SIZE

Use Only as Directed.

Last up to 8 Hours

Easy to Open Bottle

ACETAMINOPHEN

Extended-release Tablets USP, 650 mg

Pain Reliever/Fever Reducer

For the Temporary Relief of Minor Arthritis Pain

100 CAPLETS*

(*CAPSULE-SHAPED TABLETS)

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

COMPARE TO THE ACTIVE INGREDIENT OF TYLENOL® ARTHRITIS PAIN**

ARTHRITIS Pain Relief

Best
Choice®

ACTUAL SIZE

Use Only as Directed.
Last up to 8 Hours
Easy to Open Bottle

ACETAMINOPHEN Extended-release Tablets USP, 650 mg

Pain Reliever/Fever Reducer
For the Temporary Relief of Minor Arthritis Pain

100 CAPLETS*
(*CAPSULE-SHAPED TABLETS)

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

COMPARE TO THE ACTIVE INGREDIENT OF TYLENOL® ARTHRITIS PAIN**

ARTHRITIS Pain Relief

Best
Choice®

ACTUAL SIZE

Use Only as Directed.
Last up to 8 Hours
Easy to Open Bottle

ACETAMINOPHEN Extended-release Tablets USP, 650 mg

Pain Reliever/Fever Reducer
For the Temporary Relief of Minor Arthritis Pain

100 CAPLETS*
(*CAPSULE-SHAPED TABLETS)

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

Drug Facts

Active ingredient Acetaminophen USP, 650 mg.....
Purpose Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

- Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
 - 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

Drug Facts (continued)

- new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ do not take more than directed (see overdose warning)

adults

- take 2 caplets every 8 hours with water
- swallow whole; do not crush, chew, split or dissolve
- do not take more than 6 caplets in 24 hours
- do not use for more than 10 days unless directed by a doctor

under 18 years of age

- ask a doctor

Other information

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

Inactive ingredients

croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

Questions? call 1-800-406-7984

Best Choice.
100% Guaranteed

www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106

Contains No
Aspirin

R0415


Best
Choice®

ARTHRITIS
Pain Relief

**KEEP THE CAPLET
CONTAINS IMPRINTED SEAL**

** All trademarks are property of their respective owners. This product is not affiliated with Tylenol® Arthritis Pain.

BEST C



Batch No.

Non Varr

Last up to 8 Hours

ACETAMINOPHEN

Extended-release Tablets USP, 650 mg


Pain Reliever/Fever Reducer

For the Temporary Relief of Minor Arthritis Pain

ARTON, IT
INT INFORMATION

of their respective owners.
with the makers/owners of


HOICE



Expiration Date :

nish Area

5116040



5116040



ACETAMINOPHEN - APAP ARTHRITIS

acetaminophen tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-333
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL (Capsule Shaped)	Size	19mm
Flavor		Imprint Code	cor116
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-333-50	50 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2002	
2	NDC:63941-333-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2002	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076200	04/30/2002	

Labeler - Valu Merchandisers Company (868703513)

Registrant - Sun Pharmaceutical Industries Inc. (146974886)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Ohm Laboratories Inc.		184769029	manufacture(63941-333)
-----------------------	--	-----------	------------------------

Revised: 12/2019

Valu Merchandisers Company