

SANI-DYNE 175- iodine solution, concentrate
Dairy Dynamics L.L.C.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

SANI-DYNE 175

Iodine Udderwash

1.75% Available Iodine

Usage Washing of teats and udders. May be used in drop hoses for cleaning of milking units and hands.
□

DIRECTION FOR USE

WASHING OF TEATS AND UDDERS:

- Immediately prior to milking, remove any excessive soils from teat surfaces.
- Prepare a solution of 1 ounce SANI-DYNE 175 to 5 gallons warm water.
- Wipe each teat with a single service towel immersed in the solution wiping soil from teat surface.
- Dry with a single service towel and attach milking unit.

*It is common practice to “fore-strip” teats prior to milking for purposes of milk letdown and mastitis detection. The procedure for fore-stripping may be performed prior to or after application of SANI-DYNE 175.

DROP-HOSE APPLICATIONS:

- Set equipment to meter a minimum of 25 ppm titratable Iodine.
- Wash teats with Iodine solution using a minimum amount of water.
- Dry thoroughly with a single service towel and attach milking unit.

ALWAYS DILUTE THIS PRODUCT!

IF PREPARED SOLUTION BECOME CLOUDY OR DIRTY IN APPEARANCE, DISCARD AND REPLACE WITH FRESH SOLUTION OF SANI-DYNE 175.

If original container becomes frozen, thaw completely then mix thoroughly before use.

PRECAUTIONARY STATEMENTS

DANGER

KEEP OUT OF REACH OF CHILDREN.

CAN CAUSE EYE DAMAGE.

Protect eyes when handling. DO NOT get in eyes or on clothing.

Harmful if swallowed. Avoid contamination of food.

FIRST AID

Eyes: In case of contact with eyes, flush immediately with water for at least 15 minutes. Call a physician.

Internal: If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

For Hazardous Materials (or dangerous goods) Incidents ONLY (spill, leak, fire, exposure or accident)

Call CHEMTREC At 800-424-9300

HEALTH - 2

FLAMMABILITY - 0

REACTIVITY - 1

PERSONAL PROTECTION - B

Dairy Dynamics

INDUSTRIAL STRENGTH FORMULATIONS FOR THE COMMERCIAL DAIRY

AMERICAN OWNED AND OPERATED

SANI-DYNE 175

Iodine Udderwash

Active Ingredient: 1.75% Available Iodine

TAKE TIME OBSERVE LABEL DIRECTIONS

NET CONTENTS U.S. GALLONS

WAS-60E-DDC

DIRECTIONS FOR USE
Read Material Safety Data Sheet (MSDS) Before Using This Product!

- WASHING OF TEATS AND UDDERS:**
- Immediately prior to milking, remove any excessive soils from teat surfaces.
 - Prepare a solution of 1 ounce SANI-DYNE 175 to 5 gallons warm water.
 - Wipe each teat with a single service towel immersed in the solution wiping soil from teat surface.
 - Dry with single service towel and attach milking unit.
- It is a common practice to "fore-strip" teats prior to milking for purposes of milk letdown and mastitis detection. The procedure of fore-stripping may be performed prior to or after application of SANI-DYNE 175.

- DROP-HOSE APPLICATIONS:**
- Set equipment to meter a minimum of 25 ppm titratable iodine.
 - Wash teats with iodine solution using a minimum amount of water.
 - Dry thoroughly with a single service towel and attach milking unit.

ALWAYS DILUTE THIS PRODUCT!

IF PREPARED SOLUTION BECOMES CLOUDY OR DIRTY IN APPEARANCE, DISCARD AND REPLACE WITH FRESH SOLUTION OF SANI-DYNE 175
If original container becomes frozen, thaw completely then mix thoroughly before use.



PRECAUTIONARY STATEMENTS

DANGER

**KEEP OUT OF REACH OF CHILDREN.
CAN CAUSE EYE DAMAGE.**

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID
Eyes: In case of contact with eyes, flush immediately with water for at least 15 minutes. Call a physician.

Internal: If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

For Hazardous Materials (or dangerous goods) Incidents ONLY
(spill, leak, fire, exposure or accident)
Call CHEMTREC At 800-424-9300

INDUSTRIAL STRENGTH FORMULATIONS FOR THE COMMERCIAL DAIRY AMERICAN OWNED AND OPERATED



SANI-DYNE 175
Iodine Udderwash

Active Ingredient: 1.75% Available Iodine

SANI-DYNE 175

SANI	Sanitizing Udderwash
175	1.75% Titratable Iodine
Usage	Washing of teats and udders. May be used in drop hoses for cleaning of milking units and hands.

HEALTH	2
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	B

TAKE TIME  OBSERVE LABEL DIRECTIONS

NET CONTENTS U.S. GALLONS



Manufactured by: Dairy Dynamics 17820 Washington St Union, IL 60180

WAS-60E-DDC 05.07

SANI-DYNE 175
iodine solution, concentrate

Product Information

Product Type	OTC ANIMAL DRUG LABEL	Item Code (Source)	NDC:67351-600
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (IODINE)	IODINE	17.5 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67351-600-05	18.9 L in 1 DRUM		
2	NDC:67351-600-15	56.8 L in 1 DRUM		
3	NDC:67351-600-30	113.6 L in 1 DRUM		
4	NDC:67351-600-55	208.2 L in 1 DRUM		
5	NDC:67351-600-01	3.78 L in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2007	

Labeler - Dairy Dynamics L.L.C. (142010953)**Establishment**

Name	Address	ID/FEI	Business Operations
Dairy Dynamics L.L.C.		142010953	manufacture, api manufacture, pack, label

Revised: 12/2014

Dairy Dynamics L.L.C.