

## **CHILDRENS PAIN RELIEF- acetaminophen tablet, orally disintegrating**

### **Rite Aid**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Rite Aid 44-452**

#### ***Active ingredient (in each tablet)***

Acetaminophen 80 mg

#### ***Purpose***

Pain reliever/fever reducer

#### ***Uses***

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - flu
  - sorethroat
  - toothache
- temporarily reduces fever

#### ***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### ***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

#### ***Ask a doctor before use if your child has***

liver disease.

#### ***Ask a doctor or pharmacist before use if your child is***

taking the blood thinning drug warfarin.

#### ***When using this product***

**do not exceed recommended dosage.**

#### ***Stop use and ask a doctor if***

- pain gets worse or lasts more than 5 days

- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- find the right dose on chart. If possible, use weight to dose; otherwise, use age.
- dissolve in mouth or chew before swallowing
- if needed, repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Tablets
Under 24	Under 2	Ask a doctor
24-35	2-3	2
36-47	4-5	3
48-59	6-8	4
60-71	9-10	5
72-95	11	6

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

citric acid, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrose, ethylcellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethelene, povidone, stearic acid, sucralose

**Questions or comments?**

**1-800-426-9391**

**Product Packaging**

**RITE AID®  
PHARMACY**

\*Compare to the active ingredient in Children's Tylenol® Meltaways®

**children's pain relief  
acetaminophen**

**rapid melts**

**acetaminophen 80 mg**

pain reliever • fever reducer

for children ages 2-6

aspirin and ibuprofen free

**30 DISSOLVING TABLETS**

grape flavored

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol® Meltaways®.

50844 REV071245201

**DISTRIBUTED BY: RITE AID**

**30 HUNTER LANE, CAMP HILL, PA 17011**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING**



Rite Aid 44-452

## CHILDRENS PAIN RELIEF

acetaminophen tablet, orally disintegrating

### Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:11822-0452
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (ACETAMINOPHEN)	ACETAMINOPHEN	80 mg

Inactive Ingredients	
Ingredient Name	Strength
CITRIC ACID MONOHYDRATE	
D&C RED NO. 27	
D&C RED NO. 30	
DEXTROSE	
ETHYLCELLULOSES	
FD&C BLUE NO. 1	
MAGNESIUM STEARATE	
MANNITOL	
POVIDONES	
STEARIC ACID	
SUCRALOSE	

Product Characteristics			
Color	PURPLE	Score	no score
Shape	ROUND	Size	13mm
Flavor	GRAPE	Imprint Code	44;452
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0452-1	1 in 1 CARTON		
1		30 in 1 BOTTLE, PLASTIC		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	12/06/2004	

**Labeler** - Rite Aid (014578892)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(11822-0452)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(11822-0452)

Revised: 9/2013

Rite Aid